



# ACCESSORY EQUIPMENT WMF PROFESSIONAL COFFEE MACHINES

Collection 2020

# Contents

---

4

Accessory Equipment

6

Syrup Station

8

Cup and Milk Storage

16

Extensions

22

Payment Systems

28

Thermal Containers

32

Water Filters

34

Technical Data Overview

40

Contact Details

---

# Accessory Equipment

EXTEND AND ENHANCE  
YOUR WMF COFFEE MACHINE.

"I want all my coffee equipment to look great and run smoothly. With WMF accessories, I know everything is perfectly coordinated with the coffee machine in terms of both function and aesthetics, ensuring top quality and minimum effort."

Choose from the wide range of high-quality WMF accessories to complete your coffee offering, enhancing the experience for operating personnel and coffee consumers alike. Options include attractive cup storage units, cup warming racks and milk coolers, combination Cup&Cool units, a Syrup Station, paper cup dispensers, payment devices, mobile coffee stations and more. Not only does each accessory complement the aesthetics of your coffee machine, they also work seamlessly together to enable flawless interaction. Every piece of WMF accessory equipment is designed to ensure optimal beverage quality and reduce the daily workload in both served and self-service venues. Because the finest coffee deserves the finest equipment.



# Syrup Station

THE TASTEFUL ADDITION  
TO COFFEE EXCELLENCE.

The WMF Syrup Station connects directly to any compatible WMF coffee machine to ensure an exceptional taste experience for every beverage menu. Coffee mix specialities with syrups can be saved as standard drinks on the coffee machine display, with over 20 different standard icons available. And there are no limits to your creativity, with up to four types of syrup, fruit purée or spirit available in three

different dosing quantities. To preserve perfect purity of taste, each syrup is delivered through a separate set of tubes, and cleaning is made easy by the guidance provided on the machine's display. If the Syrup Station is being used in a self-service venue, the door can be locked for total security. Best of all, the design perfectly matches WMF coffee machines, giving your "coffee hub" a coordinated and stylish look.





# Cup and Milk Storage

SOPHISTICATED SOLUTIONS,  
FOR EFFECTIVE STORAGE.

Just reach for the cup rack or Cup&Cool unit directly next to the coffee machine for a perfectly warmed cup or glass: hot enough to prevent the beverage cooling down too quickly, but not too hot for comfort. This is particularly helpful with small amounts of coffee such as espresso. Milk is well stored in properly chilled tanks – above all, hygienically. And you

can select the ideal temperature for milk storage to achieve optimal conditions for top-quality milk foam. Everything is within easy reach, so you can spend your time indulging more customers with coffee. Or, in self-service venues, your customers can serve themselves in style, choosing a cup or glass from these perfectly coordinated accessories.



# Cup Warming Racks

PERFECTLY WARMED CUPS, STYLISHLY DISPLAYED



CUP RACK, WIDE



CUP RACK, NARROW

Made with high-quality, easily cleanable stainless steel and shatterproof glass, WMF cup racks are designed to be positioned directly next to the coffee machine. So your cups will always be close at hand, and just the right temperature. Transparent side panels make for easy inspection, and coloured LED lighting can be adjusted to suit your venue.

# Cup&Cool

ONE UNIT, TWO FUNCTIONS: WARMING AND COOLING



CUP & COOL, WIDE



CUP & COOL, NARROW

Contained within the same footprint as a standard cup warming rack, WMF Cup&Cool units combine both cup warming and milk cooling functions. For maximum hygiene, the milk tank is removable, easy to clean and easy to fill, while the optional milk volume sensor lets you know when to refill. The lockable door is ideal for self-service venues.

# Milk Coolers

COOL MILK SOLUTIONS FOR ANY COFFEE HUB



**CENTER COOLER**

Designed to be placed between two WMF coffee machines or next to a single machine, this Countertop Cooler features a removable 10.5-litre milk tank and a digital display showing the milk temperature.



**COUNTERTOP COOLER (SMALL)**

Available either with or without a large digital display on the front panel, the two variants of WMF's small Countertop Cooler both have a removable milk tank with a 3.5-litre capacity, and each is fitted with a thermostat and separate on/off switches. Suitable for self-service venues, they are lockable with a removable seal.



**COUNTERTOP COOLER (MEDIUM)**

This model boasts a removable milk tank and offers the option of sensors for milk temperature and a milk empty message.



**COUNTERTOP COOLER (LARGE)**

The large capacity of this Countertop Cooler makes it suitable for use with either one or two WMF coffee machines, with milk hose routing on both the left and right sides. Milk temperature and milk empty sensors are available as an option.



**UNDER-MACHINE COOLER (WMF 9000 S+)**

Equipped with a removable 9.5-litre milk tank, this Under-Machine Cooler is designed to fit under the WMF 9000 S+ coffee machine, with a compact milk hose guide passing through the drip tray. Milk temperature and milk empty sensors are available as options.




**UNDER-MACHINE COOLER**

Featuring a 9.5-litre capacity, this model can be used directly under various machines, or as an Under-Counter Cooler for all WMF fully automatic coffee machines, except the WMF 1100 S and machines fitted with the Basic Milk system.

# Combinations

## COFFEE INDULGENCE, BEAUTIFULLY COORDINATED

Designed with the versatility to satisfy your present and future requirements as your coffee business evolves, WMF Professional Coffee Machines and accessory equipment can be seamlessly combined in numerous different permutations.





# Extensions

THE IDEAL EXTENSION  
FOR EVERY REQUIREMENT.

Every customer is unique, which is precisely why we offer so many different kinds of equipment. Whether you require a mobile station for flexible operation in the conference room, a paper cup dispenser for self-service use, or support for milk storage and coffee grounds disposal, we have a high-quality accessory to satisfy your needs. Instead of often unsatisfactory do-it-yourself solutions, we provide you with premium, professional enhancements. This ensures not only that everything works smoothly and efficiently, but also that it all perfectly matches the style of your coffee machine.



# Mobile Coffee Stations

DELIVERING COFFEE INDULGENCE, IN TOTAL AUTONOMY



MOBILE COFFEE STATION 125+ / 85+

WMF mobile coffee stations can be used independently, with no fixed water connection. Equipped with a 25-litre fresh water tank and a 13-litre waste water tank, they are designed to hold a coffee machine and additional equipment such as a side cooler or payment unit. These stable, lockable models can carry up to 103 kg / 93 kg respectively.

COFFEE STATION 58 / 58+

Offering independent, mobile operation where a limited footprint is available, these slim models nonetheless provides sufficient space for a WMF 1100 S coffee machine and a side cooler or sales unit.

# Other Extensions

A HIGH-QUALITY ACCESSORY FOR EVERY NEED



TECHNICAL GROUP

Providing a separate electricity, water and waste water supply, with an external booster pump, this group is for short-term or mobile station use.

MILK TANK

Designed for standard fridges, this 18-litre removable milk tank features a cradle and milk empty message, riser, Plug+Clean hose adaptor.

GROUND'S SEPARATOR

For use with WMF filter coffee machines, this is the clean, secure solution for collecting and disposing of up to 12 litres of coffee grounds.

CUP DISPENSER

Ideal for self-service environments, this stackable cup dispenser can hold two 390mm stacks of cups with a 60-90mm diameter.

# Combinations

MOBILE SOLUTIONS TO MEET YOUR NEEDS





# Payment Systems

HELPING TO MAKE PAYMENT  
AN EFFORTLESS EXPERIENCE.

We offer a variety of different payment accessories, each designed to offer your self-service customers an effortless and efficient way of paying for their beverages. So payment becomes just another part of the user-friendly experience ensured by the intuitive touch displays on our coffee machines.

From cash to cashless tokens to payment cards, choose the payment method that best suits your venue and your customers. Our coin checkers and coin changers, flexible card reader casings and more provide all the options you need to transform your coffee machine into its own autonomous sales unit.





# Coin and Card Units

SIMPLE SOLUTIONS FOR SELF-SERVICE SALES



## COIN CHECKER

With these coin checkers you can individually set and adjust the price of each drink, with up to 99 different prices in total. It is also possible to set prices to "All Free". For ease of use, customers can pay for multiple purchases at the same time.



## COIN CHANGER

Designed to give change, these units will return the difference between the set price and the coins inserted to the customer. Like the coin checkers, they allow you to set up to 99 different selling prices, and switch prices to "All Free" if required. They accept all coins from 5 cents to 2 euro in value, as well as WMF tokens.



## CARD READER

WMF will install any compatible card reader procured by you, building it into one of these high-quality housing units at our plant in Geislingen, Germany. Prices are individually adjustable and can be switched to "All Free". Depending on the card reader, contactless payment via the "Tap & Go™" method may also be possible.

# Combinations

## COFFEE MAKING AND COFFEE SALES, SIDE BY SIDE

You can combine your WMF Professional Coffee Machine with our coin and card units in a variety of different ways, depending on the specific needs of your coffee business. There are just a few configuration examples. Our goal is to facilitate your chosen payment model for your coffee business. When it comes to installing card and coin units to complement your WMF Professional Coffee Machine, we offer a high degree of customisation and configuration flexibility.



# Thermal Containers

LASTING WARMTH,  
STRIKING STYLE.

Designed to meet the special requirements of mass catering, WMF heated thermal containers perfectly complement your WMF 9000 F filter coffee machine in terms of both form and function. They are equipped with an adjustable post-brewing function, allowing you to set the post-brewing level to a maximum of 100 litres.

Each container in the range is made of double-walled stainless steel, seamlessly welded, and features a non-drip stainless steel tap and an integrated glass gauge with aluminium casing. They are all designed to keep your filter coffee at a temperature of around 85°C, and engineered to ensure many years of reliable service.



# Filter Coffee Perfection

CONSISTENT TEMPERATURE FOR CONSISTENT TASTE



HEATED THERMAL  
CONTAINER (40L)



HEATED THERMAL  
CONTAINER (20L)



THERMAL CONTAINER  
(2.4L)

The range of thermal containers for use with the WMF 9000 F includes an insulated pot with a 40-litre capacity and a 20-litre model, as well as a 2.4-litre model which can be filled from the pot brewing arm, and is also suitable for use with the WMF 9000 F (Internal Storage).





# Water Filters

THE FINEST COFFEE,  
REQUIRES WATER OF THE HIGHEST QUALITY.

The WMF water filter system refines your water in several stages, cleaning and enriching it if necessary. Because only the highest quality water allows the aroma of the coffee to fully develop. But WMF water filters not only optimise the taste of the coffee, they also protect your coffee machine. This comprehensive

filtration solution begins with analysis of your water quality and identification of the ideal filter by a trained service technician. Once installed, the system provides 5-fold filtration, effective limescale protection and filtration of bypass water, not forgetting a full maintenance and filter replacement service.

### WMF AQUA BASIC FILTER CARTRIDGES

These filter cartridges reduce the total carbonate hardness of your drinking water, stabilising its pH value. They protect your coffee and espresso machines against harmful lime deposits, improve the aroma of beverages by removing unwanted odours and flavours such as chlorine, and filter particles out of the water.

### WMF AQUA PROTECT FILTER CARTRIDGES

Recommended for use in areas where the water has a high gypsum content, these filters resalt the water, reducing its calcium and magnesium content and protecting your coffee machines against harmful deposits. They reduce the risk of corrosion and improve the aroma of beverages by removing unwanted odours and flavours.

### WMF AQUA EXCELLENCE FILTER CARTRIDGES

These cartridges reduce the total hardness of drinking water, stabilise its pH value and provide additional mineralisation, adding magnesium as a flavour carrier. Besides protecting your coffee machines from harmful limescale deposits, they improve beverage aroma by removing unwanted odours and flavours and filtering particles.

V	<div>WMF AquaBasic Filter candle V</div> <div>filter capacity up to approx. 3,000 litres (at 10° dKH)</div> <div>Diameter: 110 mm Height: 420 mm</div> <div></div>		
M	<div>WMF AquaBasic Filter candle M</div> <div>filter capacity up to approx. 4,560 litres (at 10° dKH)</div> <div>Diameter: 130 mm Height: 475 mm</div> <div></div>		<div>WMF AquaExcellence Filter candle M</div> <div>filter capacity up to approx. 2,100 litres (at 14 ° dKH)</div> <div>Diameter: 130 mm Height: 475 mm</div> <div></div>
XL	<div>WMF AquaBasic Filter candle XL</div> <div>filter capacity up to approx. 8,160 litres (at 10° dKH)</div> <div>Diameter: 147 mm Height: 502 mm</div> <div></div>	<div>WMF AquaProtect Filter candle XL</div> <div>filter capacity up to approx. 2,245 litres (at 14° dKH)</div> <div>Diameter: 147 mm Height: 502 mm</div> <div></div>	<div>WMF AquaExcellence Filter candle XL</div> <div>filter capacity up to approx. 3,340 litres (at 14 ° dKH)</div> <div>Diameter: 147 mm Height: 502 mm</div> <div></div>
2XL	<div>WMF AquaBasic Filter candle 2XL</div> <div>filter capacity up to approx. 14,400 litres (at 10° dKH)</div> <div>Diameter: 185 mm Height: 580 mm</div> <div></div>	<div>WMF AquaProtect Filter candle 2XL</div> <div>filter capacity up to approx. 4,285 litres (at 10 ° dKH)</div> <div>Diameter: 185 mm Height: 580 mm</div> <div></div>	<div>WMF AquaExcellence Filter candle 2XL</div> <div>filter capacity up to approx. 5,440 litres (at 14 ° dKH)</div> <div>Diameter: 185 mm Height: 580 mm</div> <div></div>

# Technical Data Overview

ALL THE FACTS AND FIGURES YOU NEED

## Syrup Station



Item number	03.9023.0001
Bottle capacity	1 - 4
External dimensions (width / height / depth)	261 / 530.5 / 469 mm
Empty weight	Approx. 16 kg
Lockable	√
Removable seal	√
Applicability	WMF 1500 S+, WMF 5000 S+, WMF 9000 S+
Other information	The coffee machine must be pre-configured by the manufacturer. Generally lockable, with a removable seal.

## Cup Warming Racks and Cup&Cool



	CUP RACK, WIDE	CUP RACK, NARROW	CUP & COOL, WIDE	CUP & COOL, NARROW
Item number	03.9020.0002	03.9020.0102	03.9021.6012 / 22 / 42	03.9021.5011 / 21
Nominal output / power supply	0.16 kW / 220 - 240 V	0.15 kW / 220 - 240 V	0.2 kW / 220 - 240 V	0.15 kW / 220 - 240 V
Outer dimensions (width / height / depth)	368 / 530 / 539 mm	286 / 530 / 539 mm	368 / 530 / 565 mm	286 / 530 / 566 mm
Empty weight	Approx. 28 kg	Approx. 27 kg	Approx. 32 kg	Approx. 31 kg
Removable milk insert	-	-	9.5 litres	4.5 litres
Max. cup capacity	88 to 320 cups	60 to 260 cups	45 to 130 cups	45 to 190 cups
Thermostat	√	√	√	√
Heatable shelves	4, stainless steel	4, stainless steel	2, stainless steel	3, stainless steel
Suitable for self-service	√	√	√	√
Sensor for milk temperature	-	-	Optional	Optional
Plug&Clean integrated into cooler	-	-	Optional	Optional
Illumination (can be set to different colours)	√	√	√	√
Milk empty message (if available in machine)	-	-	Optional	Optional
Lockable	-	-	√	√
Removable seal	-	-	√	√
Other information	-	-	Optional: milk hose conduction at the right or left side is possible, therefore use between two coffee machines is possible for WMF 1100 S, WMF 1500 S+, WMF 5000 S+, WMF 9000 S+	Can be used with WMF 1500 S+, WMF 5000 S+, WMF 9000 S+

# Milk Coolers



	CENTER COOLER	COUNTERTOP COOLER	COUNTERTOP COOLER	COUNTERTOP COOLER	COUNTERTOP COOLER	UNDER-MACHINE COOLER	UNDER-MACHINE COOLER
Item number	03.9022.6041	03.9190.0001	03.9190.5001	03.9192.6011 / 21 / 41	03.9469.7012 / 22	03.9468.6012 / 22	03.9469.6012 / 22
Nominal output / power supply	0.045 kW / 220 – 240 V	0.08 kW / 220 – 240 V	0.08 kW / 220 – 240 V	0.09 kW / 220 – 240 V	0.07 kW / 220 – 240 V	0.07 kW / 220 – 240 V	0.07 kW / 220 – 240 V
Outer dimensions (width / height / depth)	261 / 530.5 / 469 mm	228 / 344 / 469 mm	228 / 392 / 463 mm	230 / 353 / 530 mm	0.07 kW / 220 – 240 V	406 / 265 / 539 mm	345 / 300 / 539 mm
Empty weight	Approx. 16 kg	Approx. 13.5 kg	Approx. 14.3 kg	Approx. 18 kg	Approx. 22 kg	Approx. 26 kg	Approx. 22 kg
Removable milk insert	10.5 litres	3.5 litres	3.5 litres	6.5 litres	9.5 litres	9.5 litres	9.5 litres
Suitable for self-service	✓	✓	✓	✓	✓	✓	✓
Sensor for milk temperature	✓	-	✓	Optional	Optional	Optional	Optional
Milk empty message (if available in machine)	✓	-	-	Optional	Optional	Optional	Optional
Lockable	✓	✓	✓	✓	✓	✓	✓
Removable seal	✓	✓	✓	✓	✓	✓	✓
Other information	Can be used with WMF 1500 S+ WMF 5000 S+ WMF 9000 S+	Can be used with WMF 1100 S WMF 1500 S+ WMF 5000 S+ WMF 9000 S+	Can be used with WMF 1100 S WMF 1500 S+ WMF 5000 S+ WMF 9000 S+*	Can be used with WMF 1100 S WMF 1500 S+ WMF 5000 S+ WMF 9000 S+*	Optional: milk hose conduction at the right or left side is possible, therefore use between two coffee machines is possible (WMF 1100 S, WMF 1500 S+, WMF 5000 S+, WMF 9000 S+)*	Can be used with WMF 9000 S+	Can be used with WMF 1500 S+, WMF 5000 S+; for WMF 9000 S+ under the counter installation only, optional: 2-milk solution

\* The required depth changes due to milk hose guidance in connection with the following coolers:  
Depth for 03.9190.5001: 631 mm\*  
Depth for 03.9192.6011 / 03.9192.6021 / 03.9192.6041 / 03.9469.7012 / 03.9469.7022: 616 mm\*

# Payment Accessories



	COIN CHECKER	COIN CHANGER	CARD READER
Can be used with	WMF 1100 S, WMF 1200 F, WMF 1500 S+, WMF 5000 S+, WMF 9000 S+, WMF 9000 F	WMF 1100 S, WMF 1500 S+, WMF 5000 S+, WMF 9000 S+, WMF 9000 F	WMF 1100 S, WMF 1500 S+, WMF 5000 S+, WMF 9000 S+, WMF 9000 F
Accepts	Coins from 5 cent to 2 euro and WMF tokens (no change return)	Coins from 5 cent to 2 euro and WMF tokens (change return)	Card reader small for MDB reader only
Connection of up to	1 coffee machine	1 coffee machine	1 coffee machine
External dimensions (width / height / depth)	105 / 502 / 350 mm 170 / 604 / 496 mm	105 / 500 / 350 mm 170 / 604 / 496 mm	130 / 500 / 350 mm 170 / 604 / 496 mm
Other information	Always fitted on the right of the machine. An individual price can be set for each beverage. (WMF 1200 F can only be used with a two-price coin checker, WMF 1200 F without brew arm pullout only.)	Always fitted on the right of the machine. An individual price can be set for each beverage.	Always fitted on the right of the machine. The card reader is provided by the customer and sent to WMF for installation. Compatibility of the reader must always be checked in advance.

Note: you can connect 2 payment accessories to a single WMF coffee machine.

# Mobile Coffee Stations



	MOBILE COFFEE STATION 125+	MOBILE COFFEE STATION 85+	COFFEE STATION 58 / 58+	TECHNICAL GROUP
Item number	03.9491.0215*	03.9491.0201*	03.9491.1001 / 201 / 101* / 301*	03.9493.0002
Suitable for installation on the integrated technology insert up to	3.3 kW / 220 - 240 V	3.3 kW / 220 - 240 V	3.3 kW / 220 - 240 V	-
External dimensions (width / height / depth)	1250 / 900 / 780 mm	850 / 900 / 780 mm	580 / 900 / 600 mm	525 / 620 / 540 mm
Weight	103 kg	93 kg	33 kg	7.5 kg
Capacity of fresh water tank	Approx. 25 litres	Approx. 25 litres	Optional, approx. 25 litres	25 litres
Capacity of waste water tank	Approx. 13 litres	Approx. 13 litres	Optional, approx. 13 litres	13 litres
Integrated grounds drawer	-	-	Optional	-
Suitable for self-service	√	√	√	-
Lockable	√	√	-	-
Other information	Space for a coffee machine with additional devices such as countertop cooler and cup rack or for a vending machine (e.g. coin checker) and with various water supply options depending on the model of coffee machine.  *Includes technical group	Space for a coffee machine or for a coffee machine with countertop cooler or for a vending machine (e.g. coin checker) and with various water supply options depending on the model of coffee machine.  *Includes technical group	The „Coffee station 58“ is flexible to use within one room, however, it must not be pushed across landings, doorsteps or other obstacles due to risk of tipping. In order to push it, please remove any objects (such as coffee machines and add-on units) from the top of the coffee station!  * Includes technical group	With external booster pump, fresh water tank, waste water tank, for WMF 1100 S WMF 1200 F WMF 1500 S+ WMF 5000 S+ WMF 9000 S+

# Various



	MILK TANK	CUP DISPENSER	GROUND'S SEPARATOR	THERMAL CONTAINER 2.4 L	HEATED THERMAL CONTAINER 20 L	HEATED THERMAL CONTAINER 40 L
Item number	03.9499.0001	03.9199.0003	03.9011.0002	03.6299.0001	03.6621.0001	03.6641.0001
Outer dimensions (width / height / depth)	460 / 280 / 310 mm	230 / 192 / 500 mm	314 / 579 / 440 mm	-	-	-
Empty weight	Approx. 4 kg	Approx. 5 kg	Approx. 12 kg	3 kg	11.2 kg	19 kg
Removable milk insert	18 litres	-	-	-	-	-
Maximum cup capacity	-	For 2 packs of paper cups with a length of 390 mm each	-	-	-	-
Suitable for self-service	-	√	-	-	-	-
Milk empty message (if available in machine)	√	-	-	-	-	-
Material	-	-	-	Stainless steel outside, glass inside	Double-wanded stainless steel, seamlessly welded	Double-wanded stainless steel, seamlessly welded
Holding temperature	-	-	-	-	Approx. 85°C	Approx. 85°C
Integrated gauge glass	-	-	-	√ Plastic casing	√ Aluminium casing	√ Aluminium casing
No-drip tap	-	-	-	√	√ Stainless steel	√ Stainless steel
Other information	Removable for stand-ard refrigerators, made of polycarbonate, includes frame and milk empty message, standpipe and Plug&Clean hose adaptor	For stand-alone use or on top of the countertop cooler 6011, applicable for 2 packs of paper cups, for paper cups with ø 60-90 mm, stackable (up to 3 cup dispensers)	Maximum capacity 12 litres for 9000 F	Available for WMF 9000 F (External Storage) and WMF 9000 F (Internal Storage)	Available for WMF 9000 F (External Storage)	Available for WMF 9000 F (External Storage)



# Contact Details

GET IN TOUCH TO FIND OUT MORE



A

**WMF Group GmbH**  
Eberhardstrasse 35  
73312 Geislingen/Steige

+49 7331 258 482  
professional-coffeemachines@wmf-group.com  
www.wmf-coffeemachines.com

B

**WMF Austria**  
Langer Weg 28  
6020 Innsbruck

+43 512 3302  
gastro@wmf.at  
www.wmf-kaffeemaschinen.at

C

**WMF in Switzerland**  
Allmendweg 8  
4528 Zuchwil

+41 32 681 62 00  
vertrieb.schweiz@schaerer.com

D

**SEB PROFESSIONAL BeLux BV**  
Halfstraat 5\_18  
B-2630 Aartselaar | Belgium

+32 828 11 28  
Belgium@seb-professional.com  
www.wmf-coffeemachines.com/nl\_be

E

**SEB PROFESSIONAL Iberia S.A.**  
Avda. Llano Castellano, 15  
28034 Madrid | España

+34 91 3341216  
Spain@seb-professional.com  
www.wmf-coffeemachines.es  
www.wmf.com

F

**SEB PROFESSIONAL UK Limited**  
31 Riverside Way  
UB8 2YF Uxbridge

+44 1895 816100  
UK@seb-professional.com  
www.wmf-coffeemachines.uk.com

G

**SEB PROFESSIONAL France SARL**  
13 - 15 Rue Claude Nicolas Ledoux  
94000 Créteil

+33 1 49 80 80 10  
France@seb-professional.com  
www.wmf-coffeemachines.fr

H

**SEB PROFESSIONAL Nederland B.V.**  
Gyroscoopweg 82-84  
1042 AX Amsterdam

Showroombezoek op afspraak  
+31 20 480 80 85  
Netherlands@seb-professional.com  
www.wmf-coffeemachines.com/nl\_nl

I

**SEB PROFESSIONAL Japan**  
13F Hamarikyu Parkside Place  
5-6-10 Tsukiji, Chuoku Tokyo, 104-0045

+81 3 3541 1941  
Japan@seb-professional.com  
www.wmf-japan.co.jp

J

**SEB PROFESSIONAL (Shanghai) Co., Ltd.**  
1318 North Sichuan Road, ICP, Unit 1101  
200080 Shanghai

+86 021 2601 6288  
China@seb-professional.com  
www.wmf-coffeemachines.com

K

**SEB PROFESSIONAL LATAM & Caribbean**  
Guadalupe 10801 | P.O Box 75-2120 |  
Goicoechea, San Jose | Costa Rica

+506 7016 9885  
LATAM@seb-professional.com  
www.wmf-coffeemachines.com

L


**SEB PROFESSIONAL North America**  
15501 Red Hill Avenue, Suite 200  
Tustin, California 92648

+1 888 496 3435  
NorthAmerica@seb-professional.com  
www.wmf-coffeemachines.us.com

WMF Group GmbH  
GBU Professional Coffee Machines PCM  
Eberhardstrasse 35  
73312 Geislingen/Steige  
Germany  
Phone: +49 73 31 - 258 482  
Fax: +49 73 31 - 258 792  
professional-coffeemachines@wmf-group.com  
www.wmf.com

63.8094.0391  
All technical changes, typographical mistakes  
and errors reserved for the entire contents.

Printed in Germany 03.2020





DESIGNED TO PERFORM

---

[wmf.com](http://wmf.com)