Casselin®

Catering Equipment

2025



GASTRO ECONOMY

Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

Welcome,
Dear Clients and Partners,

The year 2024 was marked by strong growth and a commitment to better supporting you.
Thanks to your valuable feedback and specific needs, we have expanded our product range and enhanced our services to better meet your expectations.

For 2025, we are pleased to introduce new solutions that align with the latest trends in fast food and food service. Among our key innovations, you will discover a range of high-performance induction stoves, designed to meet energy efficiency and speed requirements in the kitchen. This new offering complements our extensive selection of professional equipment, all designed to make daily operations easier.

We are also focusing on our refurbished products, allowing you to access high-quality equipment at competitive prices while adopting an eco-friendly approach. These carefully restored products offer an economical and sustainable solution without compromising performance. Each piece of equipment is in excellent working condition, backed by our warranty and after-sales service.

We sincerely thank you for your loyalty and trust. Your support is the key to our success and our ongoing commitment to evolving alongside you. In 2025, we are dedicated to maintaining a high level of responsive and personalized service, with optimized delivery times and tailored support.

At Casselin, our priority is to provide you with quality products and service that meets your expectations. We look forward to continuing this journey with you and bringing you the best solutions for your business needs.

Thank you for being part of our story.



Yann Rousseau
CEO

THE STORY

Since 2012, Casselin has established itself as a leading supplier of professional equipment for the fast food industry. With a continuously expanding product range, our company meets the growing needs of food service professionals in France and internationally.

As snacking specialists, we offer a wide selection of high-quality products, including deep fryers, toasters, crepe makers, waffle makers, ham slicers, percolators, and many other essential appliances for restaurateurs. All our products are carefully selected for their performance and reliability, ensuring an optimal kitchen experience.



WHY CHOOSE CASSELIN?

• A wide range of high-quality products for fast food and snacking.
• Fast delivery: 24-48 hours in France, 48-72 hours in Europe.
• A dedicated customer service team and a responsive after-sales service.

Choosing Casselin means choosing quality, responsiveness, and the expertise of a dynamic partner serving fast food professionals.

Casselin

CASSELIN EXPORT SERVICE

At Casselin, we bring our expertise to hospitality and catering professionals worldwide. Our export team supports international partners by providing tailored solutions, optimized logistics, and personalized follow-up.

To ensure a responsive and efficient service, we rely on dedicated contacts like





Priscilla FILHOL
Export sales manager

Priscilla, Export Sales Manager, is responsible for developing and managing export sales. She works closely with our clients and distributors to offer equipment suited to the demands of professionals in the hospitality and catering industries.

Attentive and available, she ensures efficient follow-up and responsive service, guaranteeing smooth and high-quality collaboration. With the support of the international sales team, she assists our partners at every stage, from product selection to after-sales support.

priscilla.filhol@casselin.com
+ 33 6 51 21 26 82



Casselin is proud to announce its partnership with Joannes Richard, Champion of the 2021 Coupe de France de Burger, 2022 World Vice-Champion, and crowned 2023 World Burger Champion. This collaboration will highlight Joannes Richard's exceptional expertise and Casselin's commitment to providing high-performance, high-quality kitchen equipment.

Don't miss the opportunity to meet Joannes Richard at the various trade shows where we will be present. He will share his expertise and create his unique recipes using Casselin equipment. A must-attend event for gastronomy enthusiasts and demanding professionals!

Eco-friendly

At Casselin, we understand that every food service professional has specific equipment needs. That's why we offer a refurbishment service for our equipment, providing you with high-quality products at prices suited to all budgets.

In addition to this cost-effective approach, we are committed to incorporating an eco-friendly dimension into our refurbishment process.

AN ECO-RESPONSIBLE APPROACH AT THE HEART OF OUR PROCESS

At Casselin, refurbishment goes far beyond the economic aspect, aligning with an eco-responsible and sustainable approach. By offering refurbished equipment, we help extend the lifespan of appliances, reducing natural resource consumption and minimizing electronic waste.





Waste Reduction: By extending the lifespan of products, we prevent them from becoming waste prematurely, thus contributing to the reduction of electronic waste.

Natural Resource Conservation: Refurbishment reduces the need for manufacturing new equipment, thereby lowering the environmental footpint associated with raw material extraction and device production.

Energy & $CO_{2:}$ The refurbishment process consumes less energy and emits less CO_2 compared to the production of new equipment, contributing to the overall reduction of the industry's carbon footprint.

CASSELIN REFURBISHED PRODUCTS ARE AVAILABLE ONLINE!

To browse our full selection of refurbished equipment, simply log in to your customer account on our official website, casselin.com.

You will find all our refurbished equipment, categorized by grade, with detailed descriptions and competitive prices.



Our refurbished products are available in multiple grades to meet your needs in performance, aesthetics, and budget. Each appliance is carefully inspected, repaired, and tested to ensure proper functionality while offering a sustainable and eco-friendly solution.

OUR REFURBISHMENT GRADES

Grade A - Display Model

A new product, never used, but displayed in stores or during demonstrations. The original packaging may be damaged, but the equipment is in perfect working condition and comes with a 1-year warranty.



Grade A

Grade B - Showroom

A new product, never used, but previously displayed in a store. It may have minor aesthetic imperfections (such as scratches) and damaged packaging but remains in perfect working condition with a 1-year warranty.



Grade B

OUR PRE-OWNED GRADES

Grade C - Pre-Owned Very Good

A pre-owned product in very good condition, never used but previously displayed. It may have minor aesthetic imperfections (scratches, small dents), and the original packaging may be damaged. Despite these cosmetic flaws, the appliance is in perfect working condition and comes with a 6-month warranty.



Grade C

Grade D - Pre-Owned Good

A used product with visible aesthetic imperfections (scratches, small dents). The original packaging may be missing, and the product may not be delivered in its original box. Despite these flaws, it remains fully functional and comes with a 6-month warranty.



Grade D

Our commitments

RELIABILITY
Product reliability is the first commitment. We design quality products that allow you to provide the best service to your customers.

SERVICE
Logistics meet today's requirements: Product availability, express delivery. Casselin offers you reliable products. We optimize the management and follow-up of the manufacturing and delivery process.

AVAILABILITY
The entire Casselin team is ready to listen to your needs and we are always available to provide you with the best service.


EFFICIENCY
We put our skills at your disposal to find solutions and meet your expectations.

Customer satisfaction is and will always remain our upmost priority. It's our people and their know-how, commitment, drive and ingenuity that create customer satisfaction and fuel our growth around the world.






FRANCE



EUROPE



HOW TO ORDER

First of all, you must have an account opened. To open an account you must get in touch with one of our sales representatives in order to obtain your conditions.

Once your account opened you can send us your order by email on: **order@casselin.com**
Please write on your order:
- The reference of the product,
- The title of the product,
- The quantity that you need,
- The delivery address.

For every order you will receive a order confirmation from our side.
If you need further information do not hesitate to contact us on **+33(0)4 82 92 59 00.**

IMPORTANT INFORMATION

The weights of the appliances are indicated net, without packaging.
Technical data and product specifications are subject to change without prior notice.
All prices are expressed in EURO (€) excluding taxes (excl. VAT).
The displayed prices are recommendations, and each reseller is free to set their own selling prices.

For more information about our products, promotions, or any inquiries regarding our services, please visit casselin.com.

EXHIBITION

Come and meet the Casselin team during the various horeca exhibitions. All the dates are on our website casselin.com



Host Milan,2023

SIRHA LYON — From 23 to 27 January 2025 in Lyon, France

Snack Show — The 2nd and 3rd April 2025 in Paris, France.

host Milano — From 17 to 21 October 2025 in Milan, Italy.

Summary

GASTRO ECONOMY

SNACK & COOKING

	Waffle maker	16
	Electric crepe maker	20
	Crepe maker serving station	24
	Stand and trolley	26
	Topping warmer	30
	Sauce bottle holder	31
	Pump dispenser	32
	Sauce dispenser	37
★	Salamander	38
	Toaster Grill	42
	Conveyor toaster	45
★	Vertical toaster	46
	Heated Butter wheel	49
	BIN - Pass burger	50
	BIN - merchandising warmer	54
	Heated Shelf	56
	Mobile Heated shelf	57
	Warming drawer	58
	Storage holding cabinet	59
	French fry warmer	60
★	Fry holding station	64
	Electric deep fryer	72
	Freestanding fryer	81
★	Electric deep fryer with filtration	84
★	Friteuse électrique à pression	89
★	Gas fryer	90
★	Electric pastry fryer	94
	Lava stone grill	97
	Steak grill	98
	Contact grill	100
	Hot dog spike toaster	106
★	Hot-dog machine	107
★	Electric griddle plate	111
	Gas griddle plate	118
	Gas stove	121
★	Induction cooker	123
★	Induction griddle plate	124
	Raclette machine	128
	Electric stove	129
	Convection oven	130
	Electric pizza oven	132
	Wood fired pizza oven	141
	Gas pizza oven	142
	Pizza oven stand	143
★	Conveyor pizza oven	144
★	Bain-marie	146
	Bain-marie for sauce	150
	Bain-marie water heated for sauce	152
	Bain-marie sausage warmer	153
	Bain-marie trolley	154
	Electric pasta cooker	157
	Milk pack heater	160
	Soup Kettle	161
	Heating ramp	162
★	Infrared heating strip	163
	Heated wall shelf	166
	Plate Warmer	167
	Plate warmer	168
	Heated display case	170
	Built-in heated display case	173









★ *News*

GASTRO ECONOMY

LINE 600

Electric deep fryer 177
Electric cooker with electric oven 178
Gas table-top cooker 180
Gas cooker with electric oven 184
Electric griddle plate 186
Gas griddle plate 189
Lava stone grill 192
Electric water grill 193
Electric frying pan 193
Electric deep fryer 194
Electric deep fryer with cabinet 196
Gas deep fryer 198
French fry warmer 199
Pasta cooker 199
Bain-marie 200
Worktop 201
Cabinet 202






LINE 700

Electric table-top cooker 206
Electric cooker with open cabinet 207
Electric cooker with electric oven 208
Electric table-top cooker solid tops 210
Electric cooker solid tops with open cabinet 211
Electric cooker solid tops with electric oven 212
Gas table-top cooker 214
Gas table-top cooker with open cabinet 216
Gas cooker with electric oven 218
Gas cooker with gas oven 220
Gas table-top cooker + solid top 222
Gas table-top cooker + solid top with open cabinet 223
Gas cooker solid top with electric oven 224
Gas cooker + solid top with gas oven 225
Griddle plate 227
Griddle plate with open cabinet 230
Gas griddle plate 235
Gas griddle plate with open cabinet 238
Lava stone grill 242
Electric deep fryer 245
Gas deep fryer 246
Electric deep fryer with open cabinet 247
Pasta cooker 248
Bain-marie 250
Work module 252
Cabinet 254






Summary

PREPARATION

	Meat slicer	258
★	Blender	260
★	Ice crusher	261
★	Spiral mixer	261
	Pizza pastry roll machine	268
	Vacuum bags	269
	Kitchen order holder	273
	Gastronorm tray support	274
	Gastronorm container	276
	Wall shelf	277
	Stainless steel open wall cabinet	278
	Table de travail inox Aisi 304	279
	Stackable ramp	282
	Platform trolley	283
	Sliding and racking trolley	284
	Stainless steel trolley	287
	Serving cart	288
	Trash can	290






BUFFET

	Coffee percolator	294
	Water boiler	296
	Cereals dispenser	298
	Cup warmer	300
	Milk dispenser	301
	Chocolate dispenser	302
	Juice dispenser	303
	Eutectic holder and plate	304
	Eutectic display case	308
	Buffet display	309
	Sauce holder	320
	Heated plate	323






★ *News*

COLD

- Upright Fridge 326
- Upright glass door fridge 334
- Upright freezer 337
- Upright glass door freezer 344
- Back bar chiller 348
- Display fridge 358
- Built-in refrigerated display 366
- Refrigerated market display 369
- Ice cream display case 372
- Refrigerated sushi showcase 373
- Table-top saladette 374
- Table-top salad bar with inox lid 376
- Cooling cabinet 381
- Saladette 387
- Refrigerated pizza counter with granite top 393
- Refrigerated counter 395
- Negative refrigerated counter 400
- Undercounter refrigerated chef base 404
- Blast Chiller 406
- Wine cellar 408
- Dry aging cabinet 411






DISHWASHING EQUIPMENT

Glasswasher 414
Dishwasher 420
Hooded dishwasher 425
Utensil washer 427
Dishwasher accessories 429
Washing products 431




HYGIENE

Hand dryer 434
Wash basin 437
Sterilization 439
Glue Insect Killer 440






- HOT-DOG MACHINE ..... 107 
- RACLETTE MACHINE ..... 128 
- BAIN-MARIE ..... 146 
- BAIN-MARIE WATER HEATED FOR SAUCE . 152 
- BAIN-MARIE SAUSAGE WARMER ..... 153 
- BAIN-MARIE FOR SAUCE ..... 150 
- BIN - PASS BURGER ..... 50 
- BIN - MERCHANDISING WARMER..... 54 
- BAIN-MARIE TROLLEY ..... 154 
- PLATE WARMER ..... 167 
- PLATE WARMER ..... 168 
- FRENCH FRY WARMER ..... 60 
- HOT DOG SPIKE TOASTER ..... 106 
- TOPPING WARMER ..... 30 
- STORAGE HOLDING CABINET ..... 59 
- ELECTRIC CREPE MAKER..... 20 
- MILK PACK HEATER ..... 160 
- ELECTRIC PASTA COOKER ..... 157 
- SAUCE DISPENSER ..... 37 
- HEATED SHELF ..... 56 

SNACK & COOKING

- MOBILE HEATED SHELF ..... 57 
- HEATED WALL SHELF ..... 166 
- CONVECTION OVEN ..... 130 
- WOOD FIRED PIZZA OVEN..... 141 
- GAS PIZZA OVEN ..... 142 
- CONVEYOR PIZZA OVEN ..... 144 
- ELECTRIC PIZZA OVEN ..... 132 
- GAS STOVE ..... 121 
- INDUCTION COOKER ..... 123 
- ELECTRIC PASTRY FRYER ..... 94 
- ELECTRIC DEEP FRYER ..... 72 
- ELECTRIC PRESSURE FRYER ..... 89 
- ELECTRIC DEEP FRYER WITH FILTRATION 84 
- FREE STANDING FRYER ..... 81 
- GAS FRYER ..... 90 
- WAFFLE MAKER ..... 16 
- LAVA STONE GRILL ..... 97 
- STEAK GRILL ..... 98 
- CONTACT GRILL ..... 100 
- CREPE MAKER SERVING STATION ..... 24 

- INDUCTION PLATE ..... 124 
- GAS GRIDDLE PLATE ..... 118 
- ELECTRIC GRIDDLE PLATE ..... 111 
- PUMP DISPENSER ..... 32 
- SAUCE BOTTLE HOLDER ..... 31 
- FRY HOLDING STATION ..... 64 
- HEATING RAMP ..... 162 
- INFRARED HEATING STRIP ..... 163 
- ELECTRIC STOVE ..... 129 
- HEATED BUTTER WHEEL ..... 49 
- SALAMANDER ..... 38 
- SOUP KETTLE ..... 161 
- STAND AND TROLLEY ..... 26 
- PIZZA OVEN STAND ..... 143 
- WARMING DRAWER ..... 58 
- CONVEYOR TOASTER ..... 45 
- TOASTER GRILL ..... 42 
- VERTICAL TOASTER ..... 46 
- HEATED DISPLAY CASE ..... 170 
- BUILT-IN HEATED DISPLAY CASE ..... 173 

WAFFLE MAKER



Bubbles waffles have the particularity of being perfectly golden on the outside and crispy and delicious on the inside. A wide combination of toppings can be added, just like in a classic waffle, ranging from ice cream to fruits, jam or cookie crumbs.



Professional Bubble waffle maker 90° opening

- Stainless steel frame
- Cast iron plate
- 30 imprints Ø 30 mm
- Fat collecting pan
- On/Off switch
- Timer (batteries not included)
- Heating indicator light
- Adjustable thermostat from 60 °C to 300 °C
- Frequency: 50/60 Hz
- Power: 1.7 kW / 230 V
- Dimensions: W 296 x D 415 x H 290 mm
- Weight: 15.80 kg
- EAN 3611630080088

Reference : CG90SB
Price : €639,-



Professional Bubble waffle maker 180° opening

- Stainless steel frame
- Cast iron plate
- 30 imprints Ø 30 mm
- 180° plate rotation
- Fat collecting pan
- On/Off switch
- Timer (batteries not included)
- Heating indicator light
- Adjustable thermostat from 60 °C to 300 °C
- Frequency: 50/60 Hz
- Power: 1,8 kW / 230 V
- Dimensions: W 386 x D 580 x H 305 mm
- Weight: 18.45 kg
- EAN 3611630080095

Reference : CG180SB
Price : €839,-



"On stick" waffle maker single 90° opening

- Stainless steel frame
- "On stick" cast iron plates x 4
- Fat collecting pan
- On/Off switch
- Timer (batteries not included)
- Heating indicator light
- Adjustable thermostat from 60 °C to 300 °C
- Frequency: 50/60 Hz
- Power: 1.6 kW / 230 V
- Dimensions: W 296 x D 415 x H 290 mm
- Weight: 15.80 kg
- EAN 3611630019941

Reference : CG90SEPI
Price : €639,-





See p.18



Dough dispenser refrigerated eutectic 8 Liters

Reference : CDPRE8
Price : €389,-

Round professional waffle maker 180° opening

- Stainless steel frame
- Cast iron round shape portionable in 4
- Diameter Ø 195 mm
- 180° plate rotation
- Fat collecting pan
- On/Off switch
- Timer (batteries not included)
- Heating indicator light
- Adjustable thermostat from 60 °C to 300 °C
- Frequency: 50/60 Hz
- Power: 1,6 kW / 230 V
- Dimensions: W 315 x D 645 x H 300 mm
- Weight: 17.5 kg
- EAN 3611630076715

Reference : CG180RS
Price : €839,-





WAFFLE MAKER



Professional waffle maker 90° opening

- Stainless steel frame
- Cast iron plates 6x4
- Fat collecting pan
- On/Off switch
- Timer (batteries not included)
- Heating indicator light
- Adjustable thermostat from 60 °C to 300 °C
- Frequency: 50/60 Hz
- Power: 1.6 kW / 230 V
- Dimensions: W 290 x D 415 x H 290 mm
- Weight: 15.80 kg
- EAN 3611630006972

Reference : CG90S
Price : €649,-





Double professional waffle maker 90° opening

- Stainless steel frame
- Cast iron plates 6x4
- Fat collecting pan
- On/Off switch
- Timer (batteries not included)
- Heating indicator light
- Adjustable thermostat from 60 °C to 300 °C
- Frequency: 50/60 Hz
- Power: 3.2 kW / 230 V
- Dimensions: W 566 x D 415 x H 290 mm
- Weight: 29,40 kg
- EAN 3611630006989

Reference : CG90D
Price : €939,-

Dough dispenser refrigerated eutectic 8 Liters

- Stainless steel
- 1 stainless steel eutectic plate
- Keep cold for up to 6 hours
- Plate dimensions: W 200 x D 200 x H 46 mm
- Grease drip tray
- Capacity: 8 liters
- Dimensions: W 240 x D 341 x H 490 mm
- Weight: 5.90 kg
- EAN 3611630090070

Reference : CDPRE8
Price : €389,-



Professional waffle maker 180° opening

- Stainless steel frame
- Cast iron plates 6x4
- Fat collecting pan
- Plate rotation 180°
- On/Off switch
- Timer (batteries not included)
- Heating indicator light
- Adjustable thermostat from 60 °C to 300 °C
- Frequency: 50/60 Hz
- Power: 1,8 kW / 230 V
- Dimensions: W 386 x D 580 x H 305 mm
- Weight: 18.45 kg
- EAN 3611630006996

Reference : CG180S
Price : €849,-





Double professional waffle maker 180° opening

- Stainless steel frame
- Cast iron plates 6x4
- Fat collecting pan
- Plates rotation 180°
- On/Off switch
- Timer (batteries not included)
- Heating indicator light
- 2 Adjustable thermostats from 60 °C to 300 °C
- Frequency: 50/60 Hz
- Power: 3,6 kW / 230 V
- Dimensions: W 585 x D 580 x H 305 mm
- Weight: 36.70 kg
- EAN 3611630007009

Reference : CG180D
Price : €1.349,-





Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

ELECTRIC CREPE MAKER

Electric round crepe maker 35



- Round stainless steel frame
- Cast iron plate Ø350 mm super thin finishing work
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: H 130 mm, Ø370 mm
- Weight: 13 kg
- EAN 3611630003711

Reference : CCR35E
Price : €359,-



Electric round crepe maker 40

- Round stainless steel frame
- Cast iron plate Ø400 mm super thin finishing work
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.7 kW / 230 V
- Dimensions: H 130 mm, Ø420 mm
- Weight: 18 kg
- EAN 3611630003667

Reference : CCR40E
Price : €399,-



Electric round crepe Premium maker 40

- Round stainless steel frame
- Cast iron plate thickness 27 mm
- On/Off switch
- Cast iron plate Ø400 mm super thin finishing work
- Adjustable temperature from 140 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.7 kW / 230 V
- Dimensions: H 124 mm, Ø400 mm
- Weight: 24 kg
- EAN 3611630006958

Reference : CCR40EP
Price : €449,-

See p.30



Electric square crepe maker 35

- Square stainless steel frame
- Cast iron plate Ø350 mm super thin finishing work
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 390 x D 400 x H 190 mm
- Weight: 13 kg
- EAN 3611630003728

Reference : CCC35E
Price : €399,-



Electric square crepe maker 40

- Square stainless steel frame
- Cast iron plate Ø400 mm super thin finishing work
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.7 kW / 230 V
- Dimensions: W 440 x D 445 x H 190 mm
- Weight: 16 kg
- EAN 3611630003735

Reference : CCC40E
Price : €459,-

See p.23





Electric square crepe Premium maker 40

- Square stainless steel frame
- Cast iron plate thickness 27 mm
- On/Off switch
- Cast iron plate Ø400 mm super thin finishing work
- Adjustable temperature from 140 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.7 kW / 230 V
- Dimensions: W 430 x D 445 x H 180 mm
- Weight: 22 kg
- EAN 3611630006934

Reference : CCC40EP
Price : €499,-





ELECTRIC CREPE MAKER

Double electric crepe maker 35

- Stainless steel frame
- Cast iron plate Ø350 mm super thin finishing work
- Adjustable thermostats from 60 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2 x 2.2 kW / 230 V
- Dimensions: W 770 x D 400 x H 190 mm
- Weight: 26 kg
- EAN 3611630003698

Reference : CCD35E
Price : €769,-



Double electric crepe maker 40

- Stainless steel frame
- Cast iron plate Ø400 mm super thin finishing work
- Adjustable thermostats from 60 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2 x 2.7 kW / 230 V
- Dimensions: W 910 x D 445 x H 190 mm
- Weight: 33 kg
- EAN 3611630003704

Reference : CCD40E
Price : €879,-



Premium double crepe maker 40

- Stainless steel frame
- Caste iron plate thickness 27 mm
- On/Off switchs
- Super smooth cast iron plate Ø400 mm
- 2 ajustable thermostats from 140 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2 x 2.7 kW / 230 V
- Dimensions: W 910 x D 445 x H 190 mm
- Weight: 34.80 kg
- EAN 3611630006941

Reference : CCD40EP
Price : €999,-



Premium crepe maker are equipped with an On/Off switch



CREPE MAKER ACCESSORIES





Rake ultra-light for crepe

- Rake ultra-light aluminum
- Round Model
- Dimensions: W 200 x H 300 mm

EAN	Ref.	Price
3611630003889	**CRA**	**€19,-**



Spatula for crepe

- Blade dimensions: 35 or 40 cm

EAN	Ref.	Price
3611630003896	**CS35**	**€20,-**
3611630004589	**CS40**	**€29,-**



Stainless steel ladle

Ladle for Ø35 and Ø40 cm.
- Capacity: 120 ml

EAN	Ref.	Price
3611630004176	**CL120**	**€19,-**



Gastronorm container 1/6

Dim (mm)	H (mm)	Liters	EAN	Ref.	Price
176 x 162	65	1,4	3611630086110	**CBG16065B**	**€4,-**



Gastronorm container 1/4

Dim (mm)	H (mm)	Liters	EAN	Ref.	Price
265 x 162	100	3,2	3611630086097	**CBG14100B**	**€7,-**



Abrasive stone

Allows to remove cooking crust on the surface of the crepe-griddles.
- Dimensions: W 150 x D 75 x H 75 mm

EAN	Ref.	Price
3611630003841	**CPA**	**€18,-**

See p.30



See p.276



CREPE MAKER SERVING STATION



Thanks to its space-saving design and complete equipment, you can take your crepe serving station wherever you want and set up a fully functional creperie in a few minutes instead of a real creperie.

TIPS FOR MAKING PERFECT CRÊPES

1. Resting the batter
If all the ingredients are at room temperature, 15 minutes will be enough to have smooth and silky batter without any lumps.

2. Clean baking
A small bowl next to the cooking area, a pad to lightly oil the griddle regularly. The pancakes are well browned and do not stick.

3. Griddle temperature
If you systematically miss the first crepe, this is often the result of two factors: the batter has not rested long enough, and the crepe maker is not hot enough. A crepe is best seared on a hot griddle.

Preheat your crepe maker to 210 °C and then lower the temperature to 180 °C for cooking.

Crepe maker serving station

- Stainless steel
- Removable tempered protective glass
- Electric crepe maker Ø400 mm built-in
- Included: 7 porcelain pots, 1 porcelain stamp holder, 1 aluminium rake, 2 spatulas
- On/Off switch
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.7 kW / 230 V
- Dimensions: W 900 x D 650 x H 465 mm
- Weight: 37 kg
- EAN 3611630011648

Reference : CPACC40E
Price : €1.409,-



Double crepe maker serving station

- Stainless steel
- Removable tempered protective glass
- 2 electric crepe makers Ø400 mm built-in and operating independently
- Included: 11 porcelain pots, 1 porcelain stamp holder, aluminium rake, 2 spatulas
- On/Off switch
- 2 adjustable thermostats from 140 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 5.4 kW / 230 V
- Dimensions: W 1 380 x D 650 x H 465 mm
- Weight: 64 kg
- EAN 3611630011655

Reference : CPACCD40E
Price : €2.079,-



ELECTRIC CREPE MAKER TROLLEY

Mobile stand crepe maker

- Stainless steel
- Removable tempered protective glass
- Electric crepe maker Ø400 mm included
- Included: 7 porcelain pots, 1 spatula and 1 aluminium rake
- Waste collecting pan
- 4 wheels, 2 of them with brake
- Frequency: 50/60 Hz
- Power: 2.7 kW / 230 V
- Dimensions: W 1036 x D 675 x H 1350 mm
- Weight: 128 kg
- EAN 3611630080101

Reference : CSAC
Price : €1.899,-



Electric crepe maker trolley 40 - removable

- Stainless steel
- Removable tempered protective glass
- Electric crepe maker Ø400 mm included
- Included: 7 porcelain pots, 1 spatula and 1 aluminium rake
- Heated cupboard : W 800 x D 510 x H 240 mm
- 1 shelf in the cupboard with slide rail
- Heated cupboard temperature adjustment up to approx. 75 °C
- 4 wheels, 2 of them with brake
- Frequency: 50/60 Hz
- Power: 2.7 kW + 750 W / 230 V
- Dimensions: W 903 x D 625 x H 1150 mm
- Weight: 60.7 kg
- EAN 3611630057516

Reference : CCHCR40EA
Price : €2.099,-

Customizable LED display



Electric crepe maker trolley 40 - built-in

- Stainless steel
- Removable tempered protective glass
- Electric crepe maker Ø400 mm built-in included
- Included: 7 porcelain pots, 1 spatula and aluminium rake
- On/Off switch
- Heated cupboard: W 840 x D 580 x H 495 mm
- 3 slides in the cupboard with adjustable height
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- Waste drip tray
- Customizable front panel with LED backlighting
- 4 wheels, 2 of them with brake
- Frequency: 50/60 Hz
- Power: 2.7 kW + 14 W / 230 V
- Dimensions: W 1040 x D 708 x H 1150 mm
- Weight: 100 kg
- EAN 3611630043496

Customizable LED display

Reference : CCHCC40E
Price : €2.579,-



Double electric crepe maker trolley 40 - built-in

- Stainless steel
- Removable tempered protective glass
- 2 electric crepe makers Ø400 mm built-in included
- Included: 11 porcelain pots, 1 spatula and 1 aluminium rake
- 2 cupboards with 1 shelf each adjustable on 3 levels
- Heated cupboards: 2 x W 600 x D 580 x H 500 mm
- 2 On/Off switchs
- 2 adjustable thermostats from 140 °C to 300 °C
- 2 safety thermostats
- 2 waste drip tray
- Customizable front panel with LED backlighting
- 4 wheels, 2 of them with brakes
- Frequency: 50/60 Hz
- Power: 5.4 kW + 28 W / 230 V
- Dimensions: W 1 516 x D 675 x H 1 150 mm
- Weight: 145 kg
- EAN 3611630043502

Customizable LED display

Reference : CCHCCD40E
Price : €3.799,-



See p. 30



ELECTRIC CREPE MAKER TROLLEY



The Casselin mobile stand trolley is ideal for outdoor events or catering services. Fitted with a snack tray, it makes preparing and serving snacks quick and easy, while offering great mobility and ease of use. Its practical, functional design makes it the perfect choice for catering professionals.

Mobile stand griddle plate

- Stainless steel
- Removable tempered protective glass
- Smooth builtin griddle plate 8.5 cm thickness
- Plate size: 510 x 609 mm
- Includes: 4 porcelain pots
- 2 On/Off switches
- 2 independent adjustable thermostats from 140 °C to 300 °C
- Waste collection container
- 4 wheels, 2 with brakes
- Frequency: 50/60 Hz
- Power: 2 x 3 kW / 230 V
- Dimensions: W 1190 x D 800 x H 1350 mm
- Weight: 128 kg
- EAN 3611630080118

Reference : CSAPAS
Price : €1.999,-



Multi-snack trolley

- Stainless steel
- Removable tempered glass cover
- 1 Deep fryer 12 liters (9 kW / 400 V)
- 1 Smooth griddle 381 x 510 mm (3.6 kW / 230 V)
- 1 Panini grill grooved/grooved 290 x 380 mm (2.4 kW / 230 V)
- Including: 4 porcelain pots, 1 sauce and spice bottle holder
- Oil drip tray inside the stand under the fryer
- 2 waste trays for the griddle and the panini grill
- 4 wheels, 2 with brakes
- Frequency: 50/60 Hz
- Power: 15 kW / 400 V + 230 V + 230 V
- Dimensions: W 1036 x D 650 x H 1340 mm
- Weight: 320 kg
- EAN 3611630079990

Reference : CCHMS
Price : €6.999,-



ELECTRIC POFFERTJES MAKER

Electric Poffertjes maker

- Square stainless steel frame
- Cast iron plate with 38 imprints of Ø43 mm - 10 mm depth
- On/Off switch
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.7 kW / 230 V
- Dimensions: W 430 x D 445 x H 180 mm
- Weight: 26.5 kg
- EAN 3611630043458

Reference : CAPF
Price : €499,-





See p.30



TOPPING WARMER



Topping warmer

- Stainless steel
- On/Off button
- Adjustable thermostat from 0 °C to 90 °C
- Plastic bottle 1 L included
- Heating diameter: 77 mm
- Heating depth: 190 mm
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 170 x D 165 x H 230 mm
- Weight: 2.20 kg
- EAN 3611630018531

Reference : CCS1
Price : €269,-



Topping warmer double

- Stainless steel
- On/Off button
- 2 adjustable thermostats from 0 °C to 90 °C
- 2 plastic bottles 1 L included
- Heating diameter: 77 mm
- Heating depth: 190 mm
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: W 307 x D 165 x H 230 mm
- Weight: 3.95 kg
- EAN 3611630018678

Reference : CCS2
Price : €389,-



Topping warmer triple

- Stainless steel
- On/Off button
- 3 adjustable thermostat from 0 °C to 90 °C
- 3 plastic bottles 1 L included
- Heating diameter: 77 mm
- Heating depth: 190 mm
- Frequency: 50/60 Hz
- Power: 600 W / 230 V
- Dimensions: W 447 x D 165 x H 230 mm
- Weight: 5.25 kg
- EAN 3611630018685

Reference : CCS3
Price : €509,-

SAUCE BOTTLE HOLDER

Topping warmer quadruple

- Stainless steel
- ON / OFF button
- 2 adjustable thermostats from 0 °C to 90 °C
- 4 plastic bottles 1 L included
- Heating diameter: 77 mm
- Heating depth: 190 mm
- Frequency: 50/60 Hz
- Power: 800 W / 230 V
- Dimensions: W 585 x D 165 x H 230 mm
- Weight: 6.75 kg
- EAN 3611630074704

Reference : CCS4
Price : €629,-



Nozzle Squeeze Bottle

- Plastic bottle 1 L
- EAN 3611630039758

Reference : CB1B
Price : €9,-



3 Nozzles Squeeze Bottle

- Plastic bottle 1 L
- EAN 3611630058933

Reference : CB3B
Price : €10,-







Sauce bottle holder

- Stainless steel
- Included: 3 sauce bottles with 1 nozzle included
- Bottle dimensions: Ø 76 mm x H 285 mm
- Bottle capacity 1 L
- Can be fixed to the wall
- Dimensions: W 300 x D 120 x H 295 mm
- Weight: 1.30 kg
- EAN 3611630080255

Reference : CPBS3
Price : €49,-

Sauce and spices bottle holder

- Stainless steel
- Included: 3 sauce bottles 1 nozzle, 3 spice jars
- Bottle dimensions: Ø 76 mm x H 285 mm
- Bottle capacity 1 L
- Spice jar dimensions: Ø 67 mm x 119 mm
- Capacity spice jar: 340 g
- Can be fixed to the wall
- Dimensions: W 300 x D 205 x H 295 mm
- Weight: 2 kg
- EAN 3611630080262

Reference : CPBSE32
Price : €99,-

PUMP DISPENSER



Serve throughout the day your sweet or savoury sauces, with the ideal texture, directly on your drinks, ice creams, desserts etc. The temperature sensor and the safety system integrated allow you to automatically trigger and readjust the temperature of your dispenser while avoiding overheating.



Pump dispenser 2 L

- Stainless steel body and cover
- Pump and tank in Polypropylene
- Containers dimensions L 170 x D 100 X H 186 mm
- Capacity: 2 L
- Dose : 30 mL
- Dimensions: W 215 x D 135 x H 255 mm
- Weight: 1.19 kg
- EAN 3611630082471

Reference : CPSN2L
Price : €99,-



Double pump dispenser 2 x 2 L

- Stainless steel body and lid
- Pump and container in Polypropylene
- Containers dimensions: 2 x W 170 x D 100 X H 186 mm
- Capacity: 2 x 2 L
- Dose : 30 mL
- Dimensions: W 255 x D 210 x H 255 mm
- Weight: 1.91 kg
- EAN 3611630082488

Reference : CPSN22L
Price : €189,-

Triple pump dispenser 3 x 2 L

- Stainless steel body and lid
- Pump and container in Polypropylene
- Containers dimensions: 3 x W 170 x D 100 x H 186 mm
- Capacity: 3 x 2 L
- Dose : 30 mL
- Dimensions: W 370 x D 210 x H 255 mm
- Weight: 2.84 kg
- EAN 3611630082495

Reference : CPSN32L
Price : €269,-



Quadruple pump dispenser 4 x 2 L

- Stainless steel body and lid
- Pump and container in Polypropylene
- Containers dimensions: 4 x W 170 x D 100 x H 186 mm
- Capacity: 4 x 2 L
- Dose : 30 mL
- Dimensions: W 475 x D 325 x H 255 mm
- Weight: 3.28 kg
- EAN 3611630082501

Reference : CPSN42L
Price : €359,-



PUMP DISPENSER



Pump dispenser

- Stainless steel
- GN 1/6 container 200 mm depth
- Capacity : 2,5 litres
- One dose: 20mL
- Dimensions: W 166 x D 285 x H 330 mm
- Weight: 2.60 kg
- EAN 3611630080187

Reference : CPSN1
Price : €299,-



Double pump dispenser

- Stainless steel
- 2 x GN 1/6 containers 200 mm depth
- Capacité : 2 x 2,5 litres
- One dose: 20mL
- Dimensions: W 382 x D 285 x H 330 mm
- Weight: 4.70 kg
- EAN 3611630080194

Reference : CPSN2
Price : €499,-



Triple pump dispenser

- Stainless steel
- 3 x GN 1/6 containers 200 mm depth
- Capacité : 3 x 2,5 litres
- One dose: 20mL
- Dimensions: W 578 x D 285 x H 330 mm
- Weight: 7 kg
- EAN 3611630080200

Reference : CPSN3
Price : €689,-

Double cold sauce pump

- Epoxy painted stainless steel
- Stainless steel pump
- 2 GN 1/6 containers - 200 mm depth
- Capacity: 2 x 2.5 liters
- One dose: 20 mL
- Eutectic plate W 325 x D 160 x H 45 mm
- Keep cold for up to 6 hours
- Dimensions: W 385 x D 220 x H 375 mm
- Weight: 7 kg
- EAN 3611630073387

Reference : CPSF2
Price : €789,-



Triple cold sauce pump

- Epoxy painted stainless steel
- Stainless steel pump
- 3 GN 1/6 containers - 200 mm depth
- Capacity: 3 x 2.5 liters
- One dose: 20 mL
- Eutectic plate W 530 x D 160 x H 45 mm
- Keep cold for up to 6 hours
- Dimensions: W 595 x D 220 x H 375 mm
- Weight: 12 kg
- EAN 3611630073394

Reference : CPSF3
Price : €1.099,-



PUMP DISPENSER



Heated pump dispenser

- Stainless steel
- Stainless steel pump
- Dry heating
- GN 1/6 container - 200 mm depth
- Capacity : 2,5 liters
- One dose: 20 mL
- Adjustable thermostat from 45 °C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 206 x D 330 x H 355 mm
- Weight: 5.05 kg
- EAN 3611630043403

Reference : CPSC1
Price : €479,-





Double heated pump dispenser

- Stainless steel
- Stainless steel pump
- Dry heating
- 2 GN 1/6 containers - 200 mm depth
- Capacity : 2 x 2,5 liters
- One dose: 20 mL
- Adjustable thermostat from 45 °C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Dimensions: W 413 x D 320 x H 355 mm
- Power: 200 W / 230 V
- Weight: 7 kg
- EAN 3611630043410

Reference : CPSC2
Price : €789,-





Triple heated pump dispenser

- Stainless steel
- 3 x GN 1/6 containers 200 mm depth
- Dry heating
- Capacité : 3 x 2,5 litres
- One dose: 20 mL
- Adjustable thermostat from 45 °C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 600 W / 230 V
- Dimensions: W 618 x D 280 x H 330 mm
- Weight: 9.7 kg
- EAN 3611630080217

Reference : CPSC3
Price : €1.099,-

SAUCE DISPENSER

Sauce dispenser with pump and heated nozzle

- Stainless steel
- Stainless steel nozzle
- Polycarbonate nozzle heater
- On/Off switch
- Dry heating
- GN 1/6 container - 200 mm depth
- Capacity: 2.5 liters
- One dose: 20 mL
- Adjustable thermostat from 45°C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 210 W / 230 V
- Dimensions: W 206 x D 312 x H 368 mm
- Weight: 4.4 kg
- EAN 3611630088473

Reference : CDSPBC1
Price : €629,-



Sauce dispenser with pump and heated nozzle double

- Stainless steel
- Stainless steel nozzles
- Polycarbonate nozzle heater
- On/Off switch
- Dry heating
- 2 GN 1/6 containers - 200 mm depth
- Capacity: 2 x 2.5 liters
- One dose: 20 mL
- 2 adjustable thermostats from 45°C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 420 W / 230 V
- Dimensions: W 412 x D 312 x H 368 mm
- Weight: 9.8 kg
- EAN 3611630088480

Reference : CDSPBC2
Price : €899,-



Sauce dispenser with pump and heated nozzle triple

- Stainless steel
- Stainless steel nozzles
- Polycarbonate nozzle heater
- On/Off switch
- Dry heating
- 3 GN 1/6 containers - 200 mm depth
- Capacity: 3 x 2.5 liters
- One dose: 20 mL
- 3 adjustable thermostats from 45°C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 630 W / 230 V
- Dimensions: W 618 x D 312 x H 368 mm
- Weight: 10.9 kg
- EAN 3611630088497

Reference : CDSPBC3
Price : €1.199,-



SALAMANDER

Quartz adjustable Salamander

• Stainless steel construction
• Quartz heating element
• Adjustable heating top
• Removable lower plate
• Adjustable thermostat 8 levels
• Safety thermostat
• Frequency: 50/60 Hz
• Power: 2.2 kW / 230 V
• Dimensions: W 470 x D 540 x H 525 mm
• Weight: 30 kg
> Wall-mounting kit included
• EAN 3611630003759

Reference : CSQA1P
Price : €999,-



Quartz adjustable Salamander GN1/1

• Stainless steel construction
• Quartz heating element
• Adjustable heating top
• Removable lower plate
• Adjustable thermostat
• Safety thermostat
• Frequency: 50/60 Hz
• Power: 2.9 kW / 230 V
• Dimensions: W 580 x D 525 x H525 mm
• Weight: 38 kg
> Wall mounting kit included
• EAN 3611630006910

Reference : CSQAGN11
Price : €1.149,-

Quartz temperature rise - 1min



Double quartz adjustable Salamander

- Stainless steel construction
- Quartz heating element
- Adjustable heating top
- Removable lower plate
- 2 separeted adjustable thermostats
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.9 kW / 230 V
- Dimensions: W 600 x D 540 x H 525 mm
- Weight: 41 kg

> Wall-mounting kit included

- EAN 3611630003742

Reference : CSQA2P
Price : €1.349,-

Quartz temperature rise - 1min







Quartz adjustable Salamander 800

- Stainless steel construction
- Quartz heating element
- Adjustable heating top
- Removable lower plate L 542 x P 347 mm
- Adjustable thermostat
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 3,6 kW / 230 V
- Dimensions: W 580 x D 525 x H525 mm
- Weight: 38 kg

> Wall-mounting kit included

- EAN 3611630101240

Reference : CSQAP800
Price : €1.399,-



SALAMANDER



The professional Salamander is used to gratinate the tops of dishes such as gratins, croque monsieurs, warm goat cheese, bruschettas or for any other use of your choice requiring a heat source. (ex: defrosting)

Salamander PM



- Stainless steel
- Adjustable thermostat
- Heating element Incoloy 800
- Waste tray
- Adjustable grid height on 3 levels
- Removable back face to be used for servicing
- Shelves Dimensions: W 430 x D 310 mm
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 600 x D 370 x H 375 mm
- Weight: 18.8 kg
- EAN 3611630002257

Reference : CSPM
Price : €499,-



Salamander GM



- Stainless steel
- 2 adjustable thermostats
- 2 heating elements in Incoloy 800
- Waste tray
- Adjustable grid height on 3 levels
- Removable back face to be used for servicing
- Shelves Dimensions: W 710 x D 305 mm
- Frequency: 50/60 Hz
- Power: 3.2 kW / 230 V
- Dimensions: W 875 x D 370 x H 365 mm
- Weight: 25.3 kg
- EAN 3611630002370

Reference : CSGM
Price : €709,-






Salamander PM with adjustable handles

- Stainless steel
- Adjustable thermostat
- Heating elements in Incoloy 800
- Waste tray
- Adjustable grid height on 4 levels
- Removable back face to be used for servicing
- Shelves Dimensions: W 365 x D 300 mm
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 600 x D 370 x H 375 mm
- Weight: 19,7 kg
- EAN 3611630002387

Reference : CSPAPM
Price : €659,-







Salamander GM with adjustable handles

- Stainless steel
- 2 adjustable thermostats
- 2 heating elements in Incoloy 800
- Waste tray
- Adjustable grid height on 3 levels
- Removable back face to be used for servicing
- Shelves dimensions: W 645 x D 300 mm
- Frequency: 50/60 Hz
- Power: 3,2 kW / 230 V
- Dimensions: W 875 x D 370 x H 365 mm
- Weight: 27.7 kg
- EAN 3611630002394

Reference : CSPAGM
Price : €879,-





TOASTER GRILL



The toasters let you explore an infinite variety of culinary creations, whether sandwiches, paninis or croque-monsieur. They can also be used to bake your preparations to your own specifications.



Single toaster 2 clamps

- Stainless steel
- Timer
- 2 grilling clamps
- Quartz heating element
- Independent up/down heating element adjustment
- Back panel can be opened for pass-through
- Collecting pan
- Frequency: 50 Hz
- Power: 1,6 kW / 230 V
- Dimensions: W 348 x D 274 x H 288 mm
- Weight: 7.4 kg
- EAN 3611630094542

Reference : CTOS2P
Price : €409,-



Single toaster 3 clamps

- Stainless steel
- Timer
- 3 grilling clamps
- Quartz heating element
- Independent up/down heating element adjustment
- Back panel can be opened for pass-through
- Collecting pan
- Frequency: 50 Hz
- Power: 2 kW / 230 V
- Dimensions: W 453 x D 274 x H 288 mm
- Weight: 8 kg
- EAN 3611630094559

Reference : CTOS3P
Price : €449,-

Double toaster 4 clamps

- Stainless steel
- Timer
- 4 grilling clamps
- Quartz heating element
- Independent up/down heating element adjustment
- Back panel can be opened for pass-through
- Collecting pan
- Frequency: 50 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 348 x D 274 x H 403 mm
- Weight: 11 kg
- EAN 3611630094566

Reference : CTOD4P
Price : €559,-



Double toaster 6 clamps

- Stainless steel
- Timer
- 6 grilling clamps
- Quartz heating element
- Independent up/down heating element adjustment
- Back panel can be opened for pass-through
- Collecting pan
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 453 x D 274 x H 403 mm
- Weight: 11 kg
- EAN 3611630094573

Reference : CTOD6P
Price : €589,-



TOASTER GRILL

Quartz toaster PM

- Stainless steel
- 3 top and 3 bottom quartz elements
- Control switch to adjust heating top or top/bottom
- Adjustable thermostat from 0 °C to 200 °C
- Heating indicator light
- Grill included: W 485 x D 255 mm
- Adjustable grill on 2 levels
- Timer
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 578 x D 420 x H 300 mm
- Weight: 12.35 kg
- EAN 3611630014069

Reference : CTQPM
Price : €459,-

3 in 1



Quartz temperature rise - 1min

Quartz toaster GM

- Stainless steel
- 3 top and 3 bottom quartz elements
- Control switch to adjust heating top or top/bottom
- Removable back face to be used for servicing
- Adjustable thermostat from 0 °C to 200 °C
- Heating indicator light
- Grill included: W 587 x D 340 mm
- Adjustable grill on 3 levels
- Timer
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 680 x D 500 x H 400 mm
- Weight: 20 kg
- EAN 3611630014076

Reference : CTQGM
Price : €559,-

3 in 1



It is possible to close the upper front part of the toaster to concentrate the heat.



The back wall can be removed to use it as a hatch.



CONVEYOR TOASTER

Conveyor toaster XS

- Stainless steel
- On/Off switch
- Heating indicator light
- Adjustable thermostat
- Adjustable speed belt control
- Adjustment button for 1 or 2 heating elements
- Production capacity: 300 toast/h
- Opening dimensions: W 160 x H 78 mm
- Frequency: 50/60 Hz
- Power: 1.8 kW / 230 V
- Dimensions: W 280 x D 608 x H 415 mm
- Weight: 15.50 kg
- EAN 3611630080231

Reference : CCYTXS
Price : €699,-

300 Toasts/h



Conveyor toaster small

- Stainless steel
- On/Off switch
- Heating indicator light
- Adjustable thermostat
- Adjustable speed belt control
- Adjustment button for 1 or 2 heating elements
- Opening dimensions: W 245 x H 60 mm
- Frequency: 50/60 Hz
- Power: 2,8 kW / 230 V
- Dimensions: W 363 x D 570 x H 410 mm
- Weight: 17.50 kg
- EAN 3611630008648

Reference : CCYTS
Price : €789,-

600 Toasts/h





Conveyor toaster large

- Stainless steel
- On/Off switch
- Heating indicator light
- Adjustable thermostat
- Adjustable speed belt control
- Adjustment button for 1 or 2 heating elements
- Opening dimensions: W 354 x H 60 mm
- Frequency: 50/60 Hz
- Power: 2.8 kW / 230 V
- Dimensions: W 465 x D 570 x H 413 mm
- Weight: 18.35 kg
- EAN 3611630008631

Reference : CCYTL
Price : €899,-

600 Toasts/h





VERTICAL TOASTER



Vertical toaster 300

- Stainless steel housing
- ON/OFF switch
- Automatic conveyor
- Two-level platen for the top and bottom of the burger
- Toast in 24 seconds
- Production capacity: 600 toasts/hour, i.e. 300 Hamburger
- Temperature adjustment by thermostat
- Frequency: 50/60 Hz
- Power: 1,5 kW / 230 V
- Dimensions: W 460 x D 320 x H 570 mm
- Weight: 17.5 kg
- EAN 3611630072342

Reference : CTV300
Price : €1.749,-





High-speed vertical toaster 300

- Stainless steel case
- ON/OFF button
- Adjustable rotation speed
- Specific corridor for top and bottom of the burger
- Toast in 8 seconds
- 2 independent wheels to adjust the thickness of the buns
- Production capacity: 1800 toasts per hour ie 900 burgers
- Thermostat adjustable from 60 °C to 300 °C
- Frequency: 50/60 Hz
- Power: 1,5 kW / 230 V
- Dimensions: W 460 x D 320 x H 570 mm
- Weight: 17.50 kg
- EAN 3611630098502

Reference : CTV300GV
Price : €2.099,-

8 sec.

Buns insert for CTV300 CTV300GV

- Stainless steel
- Dimensions: W 230 x D 186 x H 172 mm
- Weight: 1.2 kg
- EAN 3611630082938


Reference : CIBTV300
Price : €49,-



Reusable cooking paper 300

For CTV300 and CTV300GV
- 220 x 490 mm
- EAN 3611630071780

Reference : CFCTV3
Price : €18,-



Vertical toaster 600 B

- Stainless steel housing
- On/Off switch
- Automatic conveyor
- 2 separate areas for the top and bottom of the burger
- Toast in 24 seconds
- Production capacity: 1200 toasts/hour, i.e. 600 hamburgers
- Adjustable thermostat from 60°C to 300°C
- 2 reusable cooking papers
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 650 x D 320 x H 570 mm
- Weight: 26 kg
- EAN 3611630079402

Reference : CTV600B
Price : €2.199,-





8 sec.

High-speed vertical toaster

- Stainless steel case
- ON/OFF button
- Adjustable rotation speed
- Specific corridor for top and bottom of the burger
- Toast in 8 seconds
- 2 independent wheels to adjust the thickness of the buns
- Production capacity: 3600 toasts per hour ie 1800 burgers
- Thermostat adjustable from 60 °C to 300 °C
- Frequency: 50/60 Hz
- 2 cooking paper included
- Power: 2.2 kW / 230 V
- Dimensions: W 675 x D 270 x H 570 mm
- Weight: 25.50 kg
- EAN 3611630080248

Reference : CTVGV
Price : €2.599,-





Buns insert for CTV600B CTVGV

- Stainless steel
- Dimensions: W 442 x D 186 x H 172 mm
- Weight: 1.5 kg
- EAN 3611630082945


Reference : CIBTV600
Price : €69,-



Reusable cooking paper 600

For CTV600B and CTVGV
- 435 x 490 mm
- EAN 3611630066631

Reference : CFCTV
Price : €20,-



VERTICAL TOASTER

Vertical toaster 900

- Stainless steel housing
- ON/OFF switch
- Automatic conveyor
- Three-level platen for the top and bottom of the burger
- Toast in 24 seconds
- Production capacity: 1800 toasts/hour, i.e. 600 Hambu
- Temperature adjustment by thermostat 60°C to 300°C
- 2 reusable cooking papers included
- Frequency: 50/60 Hz
- Power: 3.3 kW / 230 V
- Dimensions: W 890 x D 320 x H 570 mm
- Weight: 33 kg
- EAN 3611630074698

Reference : CTV900
Price : €2.699,-





Buns insert for CTV900

- Stainless steel
- Dimensions: W 655 x D 186 x H 172 mm
- Weight: 2.3 kg
- EAN 3611630082952


Reference : CIBTV900
Price : €89,-



Reusable cooking paper 900

For CTV900
- 650 x 490 mm
- EAN 3611630071797

Reference : CFCTV9
Price : €26,-



Heated butter wheel

- Stainless steel
- Stainless steel perforated wheel
- Capacity GN 1/6. depth 100 mm
- Dry heating
- On/Off switch
- Adjustable thermostat from 45 °C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.8 kW / 230 V
- Dimensions: W 207 x D 237 x H 155 mm
- Weight: 3,2 kg
- EAN 3611630077019

Reference : CRBC
Price : €399,-





HEATED BUTTER WHEEL

Butter wheel for vertical toaster CTV300 CTV300GV

- Stainless steel
- Perforated stainless steel wheel
- Capacity: 1.5 liters
- Adjustable thermostat from 45°C to 90 °C
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 242 x D 166 x H 162 mm
- Weight: 2.3 kg

> To hang on the front of the CTV300 adn CTV300GV

- EAN 3611630086950

Reference : CRBCTV300
Price : €399,-



Butter wheel for vertical toaster CTV600 CTVGV

- Stainless steel
- Perforated stainless steel wheel
- Capacity: 3 liters
- Adjustable thermostat from 45°C to 90 °C
- Frequency: 50/60 Hz
- Power: 300 W / 230 V
- Dimensions: W 454 x D 166 x H 162 mm
- Weight: 4 kg

> To hang on the front of the CTV600B or CTVGV

- EAN 3611630086967

Reference : CRBCTV600
Price : €449,-



Butter wheel for vertical toaster CTV900

- Stainless steel
- Perforated stainless steel wheel
- Capacity: 4.5 liters
- Adjustable thermostat from 45°C to 90 °C
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: W 666 x D 166 x H 162 mm
- Weight: 7.1 kg

> To hang on the front of the CTV900

- EAN 3611630086974

Reference : CRBCTV900
Price : €499,-



BIN - PASS BURGER



Bin - Pass burger 35

- Black epoxy painted stainless steel
- Inclined storage plan
- Heated shelves with heating elements
- Under lamps temperature from 30 °C to 90 °C
- Thermostat heating power adjustment
- Width corridors adjustment
- Lamps Power: 30 W
- Frequency: 50 Hz
- Power: 430 W / 230 V
- Dimensions: L 350 x D 707 x H 430 mm
- Weight: 16 kg
- EAN 3611630077682

Reference : CBIN351
Price : €1.199,-



Bin - Pass burger 35-2

- Black epoxy painted stainless steel
- Inclined storage plan
- 2 heated shelves with independent heating elements
- Under lamps temperature from 30 °C to 90 °C
- Thermostat heating power adjustment
- Width corridors adjustment
- Lamps Power: 2 x 30 W
- Frequency: 50 Hz
- Power: 860 W / 230 V
- Dimensions: L 350 x D 707 x H 691 mm
- Weight: 27 kg
- EAN 3611630077699

Reference : CBIN352
Price : €1.359,-



Bin - Pass burger 35-3

- Black epoxy painted stainless steel
- Inclined storage plan
- 3 heated shelves with independent heating elements
- Under lamps temperature from 30 °C to 90 °C
- Thermostat heating power adjustment
- Width corridors adjustment
- Lamps Power: 3 x 30 W
- Frequency: 50 Hz
- Power: 1.29 kW / 230 V
- Dimensions: L 350 x D 739 x H 952 mm
- Weight: 38.5 kg
- EAN 3611630077705

Reference : CBIN353
Price : €1.699,-

Bin - Pass burger 55

- Black epoxy painted stainless steel
- Inclined storage plan
- Heated shelf with heating elements
- Under lamps temperature from 30 °C to 90 °C
- Thermostat heating power adjustment
- Width corridors adjustment
- Lamps Power: 30 W
- Frequency: 50 Hz
- Power: 490 W / 230 V
- Dimensions: L 550 x D 707 x H 430 mm
- Weight: 22 kg
- EAN 3611630077712

Reference : CBIN551
Price : €1.299,-



Bin - Pass burger 55-2

- Black epoxy painted stainless steel
- Inclined storage plan
- 2 heated shelves with independent heating elements
- Under lamps temperature from 30 °C to 90 °C
- Thermostat heating power adjustment
- Width corridors adjustment
- Lamps Power: 2 x 30 W
- Frequency: 50 Hz
- Power: 980 W / 230 V
- Dimensions: L 550 x D 707 x H 691 mm
- Weight: 36.5 kg
- EAN 3611630077729

Reference : CBIN552
Price : €1.459,-



Bin - Pass burger 55-3

- Black epoxy painted stainless steel
- Inclined storage plan
- 3 heated shelves with independent heating elements
- Under lamps temperature from 30 °C to 90 °C
- Thermostat heating power adjustment
- Width corridors adjustment
- Lamps Power: 3 x 30 W
- Frequency: 50 Hz
- Power: 1.47 kW / 230 V
- Dimensions: L 550 x D 739 x H 952 mm
- Weight: 51.5 kg
- EAN 3611630077736

Reference : CBIN553
Price : €1.799,-



BIN - PASS BURGER

Bin - Pass burger 80-1



- Black epoxy painted stainless steel
- Inclined storage plan
- Heated shelf with heating elements
- Under lamp temperature from 30 °C to 90 °C
- Thermostat heating power adjustment
- Width corridors adjustment
- Lamp Power: 30 W
- Frequency: 50 Hz
- Power: 580 kW / 230 V
- Dimensions: W 800 x D 707 x H 952 mm
- Weight: 26 kg
- EAN 3611630077743

Reference : CBIN801
Price : €1.399,-

Bin - Pass burger 80



- Epoxy-painted steel
- Inclined storage plan
- UV lamps warm-up
- Under lamps temperature from 30 °C to 90 °C
- Thermostat heating power adjustment
- Width corridors adjustment
- Frequency: 50 Hz
- Power: 1.16 kW / 230 V
- Dimensions: W 800 x D 640 x H 685 mm
- Weight: 41 kg
- EAN 3611630038812

Reference : CBIN
Price : €1.599,-

Bin - Pass burger 80-3



- Black epoxy painted stainless steel
- Inclined storage plan
- 3 heated shelves with independent heating elements
- Under lamps temperature from 30 °C to 90 °C
- Thermostat heating power adjustment
- Width corridors adjustment
- Lamps Power: 3 x 30 W
- Frequency: 50 Hz
- Power: 1.74 kW / 230 V
- Dimensions: W 800 x D 739 x H 952 mm
- Weight: 63.5 kg
- EAN 3611630077750

Reference : CBIN803
Price : €1.899,-

Bin - Pass burger Medium 95

- Stainless steel and black painted iron
- Inclined storage plan
- UV lamps warm-up
- Under lamps temperature from 30 °C to 90 °C
- Thermostatic heating power adjustment
- Width corridors adjustment
- Frequency: 50 Hz
- Power: 1.16 kW / 230 V
- Dimensions: W 953 x D 700 x H 691 mm
- Weight: 49 kg
- EAN 3611630069182

Reference : CBINM
Price : €1.749,-



Bin - Pass burger Large 110

- Stainless steel and black painted iron
- Inclined storage plan
- UV lamps warm-up
- Under lamps temperature from 30 °C to 90 °C
- Thermostatic heating power adjustment
- Width corridors adjustment
- Frequency: 50 Hz
- Power: 1.86 kW / 230 V
- Dimensions: W 1106 x D 700 x H 691 mm
- Weight: 55 kg
- EAN 3611630069199

Reference : CBINL
Price : €1.999,-



BIN - MERCHANDISING WARMER



The Bin-merchandising warmer is an essential item for snack bars, keeping burgers, dishes and even delivery bags warm. Different sizes available to fit all spaces.

Bin - merchandising warmer 100

- Stainless steel
- 2 On/Off switches for lamps
- 2 independent heating shelves
- Adjustable thermostat up to 70 °C
- Removable grids
- 2 waste collecting pan
- Shelves dimensions : 2 x L 840 x P 545 mm
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 1 000 x D 600 x H 900 mm
- Weight: 54 kg
- EAN 3611630076494

Reference : CBINPP100
Price : €2.199,-



Bin - merchandising warmer 120

- Stainless steel
- 2 On/Off switches for lamps
- 2 independent heating shelves
- Adjustable thermostat up to 70 °C
- Removable grids
- 2 waste collecting pan
- Shelves dimensions : 2 x L 1 004 x P 545 mm
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: L 1 200 x P 600 x H 900 mm
- Weight: 61 kg
- EAN 3611630076555

Reference : CBINPP120
Price : €2.539,-



Bin - merchandising warmer 150

- Stainless steel
- 2 On/Off switches for lamps
- 2 independent heating shelves
- Adjustable thermostat up to 70 °C
- Removable grids
- 2 waste collecting pans
- Shelves dimensions : 2 x L 1 340 x P 545 mm
- Frequency: 50/60 Hz
- Power: 2.8 kW / 230 V
- Dimensions: L 1 500 x P 600 x H 900 mm
- Weight: 74 kg
- EAN 3611630076562

Reference : CBINPP150
Price : €2.889,-

Bin - merchandising warmer 180

- Stainless steel
- 2 On/Off switches for lamps
- 2 independent heating shelves
- Adjustable thermostat up to 70 °C
- Removable grids
- 2 waste collecting pans
- Shelves dimensions : 2 x L 1 640 x P 545 mm
- Frequency: 50/60 Hz
- Power: 2.8 kW / 230 V
- Dimensions: L 1 800 x P 600 x H 900 mm
- Weight: 86 kg
- EAN 3611630076579

Reference : CBINPP180
Price : €3.239,-





Heated Shelf

- Stainless steel
- 3 On/Off switches for lamps
- 3 independent heating shelves
- Useful shelves height : 264 mm
- 3 adjustable thermostats up to 70 °C
- 3 waste collection bins
- Removable grids



Shelves dimensions (mm)	Power (kW) / Volt (V) / Frequency (Hz)	Length (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref	Price
840 x 545	3 / 230 / 50	1000	630	1370	80	3611630077453	**CEC100**	**€2.799,-**
1040 x 545	3 / 230 / 50	1200	630	1370	91	3611630077460	**CEC120**	**€2.999,-**
1340 x 545	4.2 / 400 / 50	1500	630	1370	105	3611630077484	**CEC150**	**€3.299,-**
1640 x 545	4.2 / 400 / 50	1800	630	1370	115	3611630077507	**CEC180**	**€3.499,-**

MOBILE HEATED SHELF

Mobile Heated shelf

- Stainless steel
- 4 wheels, 2 with brakes
- 4 On/Off switches for lamps
- 4 independent heated shelves
- Useful shelves height : 264 mm
- 4 adjustable thermostats up to 70 °C
- 4 waste collection bins
- Removable grids



Shelves dimensions (mm)	Power (kW) / Volt (V) / Frequency (Hz)	Length (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref	Price
840 x 545	4 / 400 / 50	1000	630	1788	102	3611630077514	**CECM100**	**€3.299,-**
1040 x 545	4 / 400 / 50	1200	630	1788	117	3611630077521	**CECM120**	**€3.499,-**
1340 x 545	5.6 / 400 / 50	1500	630	1788	137	3611630077538	**CECM150**	**€3.999,-**
1640 x 545	5.6 / 400 / 50	1800	630	1788	156	3611630077545	**CECM180**	**€4.299,-**

WARMING DRAWER



Warming drawer

- Stainless steel
- Adjustable thermostat from 40 °C to 80 °C
- Removable GN 1/1 container - 100 mm depth
- Water tank for humidification
- Frequency: 50/60 Hz
- Power: 750 W / 230 V
- Dimensions: W 467 x D 662 x H 305 mm
- Weight: 26.45 kg
- EAN 3611630069458

Reference : CTC1
Price : €1.279,-





Warming drawer - Double

- Stainless steel
- Adjustable thermostat from 40 °C to 80 °C
- 2 removable GN 1/1 containers - 100 mm depth
- Water tank for humidification
- Frequency: 50/60 Hz
- Power: 1.5 kW / 230 V
- Dimensions: W 467 x D 662 x H 450 mm
- Weight: 47 kg
- EAN 3611630069465

Reference : CTC2
Price : €1.799,-





Warming drawer - Triple

- Stainless steel
- Adjustable thermostat from 40 °C to 80 °C
- 3 removable GN 1/1 containers - 100 mm depth
- Water tank for humidification
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 467 x D 662 x H 595 mm
- Weight: 62 kg
- EAN 3611630069472

Reference : CTC3
Price : €2.249,-



STORAGE HOLDING CABINET

Storage and temperature holding cabinet vertical

- Stainless steel
- 4 high temperature gastronorm containers GN 1/1 - 65 mm depth
- Double access drawers
- 5 On/Off buttons (1 global + 1 for each drawer)
- Timer up to 100 hours
- Digital temperature control from 30 °C to 90 °C
- Double temperature control for each drawer
- Heat dissipation fan
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 627 x D 521 x H 688 mm
- Weight: 78.5 kg
- EAN 3611630081917

Reference : CCMTV
Price : €4.999,-





Storage and temperature holding cabinet horizontal

- Stainless steel
- 4 high temperature gastronorm containers GN 1/1 - 65 mm depth
- Double access drawers
- 5 On/Off buttons (1 global + 1 for each drawer)
- Timer up to 100 hours
- Digital temperature control from 30 °C to 90 °C
- Double temperature control for each drawer
- Heat dissipation fan
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 936 x D 627 x H 410 mm
- Weight: 82.5 kg
- EAN 3611630081924

Reference : CCMTH
Price : €4.999,-

Pass-through containers



Set of 2 GN high temperature containers 2/4

- Plastic PEI
- Grid dimensions: 2 x W 416 x D 97 mm
- Dimensions: 2 x W 629 x D 163 x H 65 mm
- Weight: 1.9 kg
- EAN 3611630084109

Reference : CL2BGHT24
Price : €219,-



GN 1/1 high temperature container

- Plastic PEI
- Grid dimensions: W 460 x D 260 mm
- Dimensions: W 629 x D 323 x H 65 mm
- Weight: 1.78 kg
- EAN 3611630084246

Reference : CBGHT11
Price : €199,-



FRENCH FRY WARMER

To keep French fries crispy and at optimal temperature after cooking, use Casselin French Fry warmers.



French fry warmer GN1/1 with quartz

- Stainless steel
- Quartz resistance
- On/Off button
- Removable GN 1/1 tray - 65 mm depth
- Removable perforated plate
- Frequency: 50/60 Hz
- Power: 850 W / 230 V
- Dimensions: W 335 x D 565 x H 505 mm
- Weight: 7.10 kg
- EAN 3611630014021

Reference : CCF5
Price : €299,-

Quartz temperature rise - 1min



French fry warmer GN 1/1

- Stainless steel AISI 310
- Stainless steel heating element
- Capacity GN 1/1 - 65 mm depth
- Frequency: 50/60 Hz
- Power: 500 W / 230 V
- Dimensions: W 330 x D 550 x H 380 mm
- Weight: 5.4 kg
- EAN 3611630002240

Reference : CCF2
Price : €379,-

French fry warmer GN1/1 with infrared lamp

- Stainless steel
- Infrared heating element
- On/Off button
- Removable GN 1/1 tray with handles, depth 150 mm
- Removable perforated plate
- Frequency: 50/60 Hz
- Power: 1.2 kW / 230 V
- Dimensions: W 335 x D 563 x H 660 mm
- Weight: 9 kg
- EAN 3611630013994

Reference : CCF3
Price : €439,-





French fry warmer GN 1/1 with ceramic heating element

- Stainless steel AISI 310
- Ceramic upper heating element
- Steel lower heating element
- Adjustable thermostat from 50 °C to 190 °C
- Drain tap
- Salting tray included
- Capacity GN 1/1 - 150 mm depth
- Frequency: 50/60 Hz
- Power: 1.2 kW / 230 V
- Dimensions: W 330 x D 540 x H 500 mm
- Weight: 12.3 kg
- EAN 3611630001243

Reference : CCF1
Price : €569,-



FRENCH FRY WARMER

Compact French fry warmer

- Stainless steel
- Heating level from 1 to 5
- Foldable door
- French fry scoop included
- Fat collecting pan
- Frequency: 50/60 Hz
- Power: 320 W / 230 V
- Dimensions: W 305 x D 380 x H 420 mm
- Weight: 6.20 kg
- EAN 3611630075442

Reference : CCF6
Price : €359,-







French fry warmer with quartz

- Stainless steel
- Quartz resistance
- On/Off buttons high/low
- Upper and lower heating elements
- Maximum temperature 75°C
- Removable perforated plate
- French fry scoop included
- French fry box holder
- Frequency: 50/60 Hz
- Power: 1 100 W / 230 V
- Dimensions: W 504 x D 625 x H 636 mm
- Weight: 17 kg
- EAN 3611630101202

Reference : CCF8
Price : €599,-

French fry warmer with quartz double heating pass-trough S

- Stainless steel
- Quartz resistance
- On/Off buttons high/low
- Upper and lower heating elements
- Maximum temperature 75°C
- Removable perforated plate
- French fry scoop included
- French fry box holder
- Frequency: 50/60 Hz
- Power: 1 300 W / 230 V
- Dimensions: W 512 x D 617 x H 571 mm
- Weight: 23 kg
- EAN 3611630101219

Reference : CCF9
Price : €849,-



French fry warmer with quartz double heating pass-trough M

- Stainless steel
- Quartz resistance
- On/Off buttons high/low
- Upper and lower heating elements
- Maximum temperature 75°C
- Removable perforated plate
- French fry scoop included
- French fry box holder
- Frequency: 50/60 Hz
- Power: 1 500 W / 230 V
- Dimensions: W 662 x D 965 x H 571 mm
- Weight: 33 kg
- EAN 3611630101226

Reference : CCF10
Price : €999,-



FRY HOLDING STATION



Fry holding station

- Stainless steel
- On/Off switch
- Quartz heating element
- 7 row grid
- Grid and glass reversible right or left
- Fat collecting pan
- Container dimensions: W 615 x D 315 x H 130 mm
- Salt shaker included
- Frequency: 50/60 Hz
- Power: 1 kW / 230 V
- Dimensions: W 680 x D 600 x H 655 mm
- Weight: 30 kg
- EAN 3611630006842

Reference : CPDSAP
Price : €999,-

French fry scoop

- Dimensions: W 200 x D 230 x H 45 mm
- Weight: 0.319 kg
- EAN 3611630008884

Reference : CPAFDG
Price : €15,-





Fry holding station with infrared lamp table top

- Stainless steel
- On/off switch
- 3 Philips IR heating lamps
- 9 row grid
- Grid and glass interchangeable right or left
- Fat collecting pan
- Salt shaker included
- Container dimensions: W 615 x D 315 x H 130 mm
- Frequency: 50/60 Hz
- Power: 750 W / 230 V
- Dimensions: W 700 x D 600 x H 800 mm
- Weight: 31.5 kg
- EAN 3611630073158

Reference : CPDSAPI
Price : €1.199,-

Fry holding station PM

- Stainless steel
- On/Off switch
- 3 heating lamps
- 9 row grid
- Grid and glass reversible right or left
- Storage cupboard
- Fat collecting pan
- Container dimensions: W 535 x D 630 x H 145 mm
- Salt shaker included
- Frequency: 50/60 Hz
- Power: 900 W / 230 V
- Dimensions: W 600 x D 700 x H 1 600 mm
- Weight: 57 kg
- EAN 3611630006859

Reference : CPDSPM
Price : €2.159,-





Fry Hold station double heating 600

- Stainless steel
- On/off switch
- 3 Philips IR heating lamps
- Heating element under the tray
- Adjustable thermostat from 50 °C to 90 °C
- 2 row grids
- Interchangeable glass on the right or left
- 2 GN containers 1/6 - 150 mm depth
- Storage cupboard
- Fat collecting pan
- Salt shaker included
- Container dimensions: W 535 x D 630 x H 150 mm
- Frequency: 50/60 Hz
- Power: 1.35 kW / 230 V
- Dimensions: W 600 x D 700 x H 1600 mm
- Weight: 66 kg
- EAN 3611630076418

Reference : CPDSDC600
Price : €2.559,-

Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków
tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

FRY HOLDING STATION

Fry holding station GM

- Stainless steel
- On/Off switch
- 4 Philips IR heating lamps
- 9 row grid
- Grid and glass reversible right or left
- Storage cupboard
- Fat collecting pan
- Container dimensions: W 735 x D 630 x H 150 mm
- Salt shaker included
- Frequency: 50/60 Hz
- Power: 1.2 kW / 230 V
- Dimensions: W 800 x D 700 x H 1500 mm
- Weight: 63 kg
- EAN 3611630006866

Reference : CPDSGM
Price : €2.449,-





Fry holding station double heating 800

- Stainless steel
- On/off switch
- 4 Philips IR heating lamps
- Heating element under the tray
- Adjustable thermostat from 50 °C to 90 °C
- 2 row grids
- Interchangeable glass on the right or left
- 4 GN containers 1/6 - 150 mm depth
- Storage cupboard
- Fat collecting pan
- Salt shaker included
- Container dimensions: W 735 x D 630 x H 150 mm
- Frequency: 50/60 Hz
- Power: 1.8 kW / 230 V
- Dimensions: W 800 x D 700 x H 1600 mm
- Weight: 78 kg
- EAN 3611630076456

Reference : CPDSDC800
Price : €2.899,-

Fry Hold station sauce heater 600

- Stainless steel
- ON/OFF button
- 3 Philips IR heating lamps
- Resistance under salting tank with ON/OFF button
- Adjustable thermostat from 50 °C to 90 °C
- 2 row grid
- Interchangeable glass left or right
- 3 built-in sauce heaters with ON/OFF button
- 3 adjustable thermostats from 50 °C to 90 °C
- Storage cupboard
- Grease trap
- 2 salt shakers included
- Container dimensions: W 535 x D 630 x H 150 mm
- Frequency: 50/60 Hz
- Power: 1.95 kW / 230 V
- Dimensions: W 600 x D 725 x H 1600 mm
- Weight: 70 kg
- EAN 3611630081306

Reference : CPDSCS600
Price : €2.999,-



FRY HOLDING STATION

Fry Hold station sauce heater 800

- Stainless steel
- ON/OFF button
- 3 Philips IR heating lamps
- Resistance under salting tank with ON/OFF button
- Adjustable thermostat from 50 °C to 90 °C
- 2 row grid
- Interchangeable glass left or right
- 4 built-in sauce heaters with ON/OFF button
- 4 adjustable thermostats from 50 °C to 90 °C
- Storage cupboard
- Grease trap
- 2 salt shakers included
- Container dimensions: W 735 x D 630 x H 150 mm
- Frequency: 50/60 Hz
- Power: 2.6 kW / 230 V
- Dimensions: W 800 x D 725 x H 1600 mm
- Weight: 82 kg
- EAN 3611630081313

Reference : CPDSCS800
Price : €3.499,-



Fry holding station double heating 1200

- Stainless steel
- On/off switch
- 6 Phillips IR heating lamps
- Resistance under salt pan
- Thermostat adjustable from 50 °C to 90 °C
- 2-row grids
- Interchangeable glass on right or left
- 6 GN containers 1/6 - 150 mm depth
- Storage cupboard
- Fat collecting pan
- Salt shaker included
- Container dimensions: W 1135 x D 630 x H 150 mm
- Frequency: 50/60 Hz
- Power: 1.5 + 1.2 kW / 230 V
- Dimensions: W 1200 x D 725 x H 1600 mm
- Weight: 102 kg
- EAN 3611630085656

Reference : CPDSDC1200
Price : €3.499,-



FRY HOLDING STATION

Fry holding station double heating pass-through 800

- Stainless steel
- ON/OFF button
- 4 Philips heating lamps IR
- Resistance under salting tank with ON/OFF button
- Adjustable thermostat from 50 °C to 90 °C
- 12 row grids
- 6 GN containers 1/6 - 150 mm depth
- Storage cupboard
- Grease trap
- 2 salt shakers included
- Container dimensions: W 708 x D 938 x H 200 mm
- Frequency: 50/60 Hz
- Power: 1,8 kW / 230 V
- Dimensions: W 800 x D 1050 x H 1600 mm
- Weight: 88,5 kg
- EAN 3611630101011

Reference : CPDSDCT800
Price : €3.499,-



Fry holding station sauce heater pass-through 800

- Stainless steel
- ON/OFF button
- 4 Phillips heating bulbs IR
- Resistance under salting tank with ON/OFF button
- Adjustable thermostat from 50 °C to 90 °C
- 12 row grids
- 8 built-in sauce heaters with ON/OFF button
- 8 adjustable thermostats from 50 °C to 90 °C
- Storage cupboard
- Grease trap
- 4 salt shakers included
- Container dimensions: W 708 x D 938 x H 200 mm
- Frequency: 50/60 Hz
- Power: 3,4 kW / 230 V
- Dimensions: W 800 x D 1000 x H 1600 mm
- Weight: 99,5 kg
- EAN 3611630101028

Reference : CPDSCST800
Price : €4.499,-



ELECTRIC DEEP FRYER



With a Casselin electric fryer, the temperature can be set between 50 °C and 190 °C to realise all your frying.

- Cold zone
- Ceramic safety thermostat
- Drain tap
- Removable heating element



Electric deep fryer 4 liters

- Body, lid, control panel in stainless steel
- 1 basin 4 liters
- 1 basket: W 140 x D 210 x H 125 mm
- Adjustable thermostat from 60°C to 90°C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 220 x D 400 x H 315 mm
- Weight: 7.1 kg
- EAN 3611630000406

Reference : CFE4
Price : €159,-



Electric deep fryer 2 x 4 liters

- Body, lid, control panel in stainless steel
- 2 basins 4 liters each
- 2 baskets: 2 x W 140 x D 210 x H 125 mm
- 2 independent power outlets
- Adjustable thermostat from 60°C to 90°C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2 x 2 kW / 230 V
- Dimensions: W 435 x D 400 x H 315 mm
- Weight: 10.5 kg
- EAN 3611630000413

Reference : CFE42
Price : €299,-

Electric deep fryer 8 liters

- Body, lid, control panel in stainless steel
- 1 basin 8 liters
- 1 basket: W 190 x D 240 x H 140 mm
- Adjustable thermostat from 60°C to 90°C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 3,25 kW / 230 V
- Dimensions: W 265 x D 430 x H 340 mm
- Weight: 7.1 kg
- EAN 3611630000420

Reference : CFE8
Price : €199,-



See p.93



Electric deep fryer 2 x 8 liters

- Body, lid, control panel in stainless steel
- 2 basins 8 liters each
- 2 baskets: 2 x W 190 x D 240 x H 140 mm
- 2 independent power outlets
- Adjustable thermostat from 60°C to 90°C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2 x 3.25 kW / 230 V
- Dimensions: W 550 x D 430 x H 340 mm
- Weight: 12.5 kg
- EAN 3611630000437

Reference : CFE82
Price : €359,-



Detergent for fryer p.429



ELECTRIC DEEP FRYER



Electric deep fryer with drain tap 8 liters

- Body, lid, control panel in stainless steel
- 1 basin 8 liters
- 1 basket: W 190 x D 240 x H 140 mm
- 1 drain tap
- Adjustable thermostat from 60°C to 90°C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 3.25 kW / 230 V
- Dimensions: W 290 x D 550 x H 410 mm
- Weight: 10 kg
- EAN 3611630000444

Reference : CFEV8
Price : €359,-



Electric deep fryer with drain tap 2 x 8 liters

- Body, lid, control panel in stainless steel
- 2 basins 8 liters each
- 2 baskets: 2 x W 190 x D 240 x H 140 mm
- 2 independent power outlets
- 2 drain taps
- Adjustable thermostat from 60°C to 90°C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2 x 3.25 kW / 230 V
- Dimensions: W 550 x D 430 x H 410 mm
- Weight: 22 kg
- EAN 3611630000451

Reference : CFEV82
Price : €589,-



Induction fryer with drain valve 8 liters

- Body, lid, control panel in stainless steel
- 1 container 8 liters
- 1 basket: W 190 x P 240 x H 140 mm
- 1 drain valve
- Adjustable thermostat from 60 °C to 190 °C
- Frequency: 50/60 Hz
- Power: 3.25 kW / 230 V
- Dimensions: W 290 x D 550 x H 410 mm
- Weight: 10 kg
- EAN 3611630072991

Reference : CFIV8
Price : €499,-



Electric deep fryer 7 liters

- Body, lid, control panel in stainless steel
- Tilting heating element for easy cleaning
- Heating indicator light
- 1 basin 7 liters
- 1 basket: W 205 x D 205 x H 140 mm
- Adjustable thermostat from 60 °C to 190 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 3.6 kW / 230 V
- Dimensions: W 275 x D 518 x H 455 mm
- Weight: 7.55 kg
- EAN 3611630077255

Reference : CFE7B
Price : €249,-

3.6 kW



Electric deep fryer 2 x 7 liters

- Body, lid, control panel in stainless steel
- Tilting heating element for easy cleaning
- Heating indicator light
- 2 basins 7 liters each
- 2 baskets: W 205 x D 205 x H 140 mm
- Adjustable thermostat from 60 °C to 190 °C
- Safety thermostat
- 2 independent power outlets
- Frequency: 50/60 Hz
- Power: 2 x 3.6 kW / 230 V
- Dimensions: W 560 x D 518 x H 455 mm
- Weight: 15.40 kg
- EAN 3611630077262

Reference : CFE72B
Price : €409,-

2 x 3.6 kW



Detergent for fryer p.431



FRITEUSE À POSER



3.6 kW

Electric deep fryer with drain tap 7 liters

- Body, lid, control panel in stainless steel
- Tilting heating element for easy cleaning
- Heating indicator light
- Drain tap
- 1 basin 7 liters
- 1 basket: W 205 x D 205 x H 140 mm
- Adjustable thermostat from 60 °C to 190 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 3.6 kW / 230 V
- Dimensions: W 280 x D 683 x H 455 mm
- Weight: 8 kg
- EAN 3611630077293

Reference : CFEV7B
Price : €369,-

Electric deep fryer with drain tap 2 x 7 liters

- Body, lid, control panel in stainless steel
- Tilting heating element for easy cleaning
- Heating indicator light
- 2 drain taps
- 2 basins 7 liters each
- 2 baskets: W 205 x D 205 x H 140 mm
- Adjustable thermostat from 60 °C to 190 °C
- Safety thermostat
- 2 independent power outlets
- Frequency: 50/60 Hz
- Power: 2 x 3.6 kW / 230 V
- Dimensions: W 570 x D 683 x H 456 mm
- Weight: 16 kg
- EAN 3611630077309

Reference : CFEV72B
Price : €599,-

2 x 3.6 kW



Detergent for fryer p.431



Electric deep fryer 10 liters

- Body, lid, control panel in stainless steel
- Tilting heating element for easy cleaning
- Heating indicator light
- 1 basin 10 liters
- 1 basket: W 215 x D 315 x H 140 mm
- Adjustable thermostat from 60 °C to 190 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 3.6 kW / 230 V
- Dimensions: W 287 x D 625 x H 457 mm
- Weight: 9.35 kg
- EAN 3611630077279

Reference : CFE10B
Price : €299,-

3.6 kW



Electric deep fryer 2 x 10 liters

- Body, lid, control panel in stainless steel
- Tilting heating element for easy cleaning
- Heating indicator light
- 2 basins 10 liters each
- 2 baskets: W 215 x D 315 x H 140 mm
- Adjustable thermostat from 60 °C to 190 °C
- Safety thermostat
- 2 independent power outlets
- Frequency: 50/60 Hz
- Power: 2 x 3.6 kW / 230 V
- Dimensions: W 585 x D 625 x H 455 mm
- Weight: 15.20 kg
- EAN 3611630077286

Reference : CFE102B
Price : €539,-

2 x 3.6 kW



FRITEUSE À POSER



3.6 kW

Electric deep fryer with drain tap 10 liters

- Body, lid, control panel in stainless steel
- Tilting heating element for easy cleaning
- Heating indicator light
- Drain tap
- 1 basin 10 liters
- 1 basket: W 215 x D 315 x H 140 mm
- Adjustable thermostat from 60 °C to 190 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 3.6 kW / 230 V
- Dimensions: W 285 x D 745 x H 456 mm
- Weight: 10 kg
- EAN 3611630077316

Reference : CFEV10B
Price : €449,-

Electric deep fryer with drain tap 2 x 10 liters

- Body, lid, control panel in stainless steel
- Tilting heating element for easy cleaning
- Heating indicator light
- 2 drain taps
- 2 basins 10 liters each
- 2 baskets: W 215 x D 315 x H 140 mm
- Adjustable thermostat from 60 °C to 190 °C
- Safety thermostat
- 2 independent power outlets
- Frequency: 50/60 Hz
- Power: 2 x 3.6 kW / 230 V
- Dimensions: W 587 x D 745 x H 456 mm
- Weight: 18 kg
- EAN 3611630077330

Reference : CFEV102B
Price : €759,-

2 x 3.6 kW



Detergent for fryer p.431



Electric fryer 10 liters with drain tap high efficiency

- Body, lid, control panel in stainless steel
- Heating indicator light
- Drain tap
- 1 removable tanks 10 liters
- 1 basket: W 215 x D 315 x H 140 mm
- Timer
- Temperature range from 60 °C to 190 °C
- Double power contactor
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 9 kW / 400 V
- Dimensions: W 330 x D 715 x H 515 mm
- Weight: 15 kg
- EAN 3611630081351

Reference : CFEV10TC
Price : €799,-


9 kW



Set of 2 baskets 4.5 L for fryer 10 liters

- Capacity: 2 x 4.5 L
- Dimensions: 2 x W 105 x D 317 x H 140 mm
- Weight: 2.5 kg
- EAN 3611630068826

Reference : CL2PF10
Price : €99,-



Electric fryer 2 x 10 liters with drain tap high efficiency

- Body, lid, control panel in stainless steel
- Heating indicator light
- Drain tap
- 2 removable tanks 10 liters each
- 2 baskets: W 215 x D 315 x H 140 mm
- Timer
- Temperature range from 60 °C to 190 °C
- Double power contactor
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2 x 9 kW / 400 V
- Dimensions: W 660 x D 715 x H 515 mm
- Weight: 32 kg
- EAN 3611630081368

Reference : CFEV102TC
Price : €1.399,-

2 x 9 kW





GASTRO ECONOMY

FREE STANDING FRYER

Electric freestanding fryer 10 liters high efficiency

- Stainless steel
- Hight limet thermostat
- Adjustable temperature from 60 °C to 190 °C
- Drain tap
- Cold zone
- Tank capacity 10 liters
- Rounded tank
- Timer
- Double power contactor
- Oil drip tray inside the holder
- Basket dimensions: W 215 x D 315 x H 140 mm
- Frequency: 50/60 Hz
- Power: 9 kW / 400 V
- Dimensions: W 357 x D 700 x H 1080 mm
- Weight: 33 kg
- EAN 3611630081320



9 kW


Reference : CFP10TC
Price : €1.159,-



Set of 2 baskets 4.5 L for fryer 10 liters

- Capacity: 2 x 4.5 L
- Dimensions: 2 x W 105 x D 317 x H 140 mm
- Weight: 2.5 kg
- EAN 3611630068826

Reference : CL2PF10
Price : €99,-



Electric freestanding fryer 2 x 10 liters high efficiency

- Stainless steel
- Safety thermostat
- Adjustable temperature from 60 °C to 190 °C
- 2 drain taps
- Cold zone
- Tank capacity 2 x 10 liters
- Rounded tank
- Timer
- Double power contactor
- Oil drip tray inside the holder
- Baskets dimensions: 2 x W 215 x D 315 x H 140 mm
- Frequency: 50/60 Hz
- Power: 2 x 9 kW / 400 V
- Dimensions: W 710 x D 700 x H 1080 mm
- Weight: 60 kg
- EAN 3611630081344


2 x 9 kW

Reference : CFP102TC
Price : €1.999,-



Detergent for fryer p.431






FREESTANDING FRYER

Electric freestanding fryer 13 liters

- Stainless steel AISI 304
- Cold zone technology
- Stainless steel heating element
- Safety thermostat
- Adjustable thermostat from 50 °C to 190 °C
- Drain tap
- Container capacity: 13 liters
- Power contactor
- Oil drip tray inside the holder
- Adjustable height
- Basket dimensions: W 210 x D 300 x H 120 mm
- Frequency: 50/60 Hz
- Power: 9.9 kW / 400 V
- Dimensions: W 330 x D 600 x H 860-920 mm
- Weight: 34 kg
- EAN 3611630001274

Reference : CFP13
Price : €1.399,-






Electric freestanding fryer 2 x 13 liters

- Stainless steel AISI 304
- Cold zone technology
- Stainless steel heating element
- Safety thermostat
- Adjustable thermostat from 50 °C to 190 °C
- Drain tap
- Container capacity: 2 x 13 liters
- Power contactor
- Oil drip tray inside the holder
- Adjustable height
- Basket dimensions: W 210 x D 300 x H 120 mm
- Frequency: 50/60 Hz
- Power: 2 x 9.9 kW / 400 V
- Dimensions: W 640 x D 600 x H 860-920 mm
- Weight: 64 kg
- EAN 3611630001281


Reference : CFP132
Price : €2.579,-





Freestanding fryer 16 liters

- Stainless steel
- Tank capacity: 16 liters
- Timer
- Heating indicator light
- Possibility to operate the 3 heating elements independently
- Adjustable temperature from 60 °C to 190 °C
- Safety thermostat
- Drain tap
- Double power contactor
- Oil drip tray inside the holder
- Basket dimensions: W 285 x D 327 x H 235 mm (i.e 14 L)
- Frequency: 50/60 Hz
- Power: 12 kW / 400 V
- Dimensions: W 400 x D 660 x H 1030 mm
- Weight: 35 kg
- EAN 3611630081375





Reference : CFP16B
Price : €1.549,-

12 kW

3 adjustable powers
4 - 8 - 12 kW

Freestanding fryer 2 x 16 liters

- Stainless steel
- Tank capacity: 2 x 16 liters
- Timer
- Heating indicator light
- Operates independently
- Possibility to operate the 3 heating elements independently
- Adjustable temperature from 60 °C to 190 °C
- Safety thermostat
- Drain tap
- Cold zone
- Double power contactor
- Oil drip tray inside the holder
- Basket dimensions: 2 x W 285 x D 327 x H 235 mm (i.e 2x 14 L)
- Frequency: 50/60 Hz
- Power: 2 x 12 kW / 400 V
- Dimensions: W 800 x D 660 x H 1030 mm
- Weight: 65 kg
- EAN 3611630081382




Reference : CFP162B
Price : €2.549,-

2 x 12 kW

Set of 2 baskets 6.5 L for fryer 16 liters

- Capacity: 2 x 6.5 L
- Dimensions: 2 x W 140 x D 327 x H 155 mm
- Weight: 3 kg
- EAN 3611630058483





Reference : CL2PF16
Price : €109,-

3 adjustable powers
4 - 8 - 12 kW

ELECTRIC DEEP FRYER WITH FILTRATION

Electric fryer with filtration 22 liters

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Tank capacity: 22 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions: 2 x W 320 x D 320 x H 150 mm
- Power: 17 kW / 400 V
- Dimensions: W 400 x D 825 x H 1175 mm
- Weight: 86 kg
- EAN 3611630088978

Reference : CFPF22
Price : €7.999,-

See p.93





Electric fryer with automatic lift and filtration 22 liters

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Automatic basket raising and lowering
- Tank capacity: 22 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions: W 320 x D 320 x H 150 mm
- Power: 17 kW / 400 V
- Dimensions : W 400 x D 825 x H 1220 / 1425 mm
- Weight: 86 kg
- EAN 3611630088893

Reference : CFPRAF22
Price : €8.999,-



Electric fryer with filtration 2 x 12 liters

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Tank capacity: 2 x 12 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions: 2 x W 165 x D 335 x H 150 mm
- Power: 17 kW / 400 V
- Dimensions : W 430 x D 820 x H 1175 mm
- Weight: 100 kg
- EAN 3611630088886

Reference : CFPF212
Price : €8.999,-



Electric fryer with automatic lift and filtration 2 x 12 liters

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Plunge and automatic lifting of baskets
- Tank capacity: 2 x 12 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions: 2 x W 165 x D 335 x H 150 mm
- Power: 17 kW / 400 V
- Dimensions : W 430 x D 865 x H 1220 / 1425 mm
- Weight: 115 kg
- EAN 3611630088909

Reference : CFPRAF212
Price : €10.599,-



ELECTRIC DEEP FRYER WITH FILTRATION

Electric fryer with filtration 12 + 22 liters



- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Tank capacity: 12 + 22 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions 12 L : 3 x W 165 x D 335 x H 150 mm
- Power: 8,5 + 17 kW / 400 V
- Dimensions : W 600 x D 820 x H 1175 mm
- Weight : 138 Kg
- EAN 3611630088916

Reference : CFPF1222
Price : €11.999,-

Electric fryer with automatic lift and filtration 12 + 22 liters



- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Automatic basket raising and lowering
- Tank capacity: 12 + 22 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions 12 L : W 165 x D 335 x H 150 mm
- Basket dimensions 22 L : W 320 x D 320 x H 150 mm
- Power: 8,5 + 17 kW / 400 V
- Dimensions : W 865 x D 600 x H 1210 mm
- Weight : 145 Kg
- EAN 3611630088923

Reference : CFPRAF1222
Price : €12.999,-

Electric fryer with filtration 2 x 22 liters

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Tank capacity: 2 x 22 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions: 4 x W 165 x D 340 x H 150 mm
- Power: 2 x 17 kW / 400 V
- Dimensions : W 800 x D 820 x H 1175 mm
- Weight: 145 kg
- EAN 3611630088930

Reference : CFPF222
Price : €15.799,-



Electric fryer with automatic lift and filtration 2 x 22 liters

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Plunge and automatic lifting of baskets
- Tank capacity: 2 x 22 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions: 2 x W 330 x D 340 x H 150 mm
- Power: 2 x 17 kW / 400 V
- Dimensions : W 795 x D 865 x H 1220 / 1425 mm
- Weight: 165 kg
- EAN 3611630088947

Reference : CFPRAF222
Price : €16.999,-



ELECTRIC DEEP FRYER WITH FILTRATION

Electric fryer with filtration 4 x 12 liters

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Tank capacity: 4 x 12 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions: 4 x W 165 x D 335 x H 150 mm
- Power: 2 x 17 kW (4 x 8,5 kW) / 400 V
- Dimensions: W 860 x D 865 x H 1175 mm
- Weight : 165 Kg
- EAN 3611630088954

Reference : CFPF124
Price : €16.999,-



Electric fryer with automatic lift and filtration 4 x 12 liters

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Plunge and automatic lifting of baskets
- Tank capacity: 4 x 12 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Basket dimensions: 4 x W 165 x D 335 x H 150 mm
- Power: 2 x 17 kW (4 x 8,5 kW) / 400 V
- Dimensions: W 865 x D 865 x H 1220 / 1425 mm
- Weight : 197 Kg
- EAN 3611630088961

Reference : CFPRAF124
Price : €19.899,-



ELECTRIC PRESSURE FRYER



Pressure cooking in the Casselin fryer enables food to be cooked more quickly thanks to a high temperature maintained under pressure. This process reduces cooking time while locking in the food's moisture and flavors, for a result that's tender on the inside and crispy on the outside.

Electric pressure fryer with filtration 25 liters 14kW

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating elements
- Safety thermostat
- Programmable computer control
- Adjustable temperature from 90°C to 190°C
- Filtration system (3 paper filters included)
- Pressure: 8.5 bar
- Tank capacity: 25 litres
- Double power contactors
- Oil drip tray
- 4 wheels, 2 with brakes
- Frequency : 50 Hz
- Power: 13,5 kW / 400 V
- Dimensions : W 470 x D 975 x H 200 mm
- Weight: 135 kg
- EAN 3611630088879

Reference : CFEPF25
Price : €7.999,-





See p.93



GAS FRYER



Casselin gas fryer is made entirely of stainless steel and has a deep-drawn tank with a non-sealed inclined bottom, making it easy to clean and empty. Equipped with a thermocouple as well as a tap with a safety device, this fryer guarantees optimal safety.



Gas Fryer 10 liters

- AISI 304 stainless steel
- Fully stamped tank with inclined bottom
- Piezo ignition system
- Ignition and pilot light control
- Oil temperature setting by thermostat
- Mechanic gas valve with thermostat
- Safety thermostat
- Safety drain valve
- Capacity: 10 liters
- Tank dimensions: W 238 x D 300 x H 292 mm
- Basket dimensions: W 215 x D 290 x H 120 mm
- Power: 6.5 kW gas
- Dimensions: W 400 x D 600 x H 650 mm
- Weight: 32 kg
- EAN 3611630001342

Reference : CFG10
Price : €1.949,-





Gas Fryer 2x10 liters

- AISI 304 stainless steel
- Fully stamped tank with inclined bottom
- piezo ignition system
- Ignition and pilot light control
- Oil temperature setting by thermostat
- Mechanic gas valve with thermostat
- Safety thermostat
- Safety drain valve
- Capacity: 2 x 10 liters
- Tank dimensions: 2 x W 238 x D 300 x H 292 mm
- Basket dimensions: 2 x W 215 x D 290 x H 120 mm
- Power: 13 kW gas
- Dimensions: W 700 x D 600 x H 650 mm
- Weight: 58 kg
- EAN 3611630038782

Reference : CFG102
Price : €3.299,-

Gas deep fryer with drain tap 2 x 17 liters

- AISI 304 stainless steel
- Deep-drawn bowl with sloping base
- Electric piezo ignition
- Ignition and pilot light control
- Electromechanical controls with thermometer for temperature display
- 2 thermostats adjustable from 0°C to 190°C
- Safety thermostat
- 2 drain taps
- Capacity: 2 x 17 litres
- Tank dimensions: 2 x W 250 x D 415 x H 300 mm
- Basket dimensions: 2 x W 215 x D 375 x H 120 mm
- Frequency: 50 Hz
- Power: 2 x 12kW
- Dimensions: W 700 x D 700 x H 841 mm
- Weight : 104 Kg
- EAN 3611630098700

Reference : CFGV172
Price : €6.799,-



Gas deep fryer with cabinet 17 liters



- AISI 304 stainless steel
- Deep-drawn tank with sloping base
- Piezoelectric gas ignition
- Ignition and pilot control
- Electromechanical controls with thermometer for temperature display
- Adjustable thermostat from 0°C to 190°C
- Safety thermostat
- Drain tap
- Capacity: 17 litres
- Tank dimensions : W 250 x D 415 x H 300 mm
- Basket dimensions: W 215 x D 375 x H 120 mm
- Adjustable stainless steel feet
- Frequency: 50 Hz
- Power: 12 kW gas
- Dimensions: W 400 x D 700 x H 1 100 mm
- Weight: 59 kg
- EAN 3611630098694

Reference : CFG17S
Price : €3.299,-

Gas deep fryer with cabinet 2 x 17 liters



- AISI 304 stainless steel
- Deep-drawn tank with sloping base
- Piezoelectric gas ignition
- Ignition and pilot control
- Electromechanical controls with thermometer for temperature display
- 2 thermostats adjustable from 0°C to 190°C
- Safety thermostat
- 2 drain taps
- Capacity: 2 x 17 litres
- Tank dimensions: 2 x W 215 x D 415 x H 300 mm
- Basket dimensions: 2 x W 215 x D 375 x H 120 mm
- Adjustable stainless steel feet
- Frequency: 50 Hz
- Power: 2 x 12 kW gas
- Dimensions: W 700 x D 700 x H 1 100 mm
- Weight: 104 kg
- EAN 3611630098687

Reference : CFG172S
Price : €5.599,-

FRYER ACCESSORIES

Deep fryer basket 4L

- Dimensions : W 140 x P 210 x H 125 mm
- Weight : 1 Kg
- EAN 3611630058902

Reference : CPFE4
Price : €39,-



Deep fryer basket 7L

- Dimensions : W 200 x P 200 x H 140 mm
- Weight 0.85 Kg
- EAN 3611630086431

Reference : CPFE7
Price : €69,-



Deep fryer basket 8L

- Dimensions : W 190 x P 240 x H 140 mm
- Weight : 0.90 Kg
- EAN 3611630040471

Reference : CPFE8
Price : €49,-



Deep fryer basket 8L with drain valve

- Dimensions : W 190 x P 240 x H 140 mm
- Weight : 0.90 Kg
- EAN 3611630040280

Reference : CPFEV8
Price : €49,-



Deep fryer basket 10L reinforced

- Dimensions : W 210 x P 315 x H 140 mm
- Weight : 1.10 Kg
- EAN 3611630081771

Reference : CPFE10R
Price : €89,-



Deep fryer basket 13L

- Dimensions : W 210 x P 235 x H 100 mm
- Weight : 0.90 Kg
- EAN 3611630041898


Reference : CPFP13
Price : €99,-



Set of 2 baskets 4.5 L for fryer 10 liters

- Capacity: 2 x 4.5 L
- Dimensions: 2 x W 105 x D 317 x H 140 mm
- Weight: 2.5 kg
- EAN 3611630068826

Reference : CL2PF10
Price : €99,-



Set of 2 baskets 6.5 L for fryer 16 liters

- Capacity: 2 x 6.5 L
- Dimensions: 2 x W 140 x D 327 x H 155 mm
- Weight: 3 kg
- EAN 3611630058483

Reference : CL2PF16
Price : €109,-



Small basket for fryers with filtration

- Dimensions : W 165 x D 340 x H 150 mm
- Weight: 1.15 Kg
- EAN 3611630089081

Reference : CPFPF12
Price : €89,-



Large basket for fryers with filtration

- Dimensions : W 330 x D 340 x H 150 mm
- Weight: 1.6 kg
- EAN 3611630089098

Reference : CPFPF22
Price : €129,-



Pressure fryer basket CFEPF25

- Dimensions : L 255 x P 340 x H 245 mm
- Weight : 1,8 Kg
- EAN 3611630089111

Reference : CPFEPF25
Price : €149,-



Deep fryer basket 4 levels CFEPF25

- Dimensions : W 263 x P 320 x H 250 mm
- Weight : 2 Kg
- EAN 3611630104838

Reference : CP4NFEPF25
Price : €249,-




ELECTRIC PASTRY FRYER

Electric pastry fryer 16 liters

- Stainless steel
- Container capacity: 16 liters
- Drain tap with security
- Adjustable thermostat from 50 °C to 190 °C
- Cold zone technology
- Safety thermostat
- Heating element in stainless steel
- Frequency: 50/60 Hz
- Power: 9 kW / 400 V
- Basket dimensions: W 475 x D 245 x H 80 mm
- Dimensions: W 540 x D 450 x H 370 mm
- Weight: 13 kg
- EAN 3611630001205

Reference : CFB16
Price : €879,-






Electric pastry fryer 30 liters

- Stainless steel
- Container capacity: 30 liters
- Drain tap with security
- Adjustable thermostat from 50 °C to 190 °C
- Cold zone technology
- Safety thermostat
- Heating element in stainless steel
- Frequency: 50/60 Hz
- Power: 9 kW / 400 V
- Basket dimensions: W 585 x D 445 x H 80 mm
- Dimensions: W 670 x D 650 x H 370 mm
- Weight: 21 kg
- EAN 3611630001212

Reference : CFB30
Price : €1.349,-





Electric pastry fryer with cabinet 35 liters

- AISI 304 stainless steel
- Deep-drawn tank with sloping base
- Piezoelectric ignition
- Ignition and pilot light control
- Electromechanical controls with thermometer for temperature display
- Adjustable thermostat from 0°C to 190°C
- Safety thermostat
- Drain tap
- Capacity: 35 litres
- Tank dimensions : W 560 x D 400 x H 160 mm
- Basket dimensions: W 540 x D 365 x H 120 mm
- Adjustable stainless steel feet
- Frequency: 50 Hz
- Power: 19 kW gas
- Dimensions: W 700 x D 700 x H 1215 mm
- Weight: 84 kg
- EAN 3611630098717

Reference : CFBG35S
Price : €4.399,-




GASTRO ECONOMY

LAVA STONE GRILL

Lava stone grill

• Stainless steel
• Lava stone plate 5 kg
• 2 grid height positions
• "U" shaped burner tube for smoother cooking
• Piezo ignition
• Grease collecting pan
• Plate dimensions: W 312 x D 483 mm
• Power: 6.5 kW gas
• Dimensions: W 330 x D 540 x H 220 mm
• Weight: 17.5 kg
> Pre-equipped for butane gas, natural gas injectors are included
• EAN 3611630082402

Reference : CGPL
Price : €969,-



Lava stone grill double

• Stainless steel
• Lava stone plates 2 x 5 kg
• 2 grid height positions
• "U" shaped burner tube for more even cooking
• Piezo ignition
• Grease collection tray
• Plate dimensions: 2 x W 312 x D 483 mm
• Power: 15 kW gas
• Dimensions: W 660 x D 540 x H 220 mm
• Weight: 32.8 kg
> Pre-equipped for butane gas, natural gas injectors are included
• EAN 3611630082419

Reference : CGPLD
Price : €1.639,-



STEAK GRILL

Electric Clam contact grill - Steak grill



- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Textured Chrome plate 10 mm thickness
- 3 operating programs
- Choice of cooking time
- Grease collecting pan
- Cooking sheet on top plate
- Top plate dimensions: W 320 x D 380 mm
- Bottom plate dimensions: W 320 x D 480 mm
- Frequency: 50 Hz
- Power: 2 x 3 kW / 230 V
- Dimensions: W 330 x D 660 x H 400 mm
- Weight: 41.4 kg
- EAN 3611630088275

Reference : CGRCB
Price : €1.999,-

New Textured Chrome
Scratch-resistant
Revolutionary micro-cells
Minimal food adhesion


Double electric Clam contact grill - Steak grill



- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Textured Chrome plate 10 mm thickness
- 3 operating programs
- Choice of cooking time
- Grease collecting pan
- Cooking sheet on top plate
- Top plate dimensions: 2 x W 320 x D 380 mm
- Bottom plate dimensions: W 650 x D 480 mm
- Frequency: 50 Hz
- Power: 6 kW + 2 x 3 kW / 230 + 400 V
- Dimensions: W 660 x D 660 x H 400 mm
- Weight: 79.2 kg
- EAN 3611630088282

Reference : CGRCDB
Price : €3.999,-

Reusable cooking paper CGRC



- 320 x 390 mm
- EAN 3611630077804

Reference : CFCGRC
Price : €29,-

Electric Clam contact grill - Semi automatic



- AISI 304 stainless steel
- Digital control-preset programs
- Remote start function
- Acoustic signal before the end of the program
- Automatic opening
- Self-levelling top plate
- Automatic top plate adjustment 1-20mm
- Thermostat adjustable from 50 °C to 300 °C
- Textured Chrome plate 10 mm thickness
- Fat collecting pan
- Top plate dimensions: W 280 x D 400 mm
- Bottom plate dimensions: W 320 x D 480 mm
- Frequency: 50 Hz
- Power: 3 + 3 kW / 230 V
- Dimensions: W 330 x D 760 x H 470 mm
- Weight: 38 kg
- EAN 3611630088299

New Textured Chrome
Scratch-resistant
Revolutionary micro-cells
Minimal food adhesion

Reference : CGRCAB
Price : €4.499,-

Electric Clam contact grill - Semi automatic double 1 clam



- AISI 304 stainless steel
- Digital control-preset programs
- Remote start function
- Acoustic signal before program end
- Automatic opening
- Self-levelling top plate
- Automatic top plate adjustment 1-20mm
- Thermostat adjustable from 50 °C to 300 °C
- Textured Chrome plate 10 mm thickness
- Fat collecting pan
- Top plate dimensions: W 280 x D 400 mm
- Bottom plate dimensions: W 650 x D 480 mm
- Frequency: 50 Hz
- Power: 3 x 3 kW / 230 V
- Dimensions: W 660 x D 760 x H 470 mm
- Weight: 60 kg
- EAN 3611630088312

Reference : CGRCAD1RB
Price : €5.999,-

Electric Clam contact grill - Semi automatic double



- AISI 304 stainless steel
- Digital control-preset programs
- Remote start function
- Acoustic signal before program end
- Automatic opening
- Self-levelling top plate
- Automatic top plate adjustment 1-20mm
- Thermostat adjustable from 50 °C to 300 °C
- Textured Chrome plate 10 mm thickness
- Fat collecting pan
- Top plate dimensions: 2 x W 280 x D 400 mm
- Bottom plate dimensions: W 650 x D 480 mm
- Frequency: 50 Hz
- Power: 4 x 3 kW / 230 V
- Dimensions: W 660 x D 760 x H 480 mm
- Weight: 75 kg
- EAN 3611630088305

Reference : CGRCADB
Price : €7.999,-

CONTACT GRILL



Contact grill grooved - grooved plates

- Robust device made of stainless steel
- Grill plates made of cast iron for ideal heat transfer
- Large grooved plates
- Adjustable thermostat from 50 °C to 300 °C
- Heating indicator light
- Operating light On/Off
- Fat collecting pan
- Top grill plate: W 335 x D 220 mm
- Bottom grill plate: W 335 x D 220 mm
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 410 x D 370 x H 200 mm
- Weight: 19 kg

> Included cleaning brush

- EAN 3611630000222

Reference : CGPRR
Price : €329,-



Panini grill smooth-smooth plates

- Stainless steel
- Grill plates made of cast iron for ideal heat transfer
- Large smooth plates
- Adjustable thermostat from 50 °C to 300 °C
- Heating indicator light
- Operating light ON/OFF
- Fat collecting pan
- Top grill plate: W 335 x D 220 mm
- Bottom grill plate: W 335 x D 220 mm
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 410 x D 370 x H 200 mm
- Weight: 19 kg

> Included cleaning brush

- EAN 3611630073837

Reference : CGPLL
Price : €329,-



Contact grill grooved - smooth plates

- Robust device made of stainless steel
- Grill plates made of cast iron for ideal heat transfer
- Grooved top plate, smooth bottom plate
- Adjustable thermostat from 50 °C to 300 °C
- Heating indicator light
- Operating light On/Off
- Fat collecting pan
- Top grill plate: W 335 x D 220 mm
- Bottom grill plate: W 335 x D 220 mm
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 410 x D 370 x H 200 mm
- Weight: 19 kg

> Included cleaning brush

- EAN 3611630000239

Reference : CGPRL
Price : €329,-

CONTACT GRILL PREMIUM

Contact grill Premium small grooved - grooved with timer



- Stainless steel
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Battery time (2 batteries «AAA» - LR03 not included)
- Grease drip tray
- Grooved top grill plate: W 255 x D 230 mm
- Grooved bottom grill plate: W 270 x D 250 mm
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 300 x D 490 x H 265 mm
- Weight: 19 kg

> Included cleaning brush

- EAN 3611630007252

Reference : CGPRRPPT
Price : €479,-

Contact grill Premium small smooth - smooth with timer



- Stainless steel
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Battery time (2 batteries «AAA» - LR03 not included)
- Grease drip tray
- Smooth top grill plate: W 255 x D 230 mm
- Smooth bottom grill plate: W 270 x D 250 mm
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 300 x D 490 x H 265 mm
- Weight: 19 kg

> Included cleaning brush

- EAN 3611630007221

Reference : CGPLLPPT
Price : €479,-

Contact grill Premium grooved - grooved with timer - XS



- Stainless steel
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Battery timer (2 «AAA» batteries - LR03 not included)
- Grease drip tray
- Upper grooved grill plate: W 200 x D 375 mm
- Lower grooved grill plate: W 200 x D 375 mm
- Frequency: 50/60 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 262 x D 523 x H 240 mm
- Weight: 20 kg

> Cleaning brush included

- EAN 3611630059466

Reference : CGPRRXSPT
Price : €529,-

CONTACT GRILL PREMIUM



Contact grill Premium large grooved - grooved with timer

- Stainless steel
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Battery time (2 batteries «AAA» - LR03 not included)
- Grease drip tray
- Grooved top grill plate: W 375 x D 273 mm
- Grooved bottom plate: W 375 x D 287 mm
- Frequency: 50/60 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 425 x D 580 x H 265 mm
- Weight: 29 kg

> Included cleaning brush

- EAN 3611630007245

Reference : CGPRRGPT
Price : €599,-



Contact grill Premium large smooth - smooth with timer

- Stainless steel
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Battery time (2 batteries «AAA» - LR03 not included)
- Grease drip tray
- Smooth top grill plate: W 375 x D 273 mm
- Smooth bottom grill plate: W 375 x D 287 mm
- Frequency: 50/60 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 425 x D 580 x H 265 mm
- Weight: 29 kg

> Included cleaning brush

- EAN 3611630007214

Reference : CGPLLGPT
Price : €599,-



Contact grill Premium large grooved - smooth with timer

- Stainless steel
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Battery time (2 batteries «AAA» - LR03 not included)
- Grease drip tray
- Grooved top grill plate: W 375 x D 273 mm
- Smooth bottom grill plate: W 375 x D 287 mm
- Frequency: 50/60 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 425 x D 580 x H 265 mm
- Weight: 29 kg

> Included cleaning brush

- EAN 3611630007238

Reference : CGPRLGPT
Price : €599,-

Contact grill Premium grooved - grooved with timer - XL

- Stainless steel
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Battery timer (2 «AAA» batteries - LR03 not included)
- Grease drip tray
- Upper grooved grill plate: W 360 x D 360 mm
- Lower grooved grill plate: W 360 x D 360 mm
- Frequency: 50/60 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 400 x D 580 x H 265 mm
- Weight: 34 kg

> Cleaning brush included

- EAN 3611630043236

Reference : CGPRRXLPT
Price : €719,-

Extra-Large grill plate



Contact grill premium smooth - smooth with timer - XL

- Stainless steel
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Battery timer (2 «AAA» batteries - LR03 not included)
- Grease drip tray
- Upper smooth grill plate: 355 x 355 mm
- Lower smooth grill plate: 355 x 355 mm
- Frequency: 50/60 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 400 x D 580 x H 285 mm
- Weight: 31.35 kg

> Cleaning brush included

- EAN 3611630076210

Reference : CGPLLXLPT
Price : €719,-

Extra-Large grill plate



Contact grill Premium grooved - smooth with timer - XL

- Stainless steel
- Adjustable thermostat from 60 °C to 300 °C
- Safety thermostat
- Battery timer (2 «AAA» batteries - LR03 not included)
- Grease drip tray
- Upper grooved grill plate: W 360 x D 360 mm
- Lower smooth grill plate: W 360 x D 360 mm
- Frequency: 50/60 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 400 x D 580 x H 285 mm
- Weight: 34 kg

> Cleaning brush included

- EAN 3611630043243

Reference : CGPRLXLPT
Price : €719,-

Extra-Large grill plate



CONTACT GRILL PREMIUM



Double contact grill Premium grooved - grooved with timer

- Stainless steel
- 2 adjustable thermostats from 60 °C to 300 °C
- Safety thermostat
- Battery time (2 batteries «AAA» - LR03 not included)
- Grease drip tray
- Grooved top grill plate: 2 x W 210 x D 230 mm
- Grooved bottom grill plate: W 445 x D 242 mm
- Frequency: 50/60 Hz
- Power: 2.9 kW / 230 V
- Dimensions: W 490 x D 520 x H 265 mm
- Weight: 31 kg

> Included cleaning brush

- EAN 3611630007191

Reference : CGP2RRPT
Price : €749,-



Double contact grill Premium smooth - smooth with timer

- Stainless steel
- 2 ajustable thermostats from 60 °C to 300 °C
- Safety thermostat
- Battery time (2 batteries «AAA» - LR03 not included)
- Grease drip tray
- Smooth top grill plate: 2 x W 210 x D 230 mm
- Smooth bottom grill plate: W 445 x D 242 mm
- Frequency: 50/60 Hz
- Power: 2.9 kW / 230 V
- Dimensions: W 490 x D 520 x H 265 mm
- Weight: 31 kg

> Included cleaning brush

- EAN 3611630007177

Reference : CGP2LLPT
Price : €749,-

Double contact grill Premium grooved - smooth with timer

- Stainless steel
- 2 ajustable thermostats from 60 °C to 300 °C
- Safety thermostat
- Battery time (2 batteries «AAA» - LR03 not included)
- Grease drip tray
- Grooved top grill plate: W 375 x D 273 mm
- Smooth bottom grill plate: W 375 x D 287 mm
- Frequency: 50/60 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 425 x D 580 x H 265 mm
- Weight: 29 kg

> Included cleaning brush

- EAN 3611630007184

Reference : CGP2RLPT
Price : €749,-



Double contact grill Premium mixed with timer

- Stainless steel
- 2 ajustable thermostats from 60 °C to 300 °C
- Safety thermostat
- Battery time (2 batteries «AAA» - LR03 not included)
- Grease drip tray
- Smooth top grill plate: W 210 x D 230 mm
- Grooved top grill plate: W 210 x D 230 mm
- Smooth bottom grill plate: W 220 x D 242 mm
- Grooved bottom grill plate: W 220 x D 242 mm
- Frequency: 50/60 Hz
- Power: 2.9 kW / 230 V
- Dimensions: W 490 x D 520 x H 265 mm
- Weight: 31 kg

> Included cleaning brush

- EAN 3611630007207

Reference : CGP2HRBLPT
Price : €749,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

HOT DOG SPIKE TOASTER



Casselin hot-dog spike toaster is made of stainless steel. The bread will not stick thanks to the anodized aluminium studs that save a lot of time during cleaning.

- Stainless steel construction
- Anodized aluminium overmolded studs
- On/Off switch
- Control light



Hot dog 3 spikes toasters

- Stainless steel
- Switch On/Off with warning light
- 3 spikes anodised aluminium contacts, H 185 mm
- Frequency: 50/60 Hz
- Power: 110 W / 230 V
- Dimensions: W 220 x D 220 x H 250 mm
- Weight: 2.5 kg
- EAN 3611630001229

Reference : CCP3
Price : €159,-



Hot dog 4 spikes toasters

- Stainless steel
- Switch On/Off with warning light
- 4 spikes anodised aluminium contacts, H 185 mm
- Frequency: 50/60 Hz
- Power: 110 W / 230 V
- Dimensions: W 260 x D 300 x H 290 mm
- Weight: 4.30 kg
- EAN 3611630001236

Reference : CCP4
Price : €209,-



HOT-DOG MACHINE

Hot-dog machine 4 spikes

- Stainless Steel
- Glass cylinder Ø 200 mm, height 240 mm
- 4 skipes for bread, height 220 mm
- Thermostat adjustable from 30° to 110 °C
- Plot with thermostat
- Frequency: 50/60 Hz
- Power: 550 W / 230V
- Dimensions: W 505 x D 280 x H 400 mm
- Weight: 8.7 kg
- EAN 3611630039253

Reference : CMH1B
Price : €329,-



Sausage warmer

- Stainless steel frame
- Glass cylinder Ø 200 mm, height 240 mm
- Basket with handle
- Adjustable thermostat from 0° to 110 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 350 W / 230 V
- Dimensions: W 260 x D 310 x H 405 mm
- Weight: 6 kg
- EAN 3611630042659

Reference : CMH2B
Price : €259,-






casseLin
JOANNES
Richard
Champion du Monde de burger
ON
OFF
OFF
110
100
90
80
70
60
50
40
HEAT
ON
OFF

HOT-DOG MACHINE

Hot dog machine with 4 heating spikes

- Stainless steel
- 2 ON/OFF switches
- Glass cylinder Ø 200 mm, height 240 mm
- 4 heating spikes for bread, height 200 mm
- Thermostat adjustable from 40°C to 110°C
- Power : 550 W / 230 V
- Dimensions:W 480 x D 300 x H 405 mm
- Weight: 8.20 kg
- EAN 3611630104616

Reference : CMH4
Price : €349,-



Hot dog machine with 6 heating spikes

- Stainless steel
- 2 ON/OFF switches
- Glass cylinder Ø 200 mm, height 240 mm
- 6 heating spikes for bread, height 200 mm
- Thermostat adjustable from 40°C to 110°C
- Power : 600 W / 230 V
- Dimensions:W 680 x D 300 x H 405 mm
- Weight: 10.1 kg
- EAN 3611630104630

Reference : CMH6
Price : €399,-






GASTRO ECONOMY
47
ERNESTE
ON
OFF

ELECTRIC GRIDDLE PLATE



These cast iron griddle plates will allow you to perfectly cook your products thanks to their 10 cm thick plates with a high thermal conduction.

Electric smooth griddle plate - Compact

- Stainless steel
- Cast iron plate
- On/Off switch
- Heating indicator light
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- Grease drip tray
- Griddle plate: W 380 x D 280 mm
- Frequency: 50/60 Hz
- Power: 2.4 kW / 230 V
- Dimensions: W 450 x D 363 x H 188 mm
- Weight: 20 kg
- EAN 3611630043212

Reference : CPASFLC
Price : €359,-



Electric smooth griddle plate

- Stainless steel
- Cast iron plate
- On/Off switch
- Heating indicator light
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- Grease drip tray
- Griddle plate: W 380 x D 380 mm
- Frequency: 50/60 Hz
- Power: 2.8 kW / 230 V
- Dimensions: W 450 x D 463 x H 188 mm
- Weight: 23 kg
- EAN 3611630043199

Reference : CPASFL
Price : €399,-



ELECTRIC GRIDDLE PLATE

Electric griddle smooth plate compact Premium

- Stainless steel construction
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- Grease drip tray
- Griddle plate: W 350 x D 400 mm
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 370 x D 610 x H 230 mm
- Weight: 20 kg
- EAN 3611630003643

Reference : CPASPMIP
Price : €519,-





Electric griddle smooth plate Premium

- Stainless steel construction
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- Grease drip tray
- Griddle plate: W 600 x D 400 mm
- Frequency: 50/60 Hz
- Power: 3.2 kW / 230 V
- Dimensions: W 620 x D 610 x H 230 mm
- Weight: 37 kg
- EAN 3611630003650

Reference : CPASGMIP
Price : €649,-

Large capacity tank





Electric griddle smooth - grooved plate Premium

- Stainless steel construction
- 2 adjustable thermostats from 140 °C to 300 °C
- Safety thermostat
- 2 grease drip trays
- Smooth griddle plate: W 300 x D 400 mm
- Grooved griddle plate: W 300 x D 400 mm
- Frequency: 50/60 Hz
- Power: 3.6 kW / 230 V
- Dimensions: W 620 x D 610 x H 230 mm
- Weight: 37 kg
- EAN 3611630003636

Reference : CPASGMRLP
Price : €799,-



Griddle plate cleaner p.431



Electric griddle compact premium grooved

- Stainless steel construction
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- Grease drip tray
- Griddle plate: W 355 x D 400 mm
- Frequency: 50/60 Hz
- Power: 2.2 kW / 230 V
- Dimensions: W 360 x D 580 x H 230 mm
- Weight: 20 kg
- EAN 3611630101233

Reference : CPASPMRP
Price : €599,-



Electric griddle smooth - smooth plate Premium

- Stainless steel construction
- Solid steel plate
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- 2 grease trays
- Smooth cooking plate: W 600 x D 400 mm
- Frequency: 50/60 Hz
- Power: 3.6 kW / 230 V
- Dimensions: W 620 x D 610 x H 230 mm
- Weight: 37 kg
- EAN 3611630082327

Reference : CPASGMLLP
Price : €739,-



Electric smooth griddle plate - XL Premium

- Stainless steel
- Solid steel plate
- Adjustable thermostat from 140 °C to 300 °C
- Safety thermostat
- 2 grease drip tray
- Smooth griddle plate: W 900 x D 400 mm
- Frequency: 50/60 Hz
- Power: 3.2 kW + 2.4 kW / 230 V
- Dimensions: W 900 x D 588 x H 227 mm
- Weight: 60 kg
- EAN 3611630043205

Reference : CPASXLLP
Price : €999,-



Large capacity tank

ELECTRIC GRIDDLE PLATE

Electric griddle plate premium - Large

- Stainless steel
- Solid steel plate
- 2 adjustable thermostats from 140 °C to 300 °C
- Safety thermostat
- 2 grease drip tray
- Smooth griddle plate: W 610 x D 510 mm
- Frequency: 50/60 Hz
- Power: 2 x 3 kW / 230 V
- Dimensions: W 615 x D 710 x H 333 mm
- Weight: 70 kg
- EAN 3611630058513

Reference : CPASLL
Price : €1.099,-



Electric grooved smooth griddle plate - Large

- Stainless steel
- Solid steel plate
- 2 ajustable thermostats from 140 °C to 300 °C
- 2 safety thermostats
- Grease drip tray
- Smooth griddle plate: W 305 x D 510 mm
- Grooved griddle plate: W 305 x D 510 mm
- Frequency: 50/60 Hz
- Power: 2 x 3 kW / 230 V
- Dimensions: W 615 x D 710 x H 333 mm
- Weight: 70 kg
- EAN 3611630058520

Reference : CPASLRL
Price : €1.199,-



ELECTRIC GRIDDLE PLATE

Griddle toaster 480

- Stainless steel construction
- Solid steel plate
- On/Off button
- Heat indicator
- Snack plate 1.95 kW
- Thermostat adjustable from 140 °C to 300 °C
- Griddle: 480 x 306 mm
- Toaster 850 W
- 8 adjustable temperature levels
- 2 safety thermostats
- Grease trap
- Frequency: 50/60 Hz
- Power: 2.8 kW / 230 V
- Dimensions: W 484 x D 559 x H 354 mm
- Weight: 23.50 kg
- EAN 3611630081641

Reference : CPAST480
Price : €699,-



Griddle toaster 520

- Stainless steel construction
- Solid steel plate
- On/Off button
- 2 heat indicators
- Snack plate 2.5 kW
- Thermostat adjustable from 140 °C to 300 °C
- Griddle: 515 x 340 mm
- Toaster 1.1 kW
- 8 adjustable temperature levels
- 2 safety thermostats
- Fat collection tray
- Frequency: 50/60 Hz
- Power: 3.6 kW / 230 V
- Dimensions: W 519 x D 592 x H 354 mm
- Weight: 29 kg
- EAN 3611630081658

Reference : CPAST520
Price : €799,-



Griddle toaster 700

- Stainless steel construction
- Solid steel plate
- 2 On/Off buttons
- 4 heat indicators
- S nack plate 5kW
- 2 adjustable thermostats from 140 °C to 300 °C
- Griddle: 700 x 400 mm
- Toaster 2 kW
- 8 adjustable temperature levels x 2
- 2 safety thermostats
- Grease trap
- Frequency: 50/60 Hz
- Power: 7 kW / 400 V
- Dimensions: W 720 x D 706.5 x H 354 mm
- Weight: 45.5 kg
- EAN 3611630081665

Reference : CPAST700
Price : €1.099,-



ELECTRIC GRIDDLE PLATE



Electric griddle smooth plate cast iron 30

- Stainless steel AISI 304
- Adjustable thermostat from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50/60 Hz
- Power: 3 kW / 230 V
- Dimensions: W 330 x D 540 x H 220 mm
- Weight: 23.7 kg
- EAN 3611630060752

Reference : CPASF30B
Price : €539,-

Griddle plate cleaner p.431



Electric griddle smooth plate cast iron 60

- Stainless steel AISI 304
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 480 x D 650 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50/60 Hz
- Power: 6 kW / 400 V
- Dimensions: W 660 x D 540 x H 220 mm
- Weight: 40.6 kg
- EAN 3611630060738

Reference : CPASF60B
Price : €859,-






Electric smooth griddle plate - cast iron 90

- Stainless steel AISI 304
- 3 adjustable thermostats from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 970 x D 480 mm
- Plate thickness: 10 mm
- Cooking liquid collecting drawer
- Frequency: 50/60 Hz
- Power: 9 kW / 400 V
- Dimensions: W 990 x D 540 x H 220 mm
- Weight: 69 kg
- EAN 3611630078801

Reference : CPASF90B
Price : €1.469,-



Electric griddle textured plate chrome 30

- Stainless steel AISI 304
- Adjustable thermostat from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 330 x D 540 x H 220 mm
- Weight: 23.7 kg
- EAN 3611630088244

Reference : CPASC30C
Price : €699,-

New Textured Chrome
Scratch-resistant
Revolutionary micro-cells
Minimal food adhesion



Electric griddle textured plate chrome 60

- Stainless steel AISI 304
- 2 adjustable thermostats from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 480 x D 650 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 6 kW / 230 V
- Dimensions: W 660 x D 540 x H 220 mm
- Weight: 40.6 kg
- EAN 3611630088251

Reference : CPASC60C
Price : €1.099,-



Electric griddle textured plate chrome 90

- Stainless steel AISI 304
- 3 adjustable thermostats from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 970 x D 480 mm
- Plate thickness: 10 mm
- Cooking liquid collecting drawer
- Frequency: 50 Hz
- Power: 9 kW
- Dimensions: W 990 x D 540 x H 220 mm
- Weight: 69 kg
- EAN 3611630088268

Reference : CPASC90C
Price : €1.799,-



GAS GRIDDLE PLATE

These gas griddle plates are designed for the "snacking" way of cooking your meat, fish, shellfish etc… With a cast iron or chrome coating, they will meet the requirements of catering professionals.



Gas smooth griddle plate - cast iron 30

- Stainless steel AISI 304
- Adjustable thermostat from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Cooking liquid collecting drawer
- Power: 4 kW
- Dimensions: W 330 x D 540 x H 220 mm
- Weight: 23.7 kg

> Pre-equipped for natural gas operation, butane gas injectors included.

- EAN 3611630060677

Reference : CPASF30G
Price : €699,-

Gas smooth griddle plate - cast iron 60

- Stainless steel AISI 304
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 650 x D 480 mm
- Plate thickness: 10 mm
- Cooking liquid collecting drawer
- Power: 8 kW gas
- Dimensions: W 660 x D 540 x H 220 mm
- Weight: 40.6 kg

> Pre-equipped for natural gas operation, butane gas injectors included.

- EAN 3611630060684

Reference : CPASF60G
Price : €1.199,-



Gas textured griddle plate - chrome 30



- Stainless steel AISI 304
- Adjustable thermostat from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Cooking liquid collecting drawer,
- Frequency: 50 Hz
- Power: 4 kW
- Dimensions: W 330 x D 540 x H 220 mm
- Weight: 23.7 kg

> Pre-equipped for natural gas operation, butane gas injectors included.

- EAN 3611630088213

Reference : CPASC30GB
Price : €879,-

New Textured Chrome
Scratch-resistant
Revolutionary micro-cells
Minimal food adhesion

Gas textured griddle plate - chrome 60

Griddle plate cleaner p.431



- Stainless steel AISI 304
- 2 adjustable thermostats from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 650 x D 480 mm
- Plate thickness: 10 mm
- Cooking liquid collecting drawer
- Frequency: 50 Hz
- Power: 4 kW
- Dimensions: W 660 x D 540 x H 220 mm
- Weight: 40.6 kg

> Pre-equipped for natural gas operation, butane gas injectors included.

- EAN 3611630088220

Reference : CPASC60GB
Price : €1.449,-



GRIDDLE PLATE

Gas smooth griddle plate - cast iron 90

- Stainless steel AISI 304
- 3 adjustable thermostats from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 970 x D 480 mm
- Plate thickness: 10 mm
- Piezo activation
- Cooking liquid collecting drawer
- Power: 12 kW
- Dimensions: W 990 x D 600 x H 220 mm
- Weight: 76.7 kg

> Pre-equipped to operate on butane gas, natural gas injectors are included.

- EAN 3611630078825

Reference : CPASF90G
Price : €1.969,-



Gas textured griddle plate - chrome 90

- Stainless steel AISI 304
- 3 adjustable thermostats from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 970 x D 480 mm
- Plate thickness: 10 mm
- Piezo activation
- Cooking liquid collecting drawer
- Frequency: 50 Hz
- Power: 12 kW
- Dimensions: W 990 x D 600 x H 220 mm
- Weight: 76.7 kg

> Pre-equipped to operate on butane gas, natural gas injectors are included.

- EAN 3611630088237

New Textured Chrome
Scratch-resistant
Revolutionary micro-cells
Minimal food adhesion

Reference : CPASC90GB
Price : €2.299,-



GAS STOVE

Gas stove with 4 burners

- Stainless steel
- 4 cast iron burners (4 kW, 7 kW, 7 kW, 7 kW)
- Cast iron upper grill
- Power: 4 kW + 3 x 7 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 44.3 kg

> Pre-equipped for natural gas, butane gas injectors are included.

- EAN 3611630082426

Reference : CFOG4
Price : €1.799,-



Gas stove with 6 burners

- Stainless steel
- 6 cast iron burners (4 kW, 7 kW, 7 kW, 7 kW)
- Cast iron upper grill
- Power: 2 x 4 kW + 3 x 7 kW gas
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 61.3 kg

> Pre-equipped for natural gas, butane gas injectors are included.

- EAN 3611630082433

Reference : CFOG6
Price : €2.499,-




GASTRO ECONOMY
de BUYER
FLEX ZONE

INDUCTION COOKER

Induction cooker for wok 400 Black

- Black epoxy painted stainless steel frame
- Wok cooking plate Ø36 cm
- Lockable TFT touch screen
- Timer up to 599 min
- Thermostat adjustable from 1 to 9
- Adjustable thermostat from 50°C to 300°C
- Electronic safety thermostat
- Clean screen function
- Neutral underframe
- Frequency; 50/60 Hz
- Power: 5 kW / 400 V
- Dimensions : W 400 x D 700 x H 870 mm
- Weight: 46 kg

• EAN 3611630104319

Reference : CFOIW400N
Price : €4.999,-



Wok with lid 36cm

- Stainless steel
- Lid included
- Size : diameter 36 cm
- Weight : 3 Kg'

• EAN 3611630104166

Reference : CW36
Price : €179,-



Induction cooker 2 burners + 2 Flex zone plate 800 Black

- Black epoxy-painted stainless steel frame
- 2 cooking lights
- 2 Flex-Zone burners with boost function
- Scratch-resistant cooking surfaces
- Lockable TFT touch screen
- Timer up to 599 min
- Thermostat adjustable from 1 to 9
- Adjustable thermostat from 50°C to 300°C
- Electronic safety thermostat
- Clean screen function
- Neutral underframe
- Frequency; 50/60 Hz
- Power: 4 x 5 kW / 400 V
- Dimensions : W 800 x D 700 x H 870 mm
- Weight: 127 kg

• EAN 3611630104326

Reference : CFOI2F2FZ800N
Price : €5.499,-



INDUCTION PLATE




Induction plate 400 Black

- Stainless steel
- Induction cooking plate
- Lockable TFT touch screen
- Timer up to 599 min
- Thermostat adjustable from 1 to 9
- Temperature adjustable from 60°C to 240°C
- Electronic safety thermostat
- Clean screen function
- Frequency; 50/60 Hz
- Power: 5 kW / 400 V
- Dimensions : W 400 x D 600 x H 162 mm
- Weight: 16.8 kg

• EAN 3611630104142

Reference : CPAI400N
Price : €1.599,-





Induction plate 400 Flex zone

- Stainless steel
- Flex Zone cooking plate
- Lockable TFT touch screen
- Timer up to 599 min
- Thermostat adjustable from 1 to 9
- Temperature adjustable from 60°C to 240°C
- Electronic safety thermostat
- Clean screen function
- Frequency; 50/60 Hz
- Power: 5 kW / 400 V
- Dimensions : W 400 x D 600 x H 162 mm
- Weight: 18 kg

• EAN 3611630104180

Reference : CPAI400FZ
Price : €1.799,-



INDUCTION PLATE

Induction plate for wok 400 Black

- Stainless steel
- Induction cooking plate
- Lockable TFT touch screen
- Timer up to 599 min
- Thermostat adjustable from 1 to 9
- Temperature adjustable from 60°C to 240°C
- Electronic safety thermostat
- Clean screen function
- Diameter: 26.5 cm
- Frequency; 50/60 Hz
- Power: 5 kW / 400 V
- Dimensions : W 400 x D 600 x H 172 mm
- Weight: 17.15 kg
• EAN 3611630104159

Reference : CPAIW400N
Price : €1.799,-



Wok with lid 36cm

- Stainless steel
- Lid included
- Size : diameter 36 cm
- Weight : 3 Kg'
• EAN 3611630104166

Reference : CW36
Price : €179,-




Induction griddle plate 400

- Stainless steel chassis
- Carbon steel cooking plate
- Lockable TFT touch screen
- Timer up to 599 min
- Temperature adjustable from 60°C to 280°C
- Electronic safety thermostat
- Clean screen function
- Frequency; 50/60 Hz
- Power: 5 kW / 400 V
- Dimensions : W 400 x D 600 x H 235 mm
- Weight: 42 kg
• EAN 3611630104173

Reference : CPASI
Price : €2.199,-



INDUCTION PLATE



The induction plates are practical and easy to use with their glass plate. Depending on the model, they are provided with a timer and an LED display.



Induction plate 350K1

- Stainless steel
- Induction plate
- Digital display of the power on the plate
- Temperature setting by rotary button
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 0.5 - 3.5 kW / 230 V
- Dimensions: W 329 x D 420 x H 100 mm
- Weight: 5.10 kg
- EAN 3611630006743

Reference : CPAI350K1
Price : €249,-





Digital induction plate 350A

- Stainless steel
- Induction plate
- Touch control panel with digital display
- Timer: 0 to 180 minutes
- Safety thermostat
- 10 power levels
- 10 levels temperature setting (60 °C to 240 °C)
- Frequency: 50/60 Hz
- Power: 0,5 • 3,5 kW / 230 V
- Dimensions: W 340 x D 440 x H 117 mm
- Weight: 7.10 kg
- EAN 3611630006750

Reference : CPAI350A
Price : €259,-

Touch induction plate 350ET

- Stainless steel
- Induction plate
- Digital display
- Touch control panel
- Safety thermostat
- Temperature from 35 °C to 240 °C
- Timer: 0 to 180 minutes
- Frequency: 50/60 Hz
- Power: 0,1 - 3,5 kW / 230 V
- Dimensions: W 340 x D 435 x H 117 mm
- Weight: 7.10 kg
- EAN 3611630006767

Reference : CPAI350ET
Price : €259,-



Induction plate 500B

- Stainless steel
- Induction plate
- Digital display
- Temperature control by adjustable button
- Temperature from 60 °C to 240 °C
- Timer: 0 to 180 minutes
- Adjustable power
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 0.5 - 3.5 kW / 230 V
- Dimensions: W 335 x D 415 x H 117 mm
- Weight: 7 kg
- EAN 3611630006774

Reference : CPAI500B
Price : €279,-



	CPAI350K1	CPAI350A	CPAI350ET	CPAI500B
Display	Yes	Yes	Yes	Yes
Timer	No	Yes	Yes	Yes
Temperature	/	60 °C-240 °C	35 °C-240 °C	60 °C-240 °C
Power (kW) / Volt (V) / Frequency (Hz)	3.5 / 230 / 50	3.5 / 230 / 50	3.5 / 230 / 50	3.5 / 230 / 50
Dimensions (mm)	W 329 x D 420 x H 100	W 340 x D 440 x H 117	W 340 x D 435 x H 117	W 335 x D 415 x H 117
Weight (kg)	5.1	7.1	7.1	7

Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków
tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

RACLETTE MACHINE



Raclette machine - 1/4 alpage cheese

- Stainless steel case epoxy paint cover
- Tilted heating source
- Heating element
- Rotatable cheese holder
- Frequency: 50/60 Hz
- Power: 500 W / 230 V
- Dimensions: W 242 x D 285 x H 333 mm
- Weight: 2.7 kg
- EAN 3611630003537

Reference : CAR14
Price : €109,-



Special raclette knife

- Blade dimensions: W 140 x D 40 mm
- Weight: 0.9 kg
- EAN 3611630004596

Reference : CCR
Price : €20,-





Raclette machine - 1/2 alpage cheese

- Horizontal heating source
- On/Off switch
- Heating element
- Rotatable and adjustable cheese holder
- Frequency: 50/60 Hz
- Power: 600 W / 230 V
- Dimensions: W 520 x D 320 x H 310 mm
- Weight: 4 kg
- EAN 3611630003520

Reference : CAR12
Price : €159,-

ELECTRIC STOVE

Electric stove

- Stainless steel
- Plate diameter: 185 mm
- 6 temperature levels max. 500 °C
- Heats up quickly
- Indicator light
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 285 x D 400 x H 115 mm
- Weight: 5.5 kg
- EAN 3611630059473

Reference : CRE
Price : €379,-

500 °C



Double electric stove

- Stainless steel
- Plate diameter: 185 mm
- 6 temperature levels max. 500 °C for each plate
- Heats up quickly
- Indicator light
- Frequency: 50/60 Hz
- Power: 2 x 2 kW / 230 V
- Dimensions: W 565 x D 400 x H 131 mm
- Weight: 9,10 kg
- EAN 3611630059480

Reference : CRED
Price : €629,-

2 x 500 °C



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków
tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

CONVECTION OVEN

Thanks to the hot air blower of the convection oven, you can cook food evenly without mixing flavours. Different culinary preparations can be made at the same time in the oven.



Convection oven

- Stainless steel body
- Enamelled steel baking chamber with stainless steel rear
- Double glazed door
- Inside lighting
- With 2 fans motors
- Temperature from 0 °C to 300 °C
- Timer: 0 - 120 minutes
- 4 trays included: W 454 x D 327 mm
- Distance between trays: 70 mm
- Frequency: 50/60 Hz
- Power: 2.67 kW / 230 V
- Dimensions: W 595 x D 615 x H 570 mm
- Weight: 38 kg
- EAN 3611630000178

Reference : CFCV1
Price : €659,-



Convection oven with humidity

- Stainless steel body
- Enamelled steel baking chamber with stainless steel rear
- Double glazed door
- Inside lighting
- With 2 fans motors
- Temperature from 0 °C to 300 °C
- Timer: 0 - 120 minutes
- 3/4 water connection
- 4 trays included: W 454 x D 327 mm
- Distance between trays: 70 mm
- Frequency: 50/60 Hz
- Power: 2.67 kW / 230 V
- Dimensions: W 598 x D 618 x H 570 mm
- Weight: 39 kg
- EAN 3611630000185

Reference : CFCV2
Price : €999,-

Convection oven with humidity for bakeries


- Entirely in stainless steel
- Double glazed door
- Illuminated baking chamber
- With 2 fans motors
- Temperature from 0 °C to 300 °C
- Timer: 0 - 120 minutes
- 4 trays included: W 600 x D 400 mm
- Distance between trays: 80 mm
- 2 perforated trays, 2 baking trays
- 3/4 water connection
- Frequency: 50/60 Hz
- Power: 6.4 kW / 400 V
- Dimensions: W 835 x D 800 x H 570 mm
- Weight: 65 kg
- EAN 3611630000192

Reference : CFCV3
Price : €1.599,-



Rack for oven

Oven	Dim. (mm)	EAN	Ref.	Price
CFCV1	• 433 x 315 mm	3611630002790	**CGCFCV1**	**€27,-**
CFCV2	• 433 x 315 mm	3611630002790	**CGCFCV1**	**€27,-**
CFCV3	• 600 x 400 mm	3611630002813	**CGCFCV3**	**€42,-**



Aluminium tray for oven

Oven	Dim. (mm)	EAN	Ref.	Price
CFCV1	• 454 x 327 mm	3611630003858	**CPCFCV12**	**€27,-**
CFCV2	• 454 x 327 mm	3611630003858	**CPCFCV12**	**€27,-**
CFCV3	• 600 x 400 mm	3611630003872	**CPCFCV3**	**€46,-**



Ref.CPCFCV12



Ref.CPCFCV3

ELECTRIC PIZZA OVEN

35 cm



Electric pizza oven 1 chamber 35 cm

- Stainless steel
- Capacity: 1 pizza Ø 35cm
- Chamber dimensions: W 410 x D 370 x H 90 mm
- Removable grooved refractory ceramic stone
- Interior lighting
- 1 timer 15 minutes
- Thermostat control up to 300 °C
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 585 x D 545 x H 252 mm
- Weight: 21 kg
- EAN 3611630088442

Reference : CFRPE135
Price : €599,-

35 cm x 2



Electric pizza oven 2 chambers 35 cm

- Stainless steel
- Capacity: 2 pizzas Ø 35cm
- Chamber dimensions: 2 x W 410 x D 370 x H 90 mm
- 2 removable grooved refractory ceramic stones
- Interior lighting
- 2 timers 15 minutes
- 2 thermostats control up to 300 °C
- Frequency: 50/60 Hz
- Power: 3.2 kW / 230 V
- Dimensions: W 585 x D 545 x H 505 mm
- Weight: 38 kg
- EAN 3611630088459

Reference : CFRPE235
Price : €1.099,-

35 cm x 3



Electric pizza oven 3 chambers 35 cm

- Stainless steel
- Capacity: 3 pizzas Ø 35cm
- Chamber dimensions: 3 x W 410 x D 370 x H 90 mm
- 3 removable grooved refractory ceramic stones
- Interior lighting
- 3 timers 15 minutes
- 3 thermostats control up to 300 °C
- Frequency: 50/60 Hz
- Power: 4.8 kW / 400 V
- Dimensions: W 585 x D 545 x H 685 mm
- Weight: 54 kg
- EAN 3611630088466

Reference : CFRPE335
Price : €1.499,-



Casselin has studied pizza ovens for you to achieve a delicate cooking of the topping and crispy dough.

Mini Snack oven



- Stainless steel
- Grill for frozen or refrigerated pizzas and snacks
- Adjustable thermostat from 50 °C to 300 °C
- Top and bottom heaters
- Waste collecting drawer
- Timer: 0 - 15minutes + permanent ignition
- Chamber dimensions: 340 x 340 mm (dia. pizza 32cm)
- Frequency: 50/60 Hz
- Power: 1.75 kW / 230 V
- Dimensions: W 505 x D 410 x H 215 mm
- Weight: 15.2 kg
- EAN 3611630082358

Reference : CFRPMS
Price : €479,-

Mini Snack oven - digital control



- Stainless steel
- 3 preset programs and
- 1 individual program (adjustable time and temperature)
- Digital display
- Grill for frozen or chilled pizzas and snacks
- Adjustable thermostat from 50 °C to 300 °C
- Top and bottom heaters
- Waste collecting drawer
- Timer: 0 - 15minutes + permanent activation
- Chamber dimensions: 340 x 340 mm (dia. pizza 32cm)
- Frequency: 50/60 Hz
- Power: 1.75 kW / 230 V
- Dimensions: W 505 x D 410 x H 215 mm
- Weight: 16.5 kg
- EAN 3611630082341

Reference : CFRPMSD
Price : €819,-

ELECTRIC PIZZA OVEN

GASTRO ECONOMY



Pizza oven

- Stainless steel
- Dimensions of chamber: W 410 x D 370 x H 90 mm
- 1 pizza Ø 35 cm
- Dual top and bottom heat system
- Base made of refractory stone
- Temperature from 50 °C to 300 °C
- 2 seperate timers of 15 minutes each
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 550 x D 430 x H 245 mm
- Weight: 24.15 kg
- EAN 3611630002165

Reference : CFRP1
Price : €639,-

35 cm



Dual top and bottom heat system. This technology allows the pizza to retain all its tenderness and guarantee an optimal cooking.



Pizza oven 2 chambers

- Stainless steel
- Dimensions of chamber: W 410 x D 370 x H 90 mm
- 2 pizzas Ø 35 cm
- Dual top and bottom heat system
- Base made of refractory stone
- Temperature from 50 °C to 300 °C
- 2 seperate timers of 15 minutes each
- Frequency: 50/60 Hz
- Power: 2,7 kW / 230 V
- Dimensions: W 550 x D 430 x H 375 mm
- Weight: 27.7 kg
- EAN 3611630002172

Reference : CFRP2
Price : €999,-

35 cm x 2



Pizza oven - 400

400 °C

- Stainless steel AISI 430
- Chamber size: W 410 x D 370 x H 90 mm
- Dual top and bottom heat system
- On/Off switch
- Refractory stone base thickness 13.5 mm
- Temperature from 50 °C to 400 °C
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 575 x D 536 x H 274 mm
- Weight: 22.9 kg
- EAN 3611630043014

Reference : CFRP1400
Price : €849,-



2 adjustable thermostats top and bottom

⌀ 35 cm



Pizza oven 2 chambers - 400

2 x 400 °C

- Stainless steel AISI 430
- Dimensions of the 2 chambers: W 410 x D 370 x H 90 mm
- Dual top and bottom heat system
- On/Off switch for each room
- Refractory stone base thickness 13.5 mm
- Temperature from 50 °C to 400 °C
- Frequency: 50/60 Hz
- Power: 3.4 kW / 230 V
- Dimensions: W 550 x D 536 x H 488 mm
- Weight: 39.3 kg
- EAN 3611630060622

Reference : CFRP2400
Price : €1.519,-



2 adjustable thermostats top and bottom by chamber

⌀ 35 cm x 2



ELECTRIC PIZZA OVEN



Electric pizza oven 4 pizzas 32 cm

- Stainless steel
- Capacity: 4 pizzas Ø 32cm
- Chamber dimensions: W 660 x D 660 x H 140 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 4.7 kW / 400 V
- Dimensions: W 975 x D 925 x H 415 mm
- Weight: 75 kg
- EAN 3611630083829

Reference : CFRPE432
Price : €1.279,-

Ø 32 cm x 4





Electric pizza oven 2x4 pizzas 32 cm

- Stainless steel
- Capacity: 2 x 4 pizzas Ø 32cm
- Chamber dimensions: 2 x W 660 x D 660 x H 140 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 9.4 kW / 400 V
- Dimensions: W 975 x D 925 x H 745 mm
- Weight: 122 kg
- EAN 3611630083843

Reference : CFRPE2432
Price : €2.099,-



Ø 32 cm x 8



Electric pizza oven 6 pizzas 32 cm

- Stainless steel
- Capacity: 6 pizzas Ø 32cm
- Chamber dimensions: W 660 x D 990 x H 140 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 7.2 kW / 400 V
- Dimensions: W 975 x D 1215 x H 415 mm
- Weight: 100 kg
- EAN 3611630083850

Reference : CFRPE632
Price : €1.599,-



⌀ 32 cm x 6



Electric pizza oven 2x6 pizzas 32 cm

- Stainless steel
- Capacity: 2 x 6 pizzas Ø 32cm
- Chamber dimensions: 2 x W 660 x D 660 x H 140 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 14.4 kW / 400 V
- Dimensions: W 975 x D 1215 x H 745 mm
- Weight: 181 kg
- EAN 3611630083867

Reference : CFRPE2632
Price : €2.699,-



⌀ 32 cm x 12



ELECTRIC PIZZA OVEN

Electric pizza oven 4 pizzas 35 cm

- Stainless steel
- Capacity: 4 pizzas Ø 35cm
- Chamber dimensions: W 720 x D 720 x H 140 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 1000 x D 955 x H 415 mm
- Weight: 77 kg
- EAN 3611630083874



Reference : CFRPE435
Price : €1.499,-

Ø 35 cm x 4



Electric pizza oven 2x4 pizzas 35 cm

- Stainless steel
- Capacity: 2 x 4 pizzas Ø 35cm
- Chamber dimensions: 2 x W 720 x D 720 x H 140 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 12 kW / 400 V
- Dimensions: W 1000 x D 955 x H 745 mm
- Weight: 139 kg
- EAN 3611630083881



Reference : CFRPE2435
Price : €2.299,-

Ø 35 cm x 8



Electric pizza oven 6 pizzas 35 cm

- Stainless steel
- Capacity: 6 pizzas Ø 35cm
- Chamber dimensions: W 720 x D 1080 x H 140 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 1000 x D 1315 x H 415 mm
- Weight: 110 kg
- EAN 3611630083898

Reference : CFRPE635
Price : €1.899,-



⌀ 35 cm x 6





Electric pizza oven 2x6 pizzas 35 cm

- Stainless steel
- Capacity: 2 x 6 pizzas Ø 35cm
- Chamber dimensions: 2 x W 720 x D 1080 x H 140 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 18 kW / 400 V
- Dimensions: W 1000 x D 1315 x H 745 mm
- Weight: 198 kg
- EAN 3611630083805

Reference : CFRPE2635
Price : €2.999,-



⌀ 35 cm x 12



ELECTRIC PIZZA OVEN

Electric pizza oven 4 pizzas 40 cm

- Stainless steel
- Capacity: 4 pizzas Ø 40cm
- Can hold 2 plates 40 x 60 cm
- Chamber dimensions: W 820 x D 840 x H 175 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 6.9 kW / 400 V
- Dimensions: W 1100 x D 1080 x H 415 mm
- Weight: 98 kg
- EAN 3611630083812



Reference : CFRPE440
Price : €1.699,-

2 plates of 40 x 60 cm



Electric pizza oven 2x4 pizzas 40 cm

- Stainless steel
- Capacity: 2x4 pizzas Ø 40cm
- Can hold 2x2 plates 40 x 60 cm
- Chamber dimensions: 2 x W 820 x D 840 x H 175 mm
- Independent vault and floor temperatures
- Refractory stone bottom
- Rock wool insulation
- Internal lighting
- Timer
- Temperature from 45 °C to 450 °C
- Frequency: 50 Hz
- Power: 13.8 kW / 400 V
- Dimensions: W 1100 x D 1080 x H 745 mm
- Weight: 154 kg
- EAN 3611630083904



Reference : CFRPE2440
Price : €2.699,-

2 x 2 plates of 40 x 60 cm



WOOD FIRED PIZZA OVEN

Wood fired pizza oven 4 pizzas 35 cm

- Stainless steel
- Capacity: 4 pizzas Ø 35cm
- Chamber dimensions: W 720 x D 720 x H 175 mm
- 25 mm refractory stone baking floor
- Ceramic fiber insulation 40 mm thickness
- Stand with 4 directional wheels
- Stand dimensions: W 1100 x D 1015 x H 915 mm
- Chimney with standard windproof and rainproof system
- Thermometer
- Temperature from 0 °C to 500 °C
- Dimensions: W 1100 x D 1080 x H 1680 mm
- Weight: 200 kg
- EAN 3611630083966

Reference : CFRPB435
Price : €4.999,-





⌀ 35 cm x 4





GAS PIZZA OVEN

GASTRO ECONOMY

30 cm x 4



Gas pizza oven 4 pizzas 30 cm

• Stainless steel
• Capacity: 4 pizzas Ø 30cm
• Chamber dimensions: W 610 x D 600 x H 150 mm
• Refractory stone bottom
• Rock wool insulation
• Temperature from 0 °C to 450 °C
• Electricity supply: 230 V
• Power: 16.1 kW gas
• Dimensions: W 1000 x D 1060 x H 540 mm
• Weight: 96 kg
> Pre-equipped to operate on natural gas, butane gas injectors are included.
• EAN 3611630083997

Reference : CFRPG430
Price : €3.999,-

30 cm x 6



Gas pizza oven 6 pizzas 30 cm

• Stainless steel
• Capacity: 6 pizzas Ø 30cm
• Chamber dimensions: W 610 x D 900 x H 150 mm
• Refractory stone bottom
• Rock wool insulation
• Temperature from 0 °C to 450 °C
• Electricity supply: 230 V
• Power: 21.5 kW gas
• Dimensions: W 1000 x D 1360 x H 540 mm
• Weight: 123 kg
> Pre-equipped to operate on natural gas, butane gas injectors are included.
• EAN 3611630084000

Reference : CFRPG630
Price : €4.699,-

30 cm x 9



Gas pizza oven 9 pizzas 30 cm

• Stainless steel
• Capacity: 9 pizzas Ø 30cm
• Dimensions of the chamber: W 910 x D 900 x H 150 mm
• Refractory stone bottom
• Rock wool insulation
• Temperature from 0 °C to 450 °C
• Electricity supply: 230 V
• Power: 27 kW gas
• Dimensions: W 1300 x D 1360 x H 540 mm
• Weight: 156 kg
> Pre-equipped to operate on natural gas, butane gas injectors are included.
• EAN 3611630084017

Reference : CFRPG930
Price : €5.599,-

PIZZA OVEN STAND

Pizza oven stand

• Black lacquered steel
> Easy to assemble



Ref. Pizza Oven	Stand dimensions WxDxH (mm)	Weight (kg)	EAN	Ref. Pizza oven stand	Price
CFRPE432	975 x 815 x 960	32	3611630085700	**CSFRPE432**	**€349,-**
CFRPE2432	975 x 815 x 860	32	3611630085670	**CSFRPE2432**	**€349,-**
CFRPE632	975 x 1 105 x 960	38	3611630085717	**CSFRPE632**	**€369,-**
CFRPE2632	975 x 1 105 x 860	38	3611630085724	**CSFRPE2632**	**€369,-**
CFRPE435	1000 x 845 x 960	33	3611630085731	**CSFRPE435G430**	**€379,-**
CFRPE2435	1000 x 845 x 860	33	3611630085748	**CSFRPE2435**	**€379,-**
CFRPE635	1000 x 1205 x 960	39	3611630085755	**CSFRPE635G630**	**€459,-**
CFRPE2635	1000 x 1205 x 860	39	3611630085762	**CSFRPE2635**	**€459,-**
CFRPE440	1100 x 965 x 960	39	3611630085779	**CSFRPE440**	**€429,-**
CFRPE2440	1100 x 965 x 860	39	3611630085786	**CSFRPE2440**	**€429,-**
CFRPG430	1000 x 845 x 960	33	3611630085731	**CSFRPE435G430**	**€379,-**
CFRPG630	1000 x 1205 x 960	39	3611630085755	**CSFRPE635G630**	**€459,-**
CFRPG930	1305 x 1205 x 960	40	3611630088190	**CSFRPG930**	**€529,-**

CONVEYOR PIZZA OVEN

Digital conveyor pizza oven 40

- Stainless steel
- Capacity: 43 pizzas Ø 25cm /h
- Chamber dimensions: 400 x 540 x 100 mm
- Grid dimensions: W 400 x D 1050 mm
- Independent vault and floor temperatures
- Ventilated chamber
- Side inspection door
- Digital screen
- Temperature from 0°C to 350°C
- Stand included
- Height with stand: H 1100 mm
- Power : 7 800 W / 400 V
- Dimensions : W 1 1365 x D 1005 x H 465 mm
- Weight : 101 Kg
- EAN 3611630099950

Reference : CFRPCD40
Price : €8.999,-



Digital conveyor pizza oven 50



- Stainless steel
- Capacity: 86 pizzas Ø 25cm /h
- Chamber dimensions: 500 x 750 x 100 mm
- Grid dimensions: W 500 x D 1600 mm
- Independent vault and floor temperatures
- Ventilated chamber
- Side inspection door
- Digital screen
- Temperature from 0°C to 350°C
- Stand included
- Height with stand: H 1050 mm
- Power : 14 200 W / 400 V
- Dimensions : W 1 900 x D 1 215 x H 515 mm
- Weight : 255 Kg
- EAN 3611630099967

Reference : CFRPCD50
Price : €11.499,-



Digital conveyor pizza oven 65

- Stainless steel
- Capacity: 137 pizzas Ø 25cm /h
- Chamber dimensions: 650 x 1000 x 100 mm
- Grid dimensions: W 650 x D 1850 mm
- Independent vault and floor temperatures
- Ventilated chamber
- Side inspection door
- Digital screen
- Temperature from 0°C to 350°C
- Stand included
- Height with stand: H 1100 mm
- Power : 18 400 W / 400 V
- Dimensions : W 2 190 x D 1 390 x H 575 mm
- Weight : 284 Kg
- EAN 3611630099974



Reference : CFRPCD65
Price : €14.799,-

Number of pizzas / hour

Pizza diameter Ø (mm)	CFRPCD40	CFRPCD50	CFRPCD65	CFRPCD80
Ø 25	43/h	86/h	137/h	206/h
Ø 32	26/h	43/h	103/h	120/h
Ø 40	23/h	29/h	51/h	86/h
Ø 45	0/h	26/h	40/h	57/h

Digital conveyor pizza oven 80

- Stainless steel
- Capacity: 206 pizzas Ø 25cm /h
- Chamber dimensions: 800 x 1100 x 100 mm
- Grid dimensions: W 800 x D 2 000 mm
- Independent vault and floor temperatures
- Ventilated chamber
- Side inspection door
- Digital screen
- Temperature from 0°C to 350°C
- Stand included
- Height with stand: H 1150 mm
- Power : 24 400 W / 400 V
- Dimensions : W 2 375 x D 1 575 x H 615 mm
- Weight : 411 Kg
- EAN 3611630099981



Reference : CFRPCD80
Price : €17.599,-





Bain-marie GN 1/1

- Stainless steel
- Capacity GN 1/1 - 150 mm depth
- Thermostat with 5 temperature levels from 0 °C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.2 kW / 230 V
- Dimensions: W 338 x D 540 x H 248 mm
- Weight: 8 kg
- EAN 3611630000345

Reference : CBM1
Price : €159,-



Bain-marie with 2 x GN 1/2

- Stainless steel
- Capacity GN 1/1 - 150 mm depth
- 2 containers GN 1/2 included with lid
- Thermostat with 5 temperature levels from 0 °C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.2 kW / 230 V
- Dimensions: W 338 x D 540 x H 248 mm
- Weight: 10.3 kg
- EAN 3611630000352

Reference : CBM2
Price : €209,-



Bain-marie with 3 x GN 1/3

- Stainless steel
- Capacity GN 1/1 - 150 mm depth
- 3 containers GN 1/3 included with lid
- Thermostat with 5 temperature levels from 0 °C to 90 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.2 kW / 230 V
- Dimensions: W 338 x D 540 x H 248 mm
- Weight: 10.6 kg
- EAN 3611630000369

Reference : CBM3
Price : €219,-

See p.276



Bain-marie with drain tap

- Stainless steel
- Water drain tap
- Thermostat with 5 temperature levels from 40 °C to 90 °C
- Capacity GN 1/1 - 150 mm depth
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.2 kW / 230 V
- Dimensions: W 340 x D 578 x H 246 mm
- Weight: 8.10 kg
- EAN 3611630008501

Reference : CBMV1B
Price : €189,-



Bain-marie with drain tap GN 1/1 - 200 mm

- Stainless steel
- Water drain tap
- Thermostat with 5 levels from 40 °C to 90 °C
- Capacity GN 1/1 - 200 mm depth
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.2 kW / 230 V
- Dimensions: W 340 x D 578 x H 246 mm
- Weight: 9 kg
- EAN 3611630017831

200 mm depth

Reference : CBMV1B200
Price : €239,-



Double bain-marie GN 1/1 with 2 drain taps

- Stainless steel
- 2 drain taps
- Capacity 2 containers GN 1/1 - 150 mm depth
- Adjustable thermostat from 0 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 3 kW / 230 V
- Dimensions: W 660 x D 540 x H 220 mm
- Weight: 19 kg
- EAN 3611630001113

Reference : CBMDV
Price : €599,-



BAIN-MARIE



Bain-marie with drain tap GN 1/1 - 100 mm

- Stainless steel
- Drain tap
- Capacity GN 1/1 - 100 mm depth
- Thermostat with 5 temperature levels
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.5 kW / 230 V
- Dimensions: W 353 x D 585 x H 220 mm
- Weight: 7,5 kg
- EAN 3611630103718

Reference : CBMV100
Price : €359,-



Bain-marie with drain tap GN 1/1 - 150 mm

- Stainless steel
- Drain tap
- Capacity GN 1/1 - 150 mm depth
- Thermostat with 5 temperature levels
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.5 kW / 230 V
- Dimensions: W 353 x D 585 x H 270 mm
- Weight: 8,65 kg
- EAN 3611630103671

Reference : CBMV150
Price : €389,-



Bain-marie with drain tap GN 1/1 - 200 mm

- Stainless steel
- Drain tap
- Capacity GN 1/1 - 200 mm depth
- Thermostat with 5 temperature levels
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.5 kW / 230 V
- Dimensions: W 353 x D 585 x H 320 mm
- Weight: 9,5 kg
- EAN 3611630103695

Reference : CBMV200
Price : €419,-

200 mm depth

See p.276



Double bain-marie with drain tap GN 1/1 - 100 mm

- Stainless steel
- 2 drain taps
- Capacity 2 x GN 1/1 - 100 mm depth
- 2 thermostats with 5 temperature levels
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2,9 kW / 230 V
- Dimensions: W 682 x D 585 x H 220 mm
- Weight: 13,75 kg
- EAN 3611630103664

Reference : CBMDV100
Price : €569,-



Double bain-marie with drain tap GN 1/1 - 150 mm

- Stainless steel
- 2 drain taps
- Capacity 2 x GN 1/1 - 150 mm depth
- 2 thermostats with 5 temperature levels
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2,9 kW / 230 V
- Dimensions: W 682 x D 585 x H 270 mm
- Weight: 15,60 kg
- EAN 3611630103688

Reference : CBMDV150
Price : €619,-



Double bain-marie with drain tap GN 1/1 - 200 mm

- Stainless steel
- 2 drain taps
- Capacity 2 x GN 1/1 - 200 mm depth
- 2 thermostats with 5 temperature levels
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2,9 kW / 230 V
- Dimensions: W 682 x D 585 x H 320 mm
- Weight: 17,15 kg
- EAN 3611630103701

Reference : CBMDV200
Price : €669,-

200 mm depth



BAIN-MARIE FOR SAUCE



Bain-marie for sauce 2 x GN 1/6 - Compact

- Stainless Steel
- 2 GN 1/6 containers - 150 mm depth
- Stainless steel lid included
- On/Off switch
- Dry heating
- Thermostat with 5 temperature levels from 40 °C to 95 °C
- Safety thermostat in case of overheating
- Frequency: 50/60 Hz
- Power: 800 W / 230 V
- Dimensions: W 208 x D 390 x H 255 mm
- Weight: 5 kg
- EAN 3611630043342

Reference : CBMS216V
Price : €329,-



Bain-marie for sauce 3 x GN 1/6 - Compact

- Stainless Steel
- 3 GN 1/6 containers - 150 mm depth
- Stainless steel lid included
- On/Off switch
- Dry heating
- Thermostat with 5 temperature levels from 40 °C to 95 °C
- Safety thermostat in case of overheating
- Frequency: 50/60 Hz
- Power: 800 W / 230 V
- Dimensions: W 208 x D 555 x H 255 mm
- Weight: 7 kg
- EAN 3611630043359

Reference : CBMS316V
Price : €419,-



Bain-marie for sauce 4 x GN 1/6 - Compact

- Stainless Steel
- 4 GN 1/6 containers 150 mm depth
- Stainless steel lid and ladle included
- On/Off switch
- Dry heating
- Adjustable thermostat from 40 °C to 95 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 800 W / 230 V
- Dimensions: W 208 x D 720 x H 255 mm
- Weight: 9 kg
- EAN 3611630080125

Reference : CBMS416V
Price : €549,-

Bain-marie for sauce - Compact



- Stainless Steel
- GN 1/6 container - 200 mm depth
- Stainless steel ladle included
- On/Off switch
- Dry heating
- Temperature setting from 40 °C to 90 °C
- Safety thermostat in case of overheating
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 206 x D 280 x H 278 mm
- Weight: 4.80 kg
- EAN 3611630043380

Reference : CBMSC1
Price : €259,-

Bain-marie for sauce - Compact 2 tanks



- Stainless Steel
- 2 GN 1/6 containers - 200 mm depth
- 2 stainless steel ladles included
- On/Off switch
- Dry heating
- Temperature setting from 40 °C to 90 °C
- Safety thermostat in case of overheating
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: W 412 x D 280 x H 278 mm
- Weight: 8 kg
- EAN 3611630043397

Reference : CBMSC2H
Price : €409,-

FUNNEL SAUCE

Funnel sauce warmer





- Stainless steel
- 2 L funnel
- 3 different nozzle sizes included
- Funnel with lid
- On/Off switch
- Drop collecting tray
- Adjustable thermostat from 45 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 300 W / 230 V
- Dimensions: W 350 x D 285 x H 370 mm
- Weight: 4.80 kg
- EAN 3611630043434

Reference : CEPC
Price : €499,-

 ⌀ 1.5 mm

 ⌀ 4 mm

 ⌀ 6 mm

BAIN-MARIE WATER HEATED FOR SAUCE



Bain-marie water heated for sauce 7.5 L

- Stainless steel
- Capacity: 7.5 liters
- Drain tap
- Steel container and lid included
- Adjustable thermostat from 50 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 800 W / 230 V
- Dimensions: W 310 x D 375 x H 350 mm
- Weight: 8 kg
- EAN 3611630080156

Reference : CBMES75
Price : €429,-



Bain-marie water heated for sauce 2 x 7.5 L

- Stainless steel
- Capacity: 2 x 7.5 liters
- Drain tap
- 2 steel containers and lids included
- Adjustable thermostat from 50 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 1.6 kW / 230 V
- Dimensions: W 310 x D 675 x H 350 mm
- Weight: 13.5 kg
- EAN 3611630080163

Reference : CBMES275
Price : €599,-



Bain-marie water heated for sauce 4 x 7.5 L

- Stainless steel
- Capacity: 4 x 7.5 liters
- Drain tap
- 4 steel containers and lids included
- Adjustable thermostat from 50 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 1.6 kW / 230 V
- Dimensions: W 620 x D 675 x H 350 mm
- Weight: 27 kg
- EAN 3611630080170

Reference : CBMES475
Price : €799,-

BAIN-MARIE

Bain-marie water heated sausage warmer

- Stainless Steel
- Capacity GN 1/2 150 mm depth
- On/Off switch
- Drain tap
- Adjustable thermostat from 40 °C to 95 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1 kW / 230 V
- Dimensions: W 344 x D 320 x H 300 mm
- Weight: 7.5 kg
- EAN 3611630080132

Reference : CBMECS1
Price : €359,-





Double bain-marie water heated sausage warmer

- Stainless Steel
- Capacity 2 x GN 1/2 150 mm depth
- 2 On/Off switchs
- 2 Drain taps
- 2 adjustable thermostats from 40 °C to 95 °C
- 2 safety thermostats
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 685 x D 320 x H 300 mm
- Weight: 13 kg
- EAN 3611630080149

Reference : CBMECS2
Price : €569,-



GASTRO ECONOMY



Bain-marie trolley water-heated 2 x GN 1/1

- Stainless steel structure 18/10
- Adjustable thermostat from 0 °C to 90 °C each container
- Drain tap for each container
- 4 swivelling wheels and 2 of them with brake system on the user side
- On/Off switch with warning light and heating indicator
- Pressed container with double wall
- Power supply
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.4 kW / 230 V
- Dimensions: W 850 x D 700 x H 900 mm
- Weight: 39 kg
- EAN 3611630001168

Reference : CCBM2V
Price : €1.479,-



Bain-marie trolley water-heated 3 x GN 1/1

- Stainless steel structure 18/10
- Adjustable thermostat from 0 °C to 90 °C each container
- Drain tap for each container
- 4 swivelling wheels and 2 of them with brake system on the user side
- On/Off switch with warning light and heating indicator
- Pressed container with double wall
- Power supply
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.1 kW / 230 V
- Dimensions: W 1 250 x D 700 x H 900 mm
- Weight: 54 kg
- EAN 3611630001182

Reference : CCBM3V
Price : €1.979,-

See p.276



Bain-marie trolley water-heated 2 x GN 1/1

- Stainless steel structure 18/10
- Adjustable thermostat from 0 °C to 90 °C each container
- Drain tap for each container
- 4 swivelling wheels and 2 of them with brake system on the user side
- On/Off switch with warning light and heating indicator
- Pressed container with double wall
- Power supply
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.4 kW / 230 V
- Dimensions: W 700 x D 850 x H 900 mm
- Weight: 39 kg
- EAN 3611630001175

Reference : CCBM2H
Price : €1.479,-



Bain-marie trolley water-heated 3 x GN 1/1

- Stainless steel structure 18/10
- Adjustable thermostat from 0 °C to 90 °C each container
- Drain tap for each container
- 4 swivelling wheels and 2 of them with brake system on the user side
- On/Off switch with warning light and heating indicator
- Pressed container with double wall
- Power supply
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2.1 kW / 230 V
- Dimensions: W 700 x D 1 250 x H 900 mm
- Weight: 54 kg
- EAN 3611630001199

Reference : CCBM3H
Price : €1.979,-



BAIN-MARIE TROLLEY

Bain-marie trolley water-heated with heated cabinet 3 x GN 1/1

- Stainless steel structure 18/10
- Adjustable thermostat from 0 °C to 90 °C each container
- Adjustable thermostat from 0 °C to 90 °C for cabinet
- Suitable for 3 GN 1/1 trays 200 mm depth (not included)
- Drain tap for each container
- 4 swivelling wheels and 2 with brake
- Switch ON/OFF with warning light and heating indicator
- Pressed container with double wall
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2,1 kW + 1,5kW / 230 V
- Dimensions: W 700 x D 1250 x H 900 mm
- Weight: 98.1 kg
- EAN 3611630073967

Reference : CCBM3CV
Price : €2.999,-



Bain-marie trolley water-heated with heated cabinet 3 x GN 1/1

- Stainless steel structure 18/10
- Adjustable thermostat from 0 °C to 90 °C each container
- Adjustable thermostat from 0 °C to 90 °C for cabinet
- Suitable for 3 GN 1/1 trays 200 mm depth (not included)
- Drain tap for each container
- 4 swivelling wheels and 2 with brake
- Switch ON/OFF with warning light and heating indicator
- Pressed container with double wall
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 2,1 kW + 1,5kW / 230 V
- Dimensions: W 1250 x D 700 x H 900 mm
- Weight: 98.7 kg
- EAN 3611630073950

Reference : CCBM3CH
Price : €2.999,-



ELECTRIC PASTA COOKER



Electric pasta cooker

- Stainless steel 18/10
- 4 baskets of 1 liter each included
- Integrated vapor recovery tank
- Temperature from 30 °C to 120 °C
- Cooking time for each basket adjustable with a sonor signal
- Basin capacity: 8 liters
- Water connection R1/2''
- Water inlet by pressing a button
- Adjustable feet: 15 mm
- Frequency: 50/60 Hz
- Power: 3.2 kW / 230 V
- Dimensions: W 520 x D 340 x H 600 mm
- Weight: 24 kg
- EAN 3611630001878

Reference : CCAP1
Price : €2.099,-



ELECTRIC PASTA COOKER

GASTRO ECONOMY

Electric pasta cooker

- Stainless steel AISI 304
- Water basin in stainless steel AISI 430
- Dimensions of container : W 240 x D 300 x H 200 mm
- Heating element in incoloy 820
- Temperature from 30 °C to 110 °C
- Safety thermostat
- Power : 3.4 kW / 230 V
- Dimensions : W 270 x D 420 x H 300 mm
- Weight : 12 kg



Electric pasta cooker - 1 basket

- Basket : W 110 x D 235 x H 100 mm
- EAN 3611630002516

Reference : CCAP1G
Price : €449,-







Electric pasta cooker - 3 baskets

- Basket : 3 x W 100 x D 138 x H 135 mm
- EAN 3611630002509

Reference : CCAP3P
Price : €529,-



Electric pasta cooker with drain tap 1 basket

- Basket : W 110 x D 235 x H 100 mm
- EAN 3611630002493

Reference : CCAPV1G
Price : €549,-



Electric pasta cooker with drain tap 3 baskets

- Basket : 3 x W 100 x D 138 x H 135 mm
- EAN 3611630002486

Reference : CCAPV3P
Price : €609,-



Pasta cooker 9 liters

- Stainless steel
- Tank capacity 9 L
- On/Off switch
- Thermostat setting
- Rethermalizer function (pre-cooking or defrosting)
- 4 small round baskets 0,9 L included
- 2 rectangular baskets 3 L included
- Drain and fill tap located at the front
- Water connection possibility
- Storage of the round baskets plate underneath
- Frequency: 50/60 Hz
- Power: 3.3 kW / 230V
- Dimensions: W 354 x D 587 x H 520 mm
- Weight: 20 kg
- EAN 3611630043229

Reference : CCAP9
Price : €1.159,-

Rethermalizer Function
(pre-cooking or defrosting)



2 x 3 liters baskets included
4 x 0.9 liter baskets included

Pasta cooker 2 x 9 liters

- Stainless steel
- Tank capacity 2 x 9 L
- On/Off switch
- Thermostat setting
- Rethermalizer function (pre-cooking or defrosting)
- 8 small round baskets included
- 4 rectangular baskets included
- Drain and fill tap located at the front
- Water connection possibility
- Storage of the round baskets plate underneath
- Frequency: 50/60 Hz
- Power: 2 x 3,3 kW / 230 V
- Dimensions: W 710 x D 587 x H 520 mm
- Weight: 35 kg
- EAN 3611630043441

Reference : CCAP92
Price : €2.099,-

Rethermalizer Function
(pre-cooking or defrosting)

2 x 3 liters baskets included
4 x 0.9 liter baskets included



EGGS COOKER



This eggs cooker is nowadays a must-have for your buffets. It combines time and space saving. It can be used as a "brick heater" for milk, soups or any other food packed in.



Eggs cooker

- Stainless steel
- GN 1/3 capacity, depth 150 mm
- 8 egg holders with numbering
- Lid included
- On/Off switch
- Temperature setting from 40 °C to 100 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.25 kW / 230 V
- Dimensions: W 466 x D 240 x D 262 mm
- Weight: 5.30 kg
- EAN 3611630040761

Reference : CCAEF
Price : €329,-



Milk / Sauce pack heater 3 x 1 liter

- Stainless steel
- Capacity GN 1/3. depth 150 mm
- 3 baskets for carton
- 8 egg holders with numbering
- Lid included
- On/Off switch
- Temperature setting from 40 °C to 100 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 1.25 kW / 230 V
- Dimensions: W 466 x D 240 x H 262 mm
- Weight: 5.30 kg
- EAN 3611630062114

Reference : CCB3
Price : €399,-

Ideal for heating milk, soup and any food brick.

Brick holder

- Dimensions: W 74 x D 287 x H 176 mm
- EAN 3611630059114

Reference : CPBL
Price : €35,-



SOUP KETTLE



Casselin soup kettles are ideal to keep your soups and sauces at temperature thanks to the adjustable thermostat from 30 °C to 95 °C. They are designed to preserve the taste and perfect temperature of food.

Soup kettle 9 L

- Thermo-coated stainless steel body
- Included removable stainless steel container
- Rotating and foldable stainless steel lid
- Openwork lid with heat-insulated handles
- Adjustable thermostat from 30 °C to 95 °C
- Capacity: 9 L
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: Ø 340 mm , H 370 mm
- Weight: 3.95 kg
- EAN 3611630060769

Reference : CMS2B
Price : €89,-



Soup kettle stainless steel 9 L

- Stainless steel body
- Included removable stainless steel container
- Rotating and foldable stainless steel lid
- Openwork lid with with heat-insulated handles
- Adjustable thermostat from 30 °C to 95 °C
- Capacity: 9 L
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: Ø 340 mm , H 370 mm
- Weight: 4.10 kg
- EAN 3611630060776

Reference : CMS3B
Price : €139,-



HEATING RAMP

Heating ramp

- Stainless steel
- On/Off button for lamps
- Adjustable thermostat up to 70 °C
- Anti-slip feet





Stackable ramp

See p.282



Length (mm)	Depth (mm)	Height (mm)	Power (kW) / Volt (V) / Frequency (Hz)	Space between feet (mm)	Compatible with	EAN	Ref.	Price
1000	380	355	2 / 230 / 50	920	CRNE100	3611630076586	**CRCE100**	**€699,-**
1200	380	355	2 / 230 / 50	1120	CRNE120	3611630076609	**CRCE120**	**€759,-**
1500	380	355	2.8 / 230 / 50	1420	CRNE150	3611630076616	**CRCE150**	**€839,-**
1800	380	355	2.8 / 230 / 50	1720	CRNE180	3611630076623	**CRCE180**	**€919,-**

Black heating bridge 2 infrared lamps

- Aluminium
- ON/OFF switch
- 2 Philips IR heating lamps
- Capacity: GN 1/1 (not included)
- Height adjustable on 4 levels
- Power: 500 W / 230 V
- Dimensions : W 492 x D 354 x H 595-795 mm
- Weight: 1.81 kg

> Easy to assemble

- EAN 3611630104623

Reference : CPC2LN
Price : €289,-





INFRARED HEATING STRIP





Infrared heating strip

Length (mm)	Depth (mm)	Height (mm)	Power (kW) / Volt (V) / Frequency (Hz)	Weight (kg)	EAN	Ref.	Price
617	152	64	0.5 / 230 / 50	3	3611630090124	**CRC60**	**€289,-**
917	152	64	0.8 / 230 / 50	5	3611630090186	**CRC90**	**€389,-**
1217	152	64	1.1 / 230 / 50	6	3611630090193	**CRC120**	**€489,-**
1517	152	64	1.4 / 230 / 50	8	3611630090209	**CRC150**	**€589,-**

**Sold without feet.*

Feet for infrared heating strip 150


- Stainless steel
- Set of 2 feet
- Height adjustment: 240 - 420 mm
- Stand length: 386 mm
- EAN 3611630092050

Reference : CPRC150
Price : €89,-



INFRARED HEATING STRIP





Infrared heating strip with lighting

Length (mm)	Depth (mm)	Height (mm)	Power (kW) / Volt (V) / Frequency (Hz)	Weight (kg)	EAN	Ref.	Price
617	229	64	0.56 / 230 / 50	5	3611630090216	**CRCEC60**	**€399,-**
917	229	64	0.89 / 230 / 50	8	3611630090223	**CRCEC90**	**€499,-**
1217	229	64	1.22 / 230 / 50	10	3611630090230	**CRCEC120**	**€599,-**
1517	229	64	1.55 / 230 / 50	12	3611630090247	**CRCEC150**	**€699,-**

**Sold without feet.*

Feet for infrared heating strip 230

- Stainless steel
- Set of 2 feet
- Height adjustment: 240 - 420 mm
- Stand length: 386 mm
- EAN 3611630092067

Reference : CPRC230
Price : €99,-







Double infrared heating strip with lighting

Length (mm)	Depth (mm)	Height (mm)	Power (kW) / Volt (V) / Frequency (Hz)	Weight (kg)	EAN	Ref.	Price
617	318	64	1.06 / 230 / 50	7.5	3611630090254	**CRCDEC60**	**€599,-**
917	318	64	1.69 / 230 / 50	11	3611630090261	**CRCDEC90**	**€699,-**
1217	318	64	2.32 / 230 / 50	15	3611630090278	**CRCDEC120**	**€799,-**
1517	318	64	2.95 / 230 / 50	19	3611630090285	**CRCDEC150**	**€899,-**

**Sold without feet.*

Feet for infrared heating strip 230

- Stainless steel
- Set of 2 feet
- Height adjustment: 240 - 420 mm
- Stand length: 386 mm
- EAN 3611630092067

Reference : CPRC230
Price : €99,-



HEATED WALL SHELF

Heated wall shelf GN 1/1

• Stainless steel
• 2 mounting brackets: W 30 x D 302 x H 200 mm
• On/Off switch
• Heat indicator
• Thermostat adjustable up to 90 °C
• Left or right cable connection
• Frequency: 50/60 Hz
• Power: 450 W / 230 V
• Dimensions: W 530 x D 325 x H 251 mm
• Weight: 6 kg
> Compatible with 1 GN 1/1 container
• EAN 3611630089029

Reference : CEMIC11
Price : €319,-



Heated wall shelf GN 2/1

• Stainless steel
• 3 mounting brackets: W 30 x D 302 x H 200 mm
• On/Off switch
• Heat indicator
• Thermostat adjustable up to 90 °C
• Left or right cable connection
• Frequency: 50/60 Hz
• Power: 900 W / 230 V
• Dimensions: W 1060 x D 325 x H 251 mm
• Weight: 11 kg
> Compatible with 2 GN 1/1 container
• EAN 3611630089036

Reference : CEMIC21
Price : €499,-



Heated wall shelf GN 3/1

• Stainless steel
• 4 mounting brackets: W 30 x D 302 x H 200 mm
• On/Off switch
• Heat indicator
• Thermostat adjustable up to 90 °C
• Left or right cable connection
• Frequency: 50/60 Hz
• Power: 1.35 kW / 230 V
• Dimensions: W 1590 x D 325 x H 251 mm
• Weight: 16 kg
> Compatible with 3 GN 1/1 container
• EAN 3611630089050

Reference : CEMIC31
Price : €679,-



MOBILE HEATED PLATE

Mobile heating cupboard

- Stainless steel
- Adjustable thermostat from 40 °C to 90 °C
- 2 shelves included
- Grid dimensions: W 745 x D 535 mm
- 4 wheels, 2 with brakes
- Frequency: 50/60 Hz
- Power: 2 kW / 230 V
- Dimensions: W 845 x D 635 x H 961 mm
- Weight: 39.5 kg
- EAN 3611630080224

Reference : CACM
Price : €1.099,-



Mobile heated plate dispenser

- Stainless steel
- On/Off switch
- Plate diameter from 190 to 350 mm
- Stacking height approx. 490 mm
- 4 wheels, 2 of them with brakes
- Lid included
- Adjustable thermostat from 30 °C to 110 °C
- Frequency: 50/60 Hz
- Power: 570 W / 230 V
- Dimensions: W 550 x D 620 x H 950 mm
- Weight: 40 kg
- EAN 3611630057622

Reference : CCHCANC
Price : €1.139,-



PLATE WARMER

Plates ⌀ 33 cm



Plate warmer 30

- Stainless Steel
- Double wall
- 1 shelf included W 418 x D 320 mm
- Capacity of 30 plates Ø 330 mm
- Adjustable thermostat from 40 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: W 450 x D 425 x H 545 mm
- Weight: 15 kg
- EAN 3611630043366

Reference : CCA30B
Price : €499,-



Plate warmer 60

- Stainless Steel
- Double wall
- 1 shelf included W 418 x D 320 mm
- Capacity of 60 plates Ø 330 mm
- Adjustable thermostat from 40 °C to 90 °C
- Safety thermostat in case of overheating
- Frequency: 50/60 Hz
- Power: 750 W / 230 V
- Dimensions: W 450 x D 525 x H 855 mm
- Weight: 22 kg
- EAN 3611630043373

Reference : CCA60B
Price : €619,-



Plate warmer 120

- Stainless Steel
- Double wall
- 1 shelf included W 720 x D 435 mm
- Capacity of 120 plates Ø 330 mm
- Adjustable thermostat from 40 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 1.2 kW / 230 V
- Dimensions: W 750 x D 530 x H 870 mm
- Weight: 31 kg
- EAN 3611630057707

Reference : CCA120B
Price : €999,-

Plates ⌀ **35 cm**

Plate warmer 30

- Stainless steel
- Double wall
- Additional shelf
- Capacity 30 plates Ø 350 mm
- Adjustable thermostat from 30 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: W 400 x D 460 x H 570 mm
- Weight: 19 kg
- EAN 3611630001298

Reference : CCA30
Price : €569,-



Plate warmer 60

- Stainless steel
- Double wall
- Additional shelf
- Capacity 60 plates Ø 350 mm
- Adjustable thermostat from 30 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 750 W / 230 V
- Dimensions: W 400 x D 460 x H 870 mm
- Weight: 25.5 kg
- EAN 3611630001304

Reference : CCA60
Price : €679,-



Plate warmer 120

- Stainless steel
- Double wall
- Additional shelf
- Capacity 120 plates Ø 350 mm
- Adjustable thermostat from 30 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 1.5 kW / 230 V
- Dimensions: W 800 x D 460 x H 870 mm
- Weight: 44 kg
- EAN 3611630001311

Reference : CCA120
Price : €1.149,-



HEATED DISPLAY CASE



The transparent glass surfaces of the Casselin warming display case create a visually captivating showcase, highlighting the freshness and appetizing allure of your dishes. Catch your customers' eyes while inviting them to enjoy unforgettable taste experiences.



Heated display case 59 L

- Stainless steel
- On/Off button
- Adjustable thermostat from 30 °C to 85°C
- Rear opening
- LED lighting on sides
- 3 adjustable shelves
- Shelf dimensions: W 340 x D 310 mm
- Capacity: 59 liters
- Frequency: 50 Hz
- Power: 400 W / 230 V
- Dimensions: W 400 x D 400 x H 535 mm
- Weight: 20.5 kg
- EAN 3611630089135

Hot

Reference : CVC59L
Price : €849,-



Heated display case 178 L

- Stainless steel
- On/Off button
- Adjustable thermostat from 30 °C to 80 °C
- Heater and humidifier system
- Rear opening
- LED lighting on sides
- 3 fixed shelves
- Shelf dimensions: W 500 x D 260 mm
- Capacity: 178 liters
- Frequency: 50 Hz
- Power: 1.4 kW / 230 V
- Dimensions: W 620 x D 590 x H 800 mm
- Weight: 58.5 kg
- EAN 3611630089920

Hot

Reference : CVC178L
Price : €1.149,-

Heated display case 120 L

- Stainless steel
- Temperature from 30 °C to 90 °C
- Heating indicator light
- Capacity: 120 liters
- Filling at the back
- LED ceiling lighting
- Upper grid size: W 630 x D 335 mm
- Intermediate grid size: W 630 x D 370 mm
- Lower grid size: W 630 x D 400 mm
- Frequency: 50/60 Hz
- Power: 1,1 kW / 230 V
- Dimensions: W 690 x D 600 x H 670 mm
- Weight: 36.2 kg
- EAN 3611630059817

Hot

Reference : CVC120L
Price : €829,-



Heated display case 125 L

- Stainless steel
- Temperature from 30 °C to 90 °C
- Heating indicator light
- Capacity: 125 liters
- Front and back filling
- LED ceiling lighting
- Intermediate grid adjustable in height
- Upper grid size: W 630 x D 335 mm
- Intermediate grid size: W 630 x D 370 mm
- Lower grid size: W 630 x D 400 mm
- Frequency: 50/60 Hz
- Power: 1,1 kW / 230 V
- Dimensions: W 690 x D 590 x H 685 mm
- Weight: 36 kg
- EAN 3611630059824

Hot

Reference : CVC125L
Price : €859,-



Heated display case 160 L

- Stainless steel
- Temperature from 30 °C to 90 °C
- Heating indicator light
- Capacity: 160 liters
- Filling at the back
- LED ceiling lighting
- Upper grid size: W 815 x D 400 mm
- Intermediate grid size: W 815 x D 370 mm
- Lower grid size: W 815 x D 335 mm
- Frequency: 50/60 Hz
- Power: 1.5 kW / 230 V
- Dimensions: W 870 x D 585 x H 685 mm
- Weight: 42.8 kg
- EAN 3611630059848

Hot

Reference : CVC160L
Price : €969,-



HEATED DISPLAY CASE



Heated display case 76 L

- Stainless steel
- Capacity: 76 liters
- Temperature from 30 °C to 90 °C
- Water tray for air humidification
- Front and back opening
- LED lighting
- 3 height adjustable shelves
- Upper grid size: W 289 x D 287 mm
- Intermediate grid size: W 289 x D 316 mm
- Lower grid size: W 289 x D 347 mm
- Frequency: 50 Hz
- Power: 800 W / 230 V
- Dimensions: W 345 x D 484 x H 662.5 mm
- Weight: 21.2 kg
- EAN 3611630081887

Hot

Reference : CVC76L
Price : €769,-



Heated display case 96 L

- Stainless steel
- Capacity: 96 liters
- Temperature from 30 °C to 90 °C
- Water tray for air humidification
- Front and back opening
- LED lighting
- 3 height adjustable shelves
- Upper grid size: W 620 x D 286 mm
- Intermediate grid size: W 620 x D 316 mm
- Lower grid size: W 620 x D 346 mm
- Frequency: 50 Hz
- Power: 1 kW / 230 V
- Dimensions: W 674.5 x D 484 x H 662.5 mm
- Weight: 33.5 kg
- EAN 3611630081894

Hot

Reference : CVC96L
Price : €959,-



Self-service heated display case 100 L

- Black epoxy painted stainless steel
- 2 acrylic front doors
- Dry heating
- Temperature adjustable from 30 °C to 90 °C
- Heating indicator
- Capacity: 100 liters
- LED lighting
- Frequency: 50 Hz
- Power: 560 W / 230 V
- Dimensions: W 650 x D 467 x H 630 mm
- Weight: 25.6 kg
- EAN 3611630081870

Hot

Reference : CVCSS100L
Price : €919,-

BUILT-IN HEATED DISPLAY CASE

Built-in heated display case 120 L

- Stainless steel
- Flat front glass
- Temperature from 30 °C to 90 °C
- Heating indicator light
- Capacity: 120 liters
- Water tray for air humidification
- Filling at the back
- LED lighting
- 3 adjustable shelves
- Upper grid size: W 636 x D 335 mm
- Intermediate grid size: W 636 x D 367 mm
- Lower grid size: W 636 x D 398 mm
- Frequency: 50 Hz
- Power: 1.1 kW / 230 V
- Dimensions: W 678 x D 568 x H 685 mm
- Weight: 35 kg
- EAN 3611630081955

Hot

Reference : CVCE120L
Price : €879,-



Built-in heated display case 160 L

- Stainless steel
- Flat front glass
- Temperature from 30 °C to 90 °C
- Heating indicator light
- Capacity: 160 liters
- Water tray for air humidification
- Filling at the back
- LED lighting
- 3 adjustable shelves
- Upper grid size: W 813 x D 335 mm
- Intermediate grid size: W 813 x D 367 mm
- Lower grid size: W 813 x D 398 mm
- Frequency: 50 Hz
- Power: 1.5 kW / 230 V
- Dimensions: W 856 x D 568 x H 685 mm
- Weight: 43 kg
- EAN 3611630081962

Hot

Reference : CVCE160L
Price : €999,-




Built-in heated display case 200 L

- Stainless steel
- Flat front glass
- Temperature from 30 °C to 90 °C
- Heating indicator light
- Capacity: 200 liters
- Water tray for air humidification
- Filling at the back
- LED lighting
- 3 adjustable shelves
- Upper grid size: W 1167 x D 335 mm
- Intermediate grid size: W 1167 x D 367 mm
- Lower grid size: W 1167 x D 398 mm
- Frequency: 50 Hz
- Power: 1.8 kW / 230 V
- Dimensions: W 1219 x D 555 x H 685 mm
- Weight: 60 kg
- EAN 3611630081979

Hot

Reference : CVCE200L
Price : €1.329,-





LINE 600

- BAIN-MARIE ..... 200 
- FRENCH FRY WARMER ..... 199 
- PASTA COOKER ..... 199 
- ELECTRIC TABLE-TOP COOKER ..... 177 
- ELECTRIC COOKER WITH ELECTRIC OVEN ..... 178 
- GAS TABLE-TOP COOKER ..... 180 
- GAS COOKER WITH ELECTRIC OVEN ..... 184 
- ELECTRIC DEEP FRYER ..... 194 
- ELECTRIC DEEP FRYER WITH CABINET ..... 196 
- GAS DEEP FRYER ..... 198 
- ELECTRIC WATER GRILL ..... 193 
- LAVA STONE GRILL ..... 192 
- CABINET ..... 202 
- WORKTOP ..... 201 
- ELECTRIC GRIDDLE PLATE ..... 186 
- GAS GRIDDLE PLATE ..... 189 
- ELECTRIC FRYING PAN ..... 193 



Operational efficiency: A well-organized cooking line ensures that culinary tasks run more smoothly. Each appliance is used for its specific function, reducing waiting times and improving overall kitchen efficiency.

Temperature control: With a well-planned cooking line, it's easier to control and adjust the different temperatures required for different cooking methods. This ensures that food is cooked precisely and optimally.

Time management: A cooking line enables better time management. Cooks can plan and coordinate the preparation of different elements of a meal, so that everything is ready at the same time.

Space optimization: A well-designed cooking line makes efficient use of workspace by strategically placing cooking appliances. This can be particularly crucial in professional kitchens, where space is often limited.

Consistency of dishes: Using a cooking line makes it easier to maintain the consistency of dishes. Cooking parameters can be standardized, ensuring that dishes have the same taste and quality with every preparation.

Flexibility: A well-equipped cooking line enables you to diversify your cooking techniques. Grilling, frying, baking • everything can be integrated into a cooking line, enabling you to create a variety of dishes.

Error reduction: Setting up a cooking line with clear procedures and dedicated areas for each stage of preparation reduces the risk of human error.

Electric table-top cooker 2 burners 33

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats on 6 levels
- Temperature range from 50 °C to 400 °C
- Plate dimensions: 2 x Ø 180 mm
- Frequency: 50 Hz
- Power: 2 x 1.5 kW / 230 V
- Dimensions: W 328 x D 609 x H 433 mm
- Weight: 12 kg
- EAN 3611630092302

Reference : C6FOE2F33
Price : €529,-



Electric table-top cooker 2 burners T 33

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats on 6 levels
- Temperature range from 50 °C to 400 °C
- Plate dimensions: 2 x Ø 180 mm
- Frequency: 50 Hz
- Power: 2 x 2 kW / 400 V
- Dimensions: W 328 x D 609 x H 433 mm
- Weight: 12 kg
- EAN 3611630092319

Reference : C6FOE2FT33
Price : €549,-



Electric table-top cooker 4 burners T 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats on 6 levels
- Temperature range from 50 °C to 400 °C
- Plate dimensions: 4 x Ø 180 mm
- Frequency: 50 Hz
- Power: 4 x 2 kW / 400 V
- Dimensions: W 658 x D 609 x H 433 mm
- Weight: 25 kg
- EAN 3611630092326

Reference : C6FOE4FT66
Price : €969,-



Electric table-top cooker 6 burners T 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats on 6 levels
- Temperature range from 50 °C to 400 °C
- Plate dimensions: 6 x Ø 180 mm
- Frequency: 50 Hz
- Power: 6 x 2 kW / 230 V
- Dimensions: W 988 x D 609 x H 433 mm
- Weight: 33 kg
- EAN 3611630092333

Reference : C6FOE6FT99
Price : €1.379,-





We offer a wide selection of electric/gas ovens with static or ventilated heat. Standard GN widths of 330. 660 and 990 mm. Available in table-top series or on a base including electric oven or open cabinet, with or without stainless steel doors.


Top in AISI 304, base in AISI 430 stainless steel. Oven dimensions GN 1/1 - 548 x 360 x 338 mm.

•High-quality cast-iron plates with internal thermostatic protection against overheating.
• GN 1/1 convection oven (grid included)
• Heating power regulation by 6-position switch

Electric ventilated oven GN 1/1 99

• Top plate in AISI 304 stainless steel
• Structure in AISI 430 stainless steel
• Safety thermostat
• Oven dimensions: W 548 x D 360 x H 338 mm
• Ventilated heat system
• Adjustable thermostat from 50 °C to 300 °C
• Frequency: 50 Hz
• Power: 3.1 kW / 230 V
• Dimensions: W 988 x D 600 x H 900 mm
• Weight: 60 kg
• EAN 3611630092494

Reference : C6FEV99
Price : €2.089,-






Electric 4 burners cooker with ventilated electric oven GN 1/1 66

• Top plate in AISI 304 stainless steel
• Structure in AISI 430 stainless steel
• Plate dimensions: 4 x Ø 180 mm
• 4 adjustable thermostats 50 °C to 400 °C
• Safety thermostat
• Oven dimensions: W 548 x D 360 x H 338 mm
• Ventilated heat system
• Adjustable thermostat from 50 °C to 300 °C
• Frequency: 50 Hz
• Power: 4 x 2 kW / 400 V + 3.1 kW / 230 V
• Dimensions: W 660 x D 600 x H 900 mm
• Weight: 65 kg
• EAN 3611630092463

Reference : C6FOE4FFEV66
Price : €2.669,-






Electric 5 burners cooker with ventilated electric oven GN 1/1 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Plate dimensions: 5 x Ø 180 mm
- 5 adjustable thermostats 50 °C to 400 °C
- Safety thermostat
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 5 x 2 kW / 400 V + 3.1 kW / 230 V
- Dimensions: W 988 x D 600 x H 900 mm
- Weight: 79 kg
- EAN 3611630092470

Reference : C6FOE5FFEV99
Price : €3.339,-






Electric 6 burners cooker with ventilated electric oven GN 1/1 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Plate dimensions: 6 x Ø 180 mm
- 6 adjustable thermostats 50 °C to 400 °C
- Safety thermostat
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 6 x 2 kW / 400 V + 3.1 kW / 230 V
- Dimensions: W 988 x D 600 x H 900 mm
- Weight: 81 kg
- EAN 3611630092487

Reference : C6FOE6FFEV99
Price : €3.429,-







Gas table-top cooker 2 burners P 33

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats on 6 levels
- Piezo ignition system
- Power: 3 + 3.6 kW gas
- Dimensions: W 328 x D 609 x H 448 mm
- Weight: 10.50 kg
- EAN 3611630092340

Reference : C6FOG2FP33
Price : €649,-





Gas table-top cooker 4 burners P 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats on 6 levels
- Piezo ignition system
- Power: 2 x 3 kW + 2 x 3.6 kW gas
- Dimensions: W 658 x D 609 x H 448 mm
- Weight: 21 kg
- EAN 3611630092357

Reference : C6FOG4FP66
Price : €1.149,-





Gas table-top cooker 5 burners P 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 5 adjustable thermostats on 6 levels
- Piezo ignition system
- Power: 3 x 3.6 kW + 2 x 3 kW gas
- Dimensions: W 388 x D 609 x H 448 mm
- Weight: 61 kg
- EAN 3611630092364

Reference : C6FOG5FP99
Price : €1.539,-






Gas table-top cooker 6 burners P 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats on 6 levels
- Piezo ignition system
- Power: 3 x 3 kW + 3 x 3.6 kW gas
- Dimensions: W 988 x D 609 x H 448 mm
- Weight: 61 kg
- EAN 3611630092371

Reference : C6FOG6FP99
Price : €1.619,-




The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas table-top cooker 1 burner L 33

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat 6 levels
- Brass burners
- Power: 4.5 kW gas
- Dimensions: W 328 x D 609 x H 448 mm
- Weight: 16 kg
- EAN 3611630092425

Reference : C6FOG1FL33
Price : €779,-






Gas table-top cooker 2 burners L 33

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats 6 levels
- Brass burners
- Power: 2 x 4.5 kW gas
- Dimensions: W 328 x D 609 x H 448 mm
- Weight: 16 kg
- EAN 3611630092388

Reference : C6FOG2FL33
Price : €999,-






Gas table-top cooker 4 burners L 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats 6 levels
- Brass burners
- Power: 4 x 4.5 kW gas
- Dimensions: W 658 x D 609 x H 448 mm
- Weight: 33 kg
- EAN 3611630092395

Reference : C6FOG4FL66
Price : €1.859,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.




Cookers with 4.500 W - 8.500 W burners have the particularity of not having a piezo. Equipped with a safety thermocouple, Casselin cookers can be disassembled for easier brass cleaning.

Gas table-top cooker 5 burners L 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 5 adjustable thermostats 6 levels
- Brass burners
- Power: 5 x 4.5 kW gas
- Dimensions: W 988 x D 609 x H 448 mm
- Weight: 61 kg
- EAN 3611630092401

Reference : C6FOG5FL99
Price : €2.449,-





Gas table-top cooker 6 burners L 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats 6 levels
- Brass burners
- Power: 6 x 4.5 kW gas
- Dimensions: W 988 x D 609 x H 448 mm
- Weight: 33 kg
- EAN 3611630092418

Reference : C6FOG6FL99
Price : €2.679,-






The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas table-top cooker 2 burners 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats 6 levels
- Brass burners
- Power: 2 x 4.5 kW gas
- Dimensions: W 658 x D 609 x H 448 mm
- Weight: 30 kg
- EAN 3611630092456

Reference : C6FOG266
Price : €1.379,-






Gas table-top cooker 2 burners HP 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats 6 levels
- Brass burners
- Power: 2 x 8 kW gas
- Dimensions: W 658 x D 609 x H 448 mm
- Weight: 30 kg
- EAN 3611630092432

Reference : C6FOGHP266
Price : €1.419,-






Gas table-top cooker 3 burners 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 3 adjustable thermostats 6 levels
- Brass burners
- Power: 3 x 4.5 kW gas
- Dimensions: W 658 x D 609 x H 448 mm
- Weight: 33 kg
- EAN 3611630092449

Reference : C6FOG399
Price : €1.969,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 4 burners with electric ventilated oven GN 1/1 P 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats 50 °C to 400 °C
- Safety thermostat
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 2 x 3.6 kW + 2 x 3 kW gas + 3.1 kW / 230 V
- Dimensions: W 660 x D 600 x H 900 mm
- Weight: 81 Kg
- EAN 3611630092500

Reference : C6FOG4FFEVP66
Price : €2.839,-





Gas cooker 5 burners with electric ventilated oven GN 1/1 P 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 5 adjustable thermostats 50 °C to 400 °C
- Safety thermostat
- Neutral storage cabinet
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 3 x 3.6 kW + 2 x 3 kW gas + 3.1 kW / 230 V
- Dimensions: W 988 x D 609 x H 900 mm
- Weight: 65 kg
- EAN 3611630092517

Reference : C6FOG5FFEVP99
Price : €3.559,-





Gas cooker 6 burners with electric ventilated oven GN 1/1 P 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats 50 °C to 400 °C
- Safety thermostat
- Neutral storage cabinet
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 3 x 3.6 kW + 3 x 3 kW gas + 3.1 kW / 230 V
- Dimensions: W 988 x D 609 x H 900 mm
- Weight: 85 kg
- EAN 3611630092524

Reference : C6FOG6FFEVP99
Price : €3.649,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 4 burners with electric ventilated oven GN 1/1 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats 50 °C to 400 °C
- Safety thermostat
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 4 x 4.5 kW gas + 3.1 kW / 230 V
- Dimensions: W 660 x D 600 x H 900 mm
- Weight: 65 kg
- EAN 3611630092531

Reference : C6FOG4FFEV66
Price : €3.559,-





Gas cooker 5 burners with electric ventilated oven GN 1/1 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 5 adjustable thermostats 50 °C to 400 °C
- Safety thermostat
- Neutral storage cabinet
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 5 x 4.5 kW gas + 3.1 kW / 230 V
- Dimensions: W 988 x D 600 x H 900 mm
- Weight: 85 kg
- EAN 3611630092548

Reference : C6FOG5FFEV99
Price : €4.469,-





Gas cooker 6 burners with electric ventilated oven GN 1/1 99

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats 50 °C to 400 °C
- Safety thermostat
- Neutral storage cabinet
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 6 x 4.5 kW gas + 3.1 kW / 230 V
- Dimensions: W 988 x D 600 x H 900 mm
- Weight: 110 kg
- EAN 3611630092555

Reference : C6FOG6FFEV99
Price : €4.699,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.



Griddle plate Smooth Cast iron 33

- Stainless steel AISI 304
- Adjustable thermostat from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 23 kg
- EAN 3611630092562

Reference : C6PASFL33
Price : €619,-



Griddle plate Grooved Cast iron 33

- Stainless steel AISI 304
- Adjustable thermostat from 50 °C to 300 °C
- Grooved cast iron plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 23 kg
- EAN 3611630092586

Reference : C6PASFR33
Price : €689,-



Griddle plate Textured Chrome 33

- Stainless steel AISI 304
- Adjustable thermostat from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 23 kg
- EAN 3611630092579

Reference : C6PASCT33
Price : €819,-



Griddle plate Grooved Chrome 33

- Stainless steel AISI 304
- Adjustable thermostat from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 23 kg
- EAN 3611630092593

Reference : C6PASCR33
Price : €889,-

Griddle plate Smooth Cast iron 66

- Stainless steel AISI 304
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 650 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 45 kg
- EAN 3611630092609

Reference : C6PASFL66
Price : €1.019,-

400/3N | °C 50-300 | 10 mm IRON



Griddle plate Grooved Smooth Cast iron 66

- AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Cast-iron plate
- Smooth plate: W 320 x D 480 mm
- Grooved plate: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 45 kg
- EAN 3611630092623

Reference : C6PASFRL66
Price : €1.069,-

400/3N | °C 50-300 | 10 mm IRON



Griddle plate Textured Chrome 66

- Stainless steel AISI 304
- 2 adjustable thermostats from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 650 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 45 kg
- EAN 3611630092616

Reference : C6PASCT66
Price : €1.309,-

400/3N | °C 50-300 | 10 mm CHROMED | Cr 0,03 mm



Griddle plate Grooved Textured Chrome 66

- AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Chrome plate
- Textured plate: W 320 x D 480 mm
- Grooved plate: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 45 kg
- EAN 3611630092630

Reference : C6PASCRT66
Price : €1.359,-

400/3N | °C 50-300 | 10 mm CHROMED | Cr 0,03 mm




Griddle plate Smooth Cast iron 99

- AISI 430 stainless steel
- 3 adjustable thermostats from 50 °C to 300 °C
- Smooth cast-iron plate
- Plate dimensions: W 970 x D 480 mm
- Plate thickness: 10 mm
- 1 grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 988 x D 609 x H 436 mm
- Weight: 76 kg
- EAN 3611630092647



Reference : C6PASFL99
Price : €1.629,-




Griddle plate Grooved Smooth Cast iron 99

- AISI 430 stainless steel
- 3 adjustable thermostats from 50 °C to 300 °C
- Cast-iron plate
- Smooth plate: W 650 x D 480 mm
- Grooved plate: W 320 x D 480 mm
- Plate thickness: 10 mm
- 2 grease drip trays
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 988 x D 609 x H 436 mm
- Weight: 76 kg
- EAN 3611630092661



Reference : C6PASFRL99
Price : €1.719,-



Griddle plate Textured Chrome 99

- AISI 430 stainless steel
- 3 adjustable thermostats from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 970 x D 480 mm
- Plate thickness: 10 mm
- 2 grease drip trays
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 988 x D 609 x H 436 mm
- Weight: 76 kg
- EAN 3611630092654



Reference : C6PASCT99
Price : €1.959,-



Griddle plate Grooved Textured Chrome 99

- AISI 430 stainless steel
- 3 adjustable thermostats from 50 °C to 300 °C
- Chrome plate
- Textured plate: W 650 x D 480 mm
- Grooved plate: W 320 x D 480 mm
- Plate thickness: 10 mm
- 2 grease drip trays
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 988 x D 609 x H 436 mm
- Weight: 76 kg
- EAN 3611630092678



Reference : C6PASCRT99
Price : €2.039,-



Gas griddle plate Smooth Cast iron 33

- AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Smooth cast-iron plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 4 kW gas
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 23 kg
- EAN 3611630092685

Reference : C6PASFLG33
Price : €859,-

GAS | NATURAL LPG | 10 mm IRON



Gas griddle plate Grooved Cast iron 33

- AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved cast-iron plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 4 kW gas
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 23 kg
- EAN 3611630092708

Reference : C6PASFRG33
Price : €919,-

GAS | NATURAL LPG | 10 mm IRON



Gas griddle plate Textured Chrome 33

- AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Texured chrome plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 4 kW gas
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 23 kg
- EAN 3611630092692

Reference : C6PASCTG33
Price : €1.049,-

GAS | NATURAL LPG | 10 mm CHROMED | Cr 0,03 mm



Gas griddle plate Grooved Chrome 33

- AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 4 kW gas
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 23 kg
- EAN 3611630092791

Reference : C6PASCRG33
Price : €1.119,-

GAS | NATURAL LPG | 10 mm CHROMED | Cr 0,03 mm



The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas griddle plate Smooth Cast iron 66



- AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth cast-iron plate
- Plate dimensions: W 650 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 8 kW gas
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 45 kg
- EAN 3611630092715

Reference : C6PASFLG66
Price : €1.409,-

GAS | NATURAL / LPG | 10 mm IRON

Gas griddle plate Grooved Smooth Cast iron 66



- AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Cast-iron plate
- Smooth plate: W 320 x D 480 mm
- Grooved plate: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 8 kW gas
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 45 kg
- EAN 3611630092739

Reference : C6PASFRLG66
Price : €1.459,-

GAS | NATURAL / LPG | 10 mm IRON

Gas griddle plate Textured Chrome 66



- AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 650 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 8 kW gas
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 45 kg
- EAN 3611630092722

Reference : C6PASCTG66
Price : €1.699,-

GAS | NATURAL / LPG | 10 mm CHROMED | Cr 0,03 mm

Gas griddle plate Grooved Textured Chrome 99



- AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Chrome plate
- Textured plate: W 320 x D 480 mm
- Grooved plate: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 8 kW gas
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 45 kg
- EAN 3611630092746

Reference : C6PASCRTG66
Price : €1.739,-

GAS | NATURAL / LPG | 10 mm CHROMED | Cr 0,03 mm

The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas griddle plate Smooth Cast iron 99



- AISI 430 stainless steel
- 3 adjustable thermostats from 50 °C to 300 °C
- Smooth cast-iron plate
- Plate dimensions: W 970 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 12 kW gas
- Dimensions: W 988 x D 609 x H 436 mm
- Weight: 78 kg
- EAN 3611630092753

Reference : C6PASFLG99
Price : €2.199,-

GAS | NATURAL / LPG | 10 mm IRON

Gas griddle plate Grooved Smooth Cast iron 99



- AISI 430 stainless steel
- 3 adjustable thermostats from 50 °C to 300 °C
- Cast-iron plate
- Smooth plate: W 650 x D 480 mm
- Grooved plate: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 12 kW gas
- Dimensions: W 988 x D 609 x H 436 mm
- Weight: 78 kg
- EAN 3611630092760

Reference : C6PASFRLG99
Price : €2.299,-

GAS | NATURAL / LPG | 10 mm IRON

Gas griddle plate Textured Chrome 99



- AISI 430 stainless steel
- 3 adjustable thermostats from 50 °C to 300 °C
- Textured chrome plate
- Plate dimensions: W 970 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 12 kW gas
- Dimensions: W 988 x D 609 x H 436 mm
- Weight: 78 kg
- EAN 3611630092777

Reference : C6PASCTG99
Price : €2.539,-

GAS | NATURAL / LPG | 10 mm CHROMED | Cr 0,03 mm

Gas griddle plate Grooved Textured Chrome 99



- AISI 430 stainless steel
- 3 adjustable thermostats from 50 °C to 300 °C
- Chrome plate
- Textured plate: W 650 x D 480 mm
- Grooved plate: W 320 x D 480 mm
- Plate thickness: 10 mm
- Grease drip tray
- Power: 12 kW gas
- Dimensions: W 988 x D 609 x H 436 mm
- Weight: 78 kg
- EAN 3611630092784

Reference : C6PASCRTG99
Price : €2.619,-

GAS | NATURAL / LPG | 10 mm CHROMED | Cr 0,03 mm

The products are pre-equipped to operate on natural gas, and butane gas injectors are included.



Lava stone grill 33

- AISI 430 stainless steel grill
- Lava stone bag 5 kg
- 2 grid height positions
- «U» shaped burner tube for more even cooking
- Grease collection tray
- Grid dimensions: W 312 x D 483 mm
- Power: 6.5 kW gas
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 25 kg
- EAN 3611630092814

Reference : C6CGPL33
Price : €1.149,-





Lava stone grill double 66

- AISI 430 stainless steel grill
- Lava stone bags 2 x 5 kg
- 2 grid height positions
- «U» shaped burner tube for more even cooking
- Grease collection tray
- Grid dimensions: 2 x W 312 x D 483 mm
- Power: 13 kW gas
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 49 kg
- EAN 3611630092821

Reference : C6CGPLD66
Price : €1.979,-






Meat grid for CGPL

- Dimensions: W 312 x D 483 x H 49 mm
- Weight: 4.50 kg
- EAN 3611630092838

Reference : C6GVCGPL
Price : €219,-





Fish grid for CGPL

- Dimensions: W 312 x D 483 x H 49 mm
- Weight: 4.50 kg
- EAN 3611630092845

Reference : C6GPCGPL
Price : €199,-



The products are pre-equipped to operate on natural gas, and butane gas injectors are included.



Lava stone, known for its ability to retain and evenly distribute heat, is perfect for searing and grilling food. Casselin lava stone grills enable healthy, flavorful cooking, preserving the natural flavors of ingredients.

Electric water grill 33

- Stainless steel grill
- Adjustable thermostats 6 levels
- Grill dimensions: W 312 x D 483 mm
- Frequency: 50 Hz
- Power: 3.3 kW / 230 V
- Dimensions: W 330 x D 630 x H 450 mm
- Weight: 13.5 kg
- EAN 3611630092807

Reference : C6CGEO33
Price : €1.639,-





Electric frying pan 6 liters with drain tap 33

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Drain tap
- Thermostat réglable de 50 °C à 300 °C
- Tank capacity : 6 L
- Safety thermostat
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 328 x D 630 x H 447 mm
- Weight: 26.20 kg
- EAN 3611630093071

Reference : C6SEV633
Price : €1.049,-







The Casselin fryer's cold zone is a major asset. Thanks to this function, food residues fall into a separate area below the main cooking zone. This prevents the carbonization of food particles, avoiding the formation of undesirable aromas and preserving the freshness of the oil. In addition, the cold zone helps maintain the quality of the fries by preventing burnt particles from adhering to those being cooked.


Electric deep fryer with drain tap 8 liters 33

- AISI 304 stainless steel
- 1 tank 8 liters capacity
- 1 basket: W 210 x D 235 x H 100 mm
- Drain tap
- Cold zone technology
- Adjustable thermostat from 50 °C to 190 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 328 x D 609 x H 448 mm
- Weight: 8 kg
- EAN 3611630092852



Reference : C6FEV833
Price : €879,-






Electric deep fryer with drain tap 2 x 8 liters 66

- AISI 304 stainless steel
- 2 tanks 8 liters capacity
- 2 baskets: 2 x W 210 x D 235 x H 100 mm
- Drain tap
- Cold zone technology
- 2 adjustable thermostats from 50 °C to 190 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 2 x 3 kW / 230 V
- Dimensions: W 328 x D 609 x H 448 mm
- Weight: 16 kg
- EAN 3611630092876



Reference : C6FEV8266
Price : €1.679,-






Electric deep fryer with drain tap 8 liters T 33

- AISI 304 stainless steel
- 1 tank 8 liters capacity
- 1 basket: W 210 x D 235 x H 100 mm
- Drain tap
- Cold zone technology
- Adjustable thermostat from 50 °C to 190 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 328 x D 609 x H 448 mm
- Weight: 8 kg
- EAN 3611630092869



Reference : C6FEV8T33
Price : €1.029,-




Electric deep fryer with drain tap 2 x 8 liters T 66

- AISI 304 stainless steel
- 2 tanks 8 liters capacity
- 2 baskets: 2 x W 210 x D 235 x H 100 mm
- Drain tap
- Cold zone technology
- 2 adjustable thermostats from 50 °C to 190 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 12 kW / 400 V
- Dimensions: W 658 x D 609 x H 448 mm
- Weight: 16 kg
- EAN 3611630092883




Reference : C6FEV82T66
Price : €1.999,-



Electric deep fryer 8 liters with open cabinet 33

- AISI 304 stainless steel
- Tank capacity: 8 liters
- Basket dimensions: W 210 x D 235 x H 100 mm
- Safety thermostat
- Adjustable temperature from 50 °C to 190 °C
- Drain tap
- Cold zone technology
- Power switch
- Oil drip tray inside stand
- Height-adjustable feet
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 328 x D 609 x H 900 mm
- Weight: 32 kg
- EAN 3611630092906

Reference : C6FE833S
Price : €1.299,-









Electric deep fryer 2 x 8 liters with open cabinet 66

- AISI 304 stainless steel
- Tank capacity: 2 x 8 liters
- Basket dimensions: 2 x W 210 x D 235 x H 100 mm
- Safety thermostat
- Adjustable temperature from 50 °C to 190 °C
- Drain tap
- Cold zone technology
- Power switch
- Oil drip tray inside stand
- Height-adjustable feet
- Frequency: 50 Hz
- Power: 12 kW / 400 V
- Dimensions: W 658 x D 609 x H 900 mm
- Weight: 50 kg
- EAN 3611630092913

Reference : C6FE8266S
Price : €2.399,-








Electric freestanding fryer 13 liters

- AISI 304 stainless steel
- Cold zone technology
- Stainless steel heating element
- Safety thermostat
- Adjustable thermostat from 50 °C to 190 °C
- Drain tap
- Container capacity: 13 liters
- Oil drip tray inside the holder
- Adjustable height
- Basket dimensions: W 210 x D 300 x H 120 mm
- Frequency: 50/60 Hz
- Power: 9.9 kW / 400 V
- Dimensions: W 330 x D 600 x H 860-920 mm
- Weight: 34 kg
- EAN 3611630001274



Reference : CFP13
Price : €1.399,-







Electric freestanding fryer 2 x 13 liters

- Stainless steel AISI 304
- Cold zone technology
- Stainless steel heating element
- Safety thermostat
- Adjustable thermostat from 50 °C to 190 °C
- Drain tap
- Container capacity: 2 x 13 liters
- Oil drip tray inside the holder
- Adjustable height
- Basket dimensions: W 210 x D 300 x H 120 mm
- Frequency: 50/60 Hz
- Power: 2 x 9.9 kW / 400 V
- Dimensions: W 640 x D 600 x H 860-920 mm
- Weight: 64 kg
- EAN 3611630001281



Reference : CFP132
Price : €2.579,-






Electric deep fryer with drain tap 16 liters 66

- AISI 304 stainless steel
- 1 tank: 16 liters capacity
- 1 basket: W 455 x D 245 x H 85 mm
- Adjustable thermostats from 50 °C to 190 °C
- Cold zone technology
- Safety thermostat
- Drain tap
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 658 x D 609 x H 448 mm
- Weight: 15 kg
- EAN 3611630092890

Reference : C6FEV1666
Price : €1.439,-








Gas deep fryer with drain tap 8 liters 33



- Tank in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 tank : W 311 x D 339 x H 275 mm
- 1 basket: W 210 x D 235 x H 100 mm
- Tank capacity: 8 liters
- Thermostat adjustable from 50 °C to 190 °C
- Cold zone technology
- Piezo ignition
- Safety thermostat
- Drain tap
- Power: 8 kW gas
- Dimensions: W 330 x D 600 x H 480 mm
- Weight: 21.7 kg
- EAN 3611630092920

Reference : C6FGV833
Price : €1.939,-





Baskets for deep fryers







Baskets	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Basket 1/1 for deep fryers C6FEV8	210 x 235 x 100	0.7	3611630092937	**C6P1F8**	**€69,-**
Basket 1/2 for deep fryers C6FEV8	100 x 235 x 100	0.5	3611630092944	**C6P2F8**	**€79,-**
Basket 1/1 for deep fryers C6FEV13	210 x 300 x 120	0.7	3611630092951	**C6P1F13**	**€99,-**
Basket 1/2 for deep fryers C6FEV13	100 x 300 x 120	0.5	3611630092968	**C6P2F13**	**€79,-**
Basket 1/3 for deep fryers C6FEV13	132 x 235 x 100	1.1	3611630092975	**C6P3F13**	**€59,-**
Basket for deep fryer C6FEV16	455 x 245 x 85	0.5	3611630092982	**C6CPF16**	**€139,-**

French fry warmer GN 1/2 with ceramic heating element 33



- AISI 304 stainless steel tank
- Structure in 340 stainless steel
- Ceramic heating element
- Thermostat adjustable from 30 °C to 90 °C
- Drain tap
- Salting tray included
- GN 1/2 capacity, 200 mm depth
- Frequency: 50 Hz
- Power: 850 W / 230 V
- Dimensions: W 328 x D 609 x H 484 mm
- Weight: 13.1 kg
- EAN 3611630092999

Reference : C6CF1233
Price : €979,-



Pasta cooker 8 liters 33




- AISI 304 stainless steel
- Tank capacity: 8 liters
- Tank dimensions: W 300 x D 420 x H 100 mm
- Temperature adjustable from 30 °C to 110 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 3 kW / 400 V
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 7 kg

> Basket not included

- EAN 3611630093002

Reference : C6CAP833
Price : €819,-



Pasta cooker 2 x 8 liters 66




- AISI 304 stainless steel
- Tank capacity: 2 x 8 liters
- Tank dimensions: 2 x W 300 x D 420 x H 100 mm
- Temperature adjustable from 30 °C to 110 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 15 kg

> Basket not included

- EAN 3611630093019

Reference : C6CAP8266
Price : €1.579,-



Baskets for pasta cooker C6CAP







Baskets	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Basket 1/1	200 x 280 x 135	1.2	3611630093026	**C6P1CAP8**	**€179,-**
Basket 1/2	100 x 280 x 135	0.6	3611630093033	**C6P2CAP8**	**€169,-**
Basket 1/3	100 x 138 x 135	0.3	3611630093040	**C6P3CAP8**	**€99,-**



Bain-marie GN 1/1 with drain tap 33

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Drain tap
- Adjustable thermostat from 30 °C to 90 °C
- Capacity GN 1/1 - 150 mm depth
- Safety thermostat
- Frequency: 50 Hz
- Power: 1.5 kW / 230 V
- Dimensions: W 328 x D 609 x H 436 mm
- Weight: 10 kg
- EAN 3611630093057

Reference : C6BMV133
Price : €559,-



Double bain-marie GN 1/1 with drain tap 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 drain taps
- 2 adjustable thermostats from 30 °C to 90 °C
- 2 x GN 1/1 capacity - 150 mm depth
- Safety thermostat
- Frequency: 50 Hz
- Power: 3 kW / 230 V
- Dimensions: W 658 x D 609 x H 436 mm
- Weight: 20 kg
- EAN 3611630093064

Reference : C6DBMV66
Price : €999,-





Worktop with sink 33

- AISI 304 stainless steel tank
- Structure in 340 stainless steel
- Mixing tap and siphon
- Internal dimensions: W 230 x D 300 x H 200 mm
- Dimensions: W 328 x D 609 x H 435 mm
- Weight: 7 kg
- EAN 3611630093088

Reference : C6MTE33
Price : €709,-



Neutral worktop 33

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Useful dimensions: W 280 x D 480 mm
- Dimensions: W 328 x D 609 x H 448 mm
- Weight: 6 kg
- EAN 3611630093095

Reference : C6PTN33
Price : €239,-



Neutral worktop 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Useful dimensions: W 600 x D 480 mm
- Dimensions: W 658 x D 609 x H 445 mm
- Weight: 13 kg
- EAN 3611630093101

Reference : C6PTN66
Price : €369,-



Heated worktop 66

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 30 °C à 90 °C
- Useful dimensions: W 600 x D 480 mm
- Frequency: 50 Hz
- Power: 700 W / 230 V
- Dimensions: W 658 x D 609 x H 445 mm
- Weight: 12.5 kg
- EAN 3611630093118

Reference : C6PTC66
Price : €539,-



230/1N

°C 30-90



Open cabinet

Cabinet	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Open cabinet 33	330 x 510 x 570	12.3	3611630093125	**C6SO33**	**€339,-**
Open cabinet 66	660 x 510 x 570	16.5	3611630093132	**C6SO66**	**€409,-**
Open cabinet 99	990 x 510 x 570	21.5	3611630093149	**C6SO99**	**€509,-**
Open cabinet 132	1320 x 510 x 570	25.9	3611630093156	**C6SO132**	**€569,-**



Cabinet

Cabinet	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Cabinet 33	330 x 530 x 570	9.1	3611630093163	**C6SF33**	**€249,-**
Cabinet 66	660 x 530 x 570	11.7	3611630093170	**C6SF66**	**€309,-**





Cabinet with doors

Cabinet	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Cabinet with door 33	330 x 530 x 570	12.1	3611630093187	**C6S1P33**	**€429,-**
Cabinet with 2 doors 66	660 x 530 x 570	17.5	3611630093194	**C6S2P66**	**€669,-**





Cabinet with drawers

Cabinet	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Cabinet with 2 drawers 33	330 x 530 x 570	21	3611630093200	**C6S2T33**	**€759,-**
Cabinet with 2 drawers 66	660 x 530 x 570	27	3611630093217	**C6S2T66**	**€909,-**

Set of 4 wheels for cabinet

- 4 wheels including 2 brakes
- Weight: 0.8 kg
- EAN 3611630093224

Reference : C6L4RS
Price : €189,-





GASTRO ECONOMY

LINE 700

- BAIN-MARIE 250
- PASTA COOKER 248
- ELECTRIC TABLE-TOP COOKER 206
- ELECTRIC TABLE-TOP COOKER SOLID TOPS 210
- ELECTRIC COOKER WITH OPEN CABINET 207
- ELECTRIC COOKER SOLID TOPS WITH ELECTRIC OVEN 212
- ELECTRIC COOKER SOLID TOPS WITH OPEN CABINET 211
- ELECTRIC COOKER WITH ELECTRIC OVEN 208
- GAS TABLE-TOP COOKER 214
- GAS TABLE-TOP COOKER + SOLID TOP 222
- GAS TABLE-TOP COOKER WITH OPEN CABINET 216
- GAS TABLE-TOP COOKER + SOLID TOP WITH OPEN CABINET 223
- GAS COOKER SOLID TOP WITH ELECTRIC OVEN 224
- GAS COOKER + SOLID TOP WITH GAS OVEN 225
- GAS COOKER WITH ELECTRIC OVEN 218
- GAS COOKER WITH GAS OVEN 220
- ELECTRIC DEEP FRYER 245
- ELECTRIC DEEP FRYER WITH OPEN CABINET 247
- GAS DEEP FRYER 246
- LAVA STONE GRILL 242
- CABINET 254
- WORK MODULE 252
- GRIDDLE PLATE 227
- GRIDDLE PLATE WITH OPEN CABINET 230
- GAS GRIDDLE PLATE 235
- GAS GRIDDLE PLATE WITH OPEN CABINET 238





Electric table-top cooker 2 burners 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 400 °C
- Plate dimensions: 2 x Ø 220 mm
- Frequency: 50 Hz
- Power: 2 x 2.6 kW / 400 V
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 20 kg
- EAN 3611630093231

Reference : C7FOE2F40
Price : €949,-





Electric table-top cooker 4 burners 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats from 50 °C to 400 °C
- Plate dimensions: 4 x Ø 220 mm
- Frequency: 50 Hz
- Power: 4 x 2.6 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 39 kg
- EAN 3611630093248

Reference : C7FOE4F80
Price : €1.489,-





Electric table-top cooker 6 burners 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats from 50 °C to 400 °C
- Plate dimensions: 6 x Ø 220 mm
- Frequency: 50 Hz
- Power: 6 x 2.6 kW / 400 V
- Dimensions: W 1200 x D 700 x H 330 mm
- Weight: 56 kg
- EAN 3611630093255

Reference : C7FOE6F120
Price : €2.139,-



Electric cooker 2 burners with open cabinet 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 400 °C
- Plate dimensions: 2 x Ø 220 mm
- Frequency: 50 Hz
- Power: 2 x 2.6 kW / 400 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 32 kg
- EAN 3611630093262

Reference : C7FOE2F40S
Price : €1.279,-





Electric cooker 4 burners with open cabinet 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats from 50 °C to 400 °C
- Plate dimensions: 4 x Ø 220 mm
- Frequency: 50 Hz
- Power: 4 x 2.6 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 55 kg
- EAN 3611630093279

Reference : C7FOE4F80S
Price : €1.899,-





Electric cooker 6 burners with open cabinet 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats from 50 °C to 400 °C
- Plate dimensions: 6 x Ø 220 mm
- Frequency: 50 Hz
- Power: 6 x 2.6 kW / 400 V
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 80 kg
- EAN 3611630093286

Reference : C7FOE6F120S
Price : €2.679,-





Electric 4 burners cooker with ventilated electric oven GN 1/1 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Plate dimensions: 4 x Ø 220 mm
- 4 adjustable thermostats 6 levels
- Safety thermostat
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 4 x 2.6 kW / 400 V + 3.1 kW / 230 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 80 kg
- EAN 3611630093521

Reference : C7FOE4FFV80
Price : €3.249,-






Electric 4 burners cooker with static electric oven GN 2/1 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Plate dimensions: 4 x Ø 220 mm
- 4 adjustable thermostats 6 levels
- Safety thermostat
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 4 x 2,6 kW + 6.3 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 89 kg
- EAN 3611630093538

Reference : C7FOE4FFS80
Price : €3.789,-





Electric 6 burners cooker with ventilated electric oven GN 1/1 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Plate dimensions: 6 x Ø 220 mm
- 6 adjustable thermostats 6 levels
- Safety thermostat
- Neutral storage cabinet
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 6 x 2.6 kW / 400 V + 3.1 kW / 230 V
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 111 kg
- EAN 3611630093545

Reference : C7FOE6FFV120
Price : €4.299,-






Electric 6 burners cooker with static electric oven GN 2/1 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Plate dimensions: 6 x Ø 220 mm
- 6 adjustable thermostats 6 levels
- Safety thermostat
- Neutral storage cabinet
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 6 x 2,6 kW + 6.3 kW / 400 V
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 120 kg
- EAN 3611630094603

Reference : C7FOE6FFS120
Price : €4.819,-








Electric table-top cooker 2 solid tops 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 400 °C
- 2 plates: W 300 x D 300 mm
- Safety thermostat
- Grease drip tray
- Frequency: 50 Hz
- Power: 2 x 2.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 39,3 kg
- EAN 3611630093293

Reference : C7FOE2P40
Price : €1.669,-






Electric table-top cooker 4 solid tops 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats from 50 °C to 400 °C
- 4 plates: W 300 x D 300 mm
- Safety thermostat
- Grease drip tray
- Frequency: 50 Hz
- Power: 4 x 2.5 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 73.8 kg
- EAN 3611630093309

Reference : C7FOE4P80
Price : €2.839,-






Electric table-top cooker 6 solid tops 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats from 50 °C to 400 °C
- 6 plates: W 300 x D 300 mm
- Safety thermostat
- Grease drip tray
- Frequency: 50 Hz
- Power: 6 x 2,5 kW / 400 V
- Dimensions: W 1200 x D 700 x H 330 mm
- Weight: 108.5 kg
- EAN 3611630093316


Reference : C7FOE6P120
Price : €4.119,-



Electric cooker 2 solid tops 40 with open cabinet

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 400 °C
- 2 plates: W 300 x D 300 mm
- Safety thermostat
- Grease drip tray
- Frequency: 50 Hz
- Power: 2 x 2.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 65 kg
- EAN 3611630093323

Reference : C7FOE2P40S
Price : €1.989,-






Electric cooker 4 solid tops 80 with open cabinet

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats from 50 °C to 400 °C
- 4 plates: W 300 x D 300 mm
- Safety thermostat
- Grease drip tray
- Frequency: 50 Hz
- Power: 4 x 2.5 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 105 kg
- EAN 3611630093330

Reference : C7FOE4P80S
Price : €3.249,-






Electric cooker 6 solid tops 120 with open cabinet

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats from 50 °C to 400 °C
- 6 plates: W 300 x D 300 mm
- Safety thermostat
- Grease drip tray
- Frequency: 50 Hz
- Power: 6 x 2.5 kW / 400 V
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 129,4 kg
- EAN 3611630093347

Reference : C7FOE6P120S
Price : €4.669,-





Electric 4 solid tops cooker with ventilated electric oven GN 1/1 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats from 50 °C to 300 °C
- 4 plates: W 300 x D 300 mm
- Safety thermostat
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 4 x 2.5 kW / 400 V + 3.1 kW / 230 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 132 kg
- EAN 3611630094610



Reference : C7FOE4PFV80
Price : €4.699,-



Electric 4 solid tops cooker with static electric oven GN 2/1 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 adjustable thermostats from 50 °C to 300 °C
- 4 plates: W 300 x D 300 mm
- Safety thermostat
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 4 x 2,5 kW + 6.3 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 127 kg
- EAN 3611630094627



Reference : C7FOE4PFS80
Price : €5.349,-




Electric 6 solid tops cooker with static electric oven GN 2/1 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 adjustable thermostats from 50 °C to 300 °C
- 6 plates: W 300 x D 300 mm
- Safety thermostat
- Neutral storage cabinet
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 6 x 2,5 kW + 6.3 kW / 400 V
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 173 kg
- EAN 3611630094634



Reference : C7FOE6PFS120
Price : €7.049,-




GASTRO ECONOMY



Gas table-top cooker 2 burners 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 cast-iron burners
- Power: 3.5 kW + 6 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 25 kg
- EAN 3611630093354

Reference : C7FOG2F40
Price : €1.149,-





Gas table-top cooker 4 burners 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 cast-iron burners
- Power: 3.5 kW + 3 x 6 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 32 kg
- EAN 3611630093361

Reference : C7FOG4F80
Price : €1.929,-






Gas table-top cooker 6 burners 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 cast-iron burners
- Power: 2 x 3.5 kW + 4 x 6 kW gas
- Dimensions: W 1200 x D 700 x H 330 mm
- Weight: 55 kg
- EAN 3611630093378

Reference : C7FOG6F120
Price : €2.749,-



Support for wok pan

- Dimensions: Ø 225 x H 35 mm
- Weight: 1.90 kg
- EAN 3611630093514

Reference : C7SPW
Price : €279,-



The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas table-top cooker 2 burners HP 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 brass burners
- Power: 4.5 kW + 7.5 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 30 kg
- EAN 3611630093415

Reference : C7FOG2FHP40
Price : €1.439,-






Gas table-top cooker 4 burners HP 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 brass burners
- Power: 4.5 kW + 3 x 7.5 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 50 kg
- EAN 3611630093422

Reference : C7FOG4FHP80
Price : €2.479,-





Gas table-top cooker 6 burners HP 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 brass burners
- Power: 2 x 4.5 kW + 4 x 7.5 kW gas
- Dimensions: W 1200 x D 700 x H 330 mm
- Weight: 58 kg
- EAN 3611630093439

Reference : C7FOG6FHP120
Price : €3.589,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.



Gas cooker 2 burners with open cabinet 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 cast-iron burners
- Power: 3.5 kW + 6 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 28 kg
- EAN 3611630093385

Reference : C7FOG2F40S
Price : €1.479,-





Gas cooker 4 burners with open cabinet 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 cast-iron burners
- Power: 3.5 kW + 3 x 6 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 48 kg
- EAN 3611630093392

Reference : C7FOG4F80S
Price : €2.349,-






Gas cooker 6 burners with open cabinet 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 cast-iron burners
- Power: 2 x 3.5 kW + 4 x 6 kW gas
- Dimensions: W 1200 x D 700 x H 330 mm
- Weight: 69 kg
- EAN 3611630093408

Reference : C7FOG6F120S
Price : €3.299,-



The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 2 burners with open cabinet HP 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 brass burners
- Power: 4.5 kW + 7.5 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 46 kg
- EAN 3611630093446

Reference : C7FOG2FHP40S
Price : €1.769,-






Gas cooker 4 burners with open cabinet HP 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 brass burners
- Power: 4.5 kW + 3 x 7.5 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 65 kg
- EAN 3611630093453

Reference : C7FOG4FHP80S
Price : €2.889,-





Gas cooker 6 burners with open cabinet HP 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 brass burners
- Power: 2 x 4.5 kW + 4 x 7.5 kW gas
- Dimensions: W 1200 x D 700 x H 330 mm
- Weight: 92 kg
- EAN 3611630093460

Reference : C7FOG6FHP120S
Price : €4.129,-






The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 4 burners with ventilated electric oven GN 1/1 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 brass burners
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 3 x 6 kW + 3.5 kW gas + 3.1 kW / 230 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 73 kg
- EAN 3611630093613

Reference : C7FOG4FFV80
Price : €3.749,-





Gas cooker 4 burners ventilated electric oven GN 1/1 HP 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 cast iron burners
- Oven dimensions: W 548 x D 360 x H 338 mm
- Ventilated heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 3 x 7.5 kW + 4.5 kW gas + 3,1 kW / 230 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 78 kg
- EAN 3611630093644

Reference : C7FOG4FFVHP80
Price : €4.339,-






Gas cooker 4 burners with static electric oven GN 2/1 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 cast-iron burners
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 3 x 6 kW + 3.5 kW gas + 6,3 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 83 kg
- EAN 3611630093620

Reference : C7FOG4FFS80
Price : €4.299,-






The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 4 burners with static electric oven GN 2/1 HP 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 cast-iron burners
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 3 x 7.5 kW + 4.5 kW gas + 6.3 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 98 kg
- EAN 3611630093651

Reference : C7FOG4FFSHP80
Price : €4.859,-






Gas cooker 6 burners with static electric oven GN 2/1 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 cast-iron burners
- Neutral storage cabinet
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 4 x 6 kW + 2 x 3,5 kW gas + 6.3 kW / 400 V
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 115 kg
- EAN 3611630093637

Reference : C7FOG6FFS120
Price : €5.529,-






Gas cooker 6 burners with static electric oven GN 2/1 HP 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 cast-iron burners
- Neutral storage cabinet
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 4 x 7.5 kW + 2 x 4.5 kW gas + 6.3 kW / 400 V
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 125 kg
- EAN 3611630093668

Reference : C7FOG6FFSHP120
Price : €6.349,-






The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 4 burners with gas oven GN 2/1 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 cast-iron burners
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Power: 3 x 6 kW + 3.5 kW + 6 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 64 kg
- EAN 3611630093552

Reference : C7FOG4FFG80
Price : €4.449,-





Gas cooker 4 burners with gas oven GN 2/1 HP 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 4 brass burners
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Power: 3 x 7.5 kW + 4.5 kW + 6 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 105 kg
- EAN 3611630093576

Reference : C7FOG4FFGHP80
Price : €4.999,-







The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 6 burners with gas oven GN 2/1 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 cast-iron burners
- Neutral storage cabinet
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Power: 4 x 6 kW + 2 x 3.5 kW + 6 kW gas
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 129 kg
- EAN 3611630093569

Reference : C7FOG6FFG120
Price : €5.639,-









Gas cooker 6 burners with gas oven GN 2/1 HP 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 6 brass burners
- Neutral storage cabinet
- Oven dimensions: W 682 x D 558 x H 348 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Power: 4 x 7.5 kW + 2 x 4.5 kW + 6 kW gas
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 141 kg
- EAN 3611630093583

Reference : C7FOG6FFGHP120
Price : €6.459,-









The products are pre-equipped to operate on natural gas, and butane gas injectors are included.



Solid top cookers offer a modern, efficient alternative for cooking, with a focus on safety, energy efficiency and ease of use.



Gas table-top cooker 2 burners + 1 solid top 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 solid top
- 2 brass burners
- Adjustable thermostats 6 levels
- Piezo ignition system
- Power: 6.6 kW + 4 kW + 8 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 79 kg
- EAN 3611630093477


Reference : C7FOG2F1P80
Price : €2.999,-



Gas table-top cooker 4 burners + 1 solid top 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 solid top
- 4 brass burners
- Adjustable thermostats 6 levels
- Piezo ignition system
- Power: 6.6 kW + 4 kW + 3 x 8.5 kW gas
- Dimensions: W 1200 x D 700 x H 330 mm
- Weight: 91 kg
- EAN 3611630093484

Reference : C7FOG4F1P120
Price : €4.079,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 2 burners + 1 solid top with open cabinet 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 solid top
- 2 brass burners
- Adjustable thermostats 6 levels
- Piezo ignition system
- Power: 6.6 kW + 4 kW + 8.5 kW gas
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 97 kg
- EAN 3611630093491

Reference : C7FOG2F1P80S
Price : €3.419,-






Gas cooker 4 burners + 1 solid top with open cabinet 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 solid top
- 4 brass burners
- Adjustable thermostats 6 levels
- Piezo ignition system
- Power: 6.6 kW + 4 kW + 3 x 8.5 kW gas
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 129 kg
- EAN 3611630093507

Reference : C7FOG4F1P120S
Price : €4.619,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 2 burners + 1 solid top with gas oven GN 2/1 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 solid top
- 2 brass burners
- Adjustable thermostats 6 levels
- Piezo ignition system
- Oven dimensions: W 657 x D 558 x H 308 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 6.6 kW + 8.5 kW + 4 kW gas + 6.3 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 140 kg
- EAN 3611630093675

Reference : C7FOG2F1PFGHP80
Price : €5.409,-





Gas cooker 2 burners + 1 solid top with gas oven GN 1/1 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 solid top
- 2 brass burners
- Adjustable thermostats 6 levels
- Piezo ignition system
- Oven dimensions: W 548 x D 360 x H 338 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Power: 6.6 kW + 4 kW + 8.5 kW + 6 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 140 kg
- EAN 3611630093590

Reference : C7FOG2F1PFG80
Price : €5.549,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas cooker 4 burners + 1 solid top static electric oven GN 2/1 HP 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 solid top
- 4 brass burners
- Adjustable thermostats 6 levels
- Piezo ignition system
- Neutral storage cabinet
- Oven dimensions: W 657 x D 558 x H 335 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Frequency: 50 Hz
- Power: 6.6 kW + 3 x 8.5 kW + 4 kW gas + 6.3 kW / 400 V
- Dimensions: W 1 200 x D 700 x H 900 mm
- Weight: 140 kg
- EAN 3611630093682

Reference : C7FOG4F1PFSHP120
Price : €6.959,-





Gas cooker 4 burners + 1 solid top with gas oven GN 1/1 120

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 solid top
- 4 brass burners
- Adjustable thermostats 6 levels
- Neutral storage cabinet
- Piezo ignition system
- Oven dimensions: W 548 x D 360 x H 338 mm
- Static heat system
- Adjustable thermostat from 50 °C to 300 °C
- Power: 6.6 kW + 4 kW + 3 x 8.5 kW + 6 kW gas
- Dimensions: W 1200 x D 700 x H 900 mm
- Weight: 175 kg
- EAN 3611630093606

Reference : C7FOG4F1PFG120
Price : €7.019,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.


GASTRO ECONOMY

Griddle plate Smooth Cast iron 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 4.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 36 kg
- EAN 3611630093699

Reference : C7PASFL40
Price : €1.419,-

400/3N | °C 50-300 | 12 mm IRON



Griddle plate Grooved Cast iron 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved cast iron plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 4.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 36 kg
- EAN 3611630093712

Reference : C7PASFR40
Price : €1.479,-

400/3N | °C 50-300 | 12 mm IRON



Griddle plate Smooth Chrome 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Smooth chrome plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 4.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 36 kg
- EAN 3611630093705

Reference : C7PASCL40
Price : €1.589,-

400/3N | °C 50-300 | 12 mm CHROMED | Cr 0,03 mm



Griddle plate Grooved Chrome 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 4.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 36 kg
- EAN 3611630093729

Reference : C7PASCR40
Price : €1.639,-

400/3N | °C 50-300 | 12 mm CHROMED | Cr 0,03 mm





Griddle plate Smooth Cast iron 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 66 kg
- EAN 3611630093736

Reference : C7PASFL80
Price : €2.219,-

400/3N | °C 50-300 | 12 mm IRON



Griddle plate Grooved Smooth Cast iron 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Cast-iron plate
- Grooved plate: W 400 x D 510 mm
- Smooth plate: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 66 kg
- EAN 3611630093750

Reference : C7PASFRL80
Price : €2.249,-

400/3N | °C 50-300 | 12 mm IRON



Griddle plate Grooved Cast iron 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Grooved cast-iron plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 66 kg
- EAN 3611630093774

Reference : C7PASFR80
Price : €2.339,-

400/3N | °C 50-300 | 12 mm IRON

Griddle plate Smooth Chrome 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth chrome plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 66 kg
- EAN 3611630093743

Reference : C7PASCL80
Price : €2.499,-



400/3N | 50-300 | 12 mm CHROMED | Cr 0,03 mm

Griddle plate Grooved Smooth Chrome 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Chrome plate
- Grooved plate: W 400 x D 510 mm
- Smooth plate: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 66 kg
- EAN 3611630093767

Reference : C7PASCRL80
Price : €2.529,-



400/3N | 50-300 | 12 mm CHROMED | Cr 0,03 mm

Griddle plate Grooved Chrome 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 66 kg
- EAN 3611630093781

Reference : C7PASCR80
Price : €2.609,-



400/3N | 50-300 | 12 mm CHROMED | Cr 0,03 mm

Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl




Together, the Casselin griddle and cabinet make a high-performance equipment, ready to take on any gastronomic challenge. Robust and well conceived, they ensure perfect stability while offering sturdy storage space for your kitchen utensils.

Griddle plate Smooth Cast iron with open cabinet 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 4.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 47 kg
- EAN 3611630093798

Reference : C7PASFL40S
Price : €1.749,-





Griddle plate Grooved Cast iron with open cabinet 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved cast iron plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 4.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 47 kg
- EAN 3611630093811

Reference : C7PASFR40S
Price : €1.799,-





Griddle plate Smooth Chrome with open cabinet 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Smooth chrome plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 4.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 47 kg
- EAN 3611630093804

Reference : C7PASCL40S
Price : €1.909,-





Griddle plate Grooved Chrome with open cabinet 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 4.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 47 kg
- EAN 3611630093828

Reference : C7PASCR40S
Price : €1.969,-





Griddle plate Smooth Cast iron with open cabinet 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 81 kg
- EAN 3611630093835

Reference : C7PASFL80S
Price : €2.639,-

400/3N | °C 50-300 | 12 mm IRON



Griddle plate Grooved Smooth Cast iron with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Cast-iron plate
- Grooved plate: W 400 x D 510 mm
- Smooth plate: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 81 kg
- EAN 3611630093859

Reference : C7PASFRL80S
Price : €2.659,-

400/3N | °C 50-300 | 12 mm IRON



Griddle plate Grooved Cast iron with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Grooved cast-iron plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 81 kg
- EAN 3611630093873

Reference : C7PASFR80S
Price : €2.749,-

400/3N | °C 50-300 | 12 mm IRON



Griddle plate Smooth Chrome with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth chrome plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 81 kg
- EAN 3611630093842

Reference : C7PASCL80S
Price : €2.919,-



400/3N | °C 50-300 | 12 mm CHROMED | Cr 0,03 mm

Griddle plate Grooved Smooth Chrome with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Chrome plate
- Grooved plate: W 400 x D 510 mm
- Smooth plate: W 400 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 81 kg
- EAN 3611630093866

Reference : C7PASCRL80S
Price : €2.939,-



400/3N | °C 50-300 | 12 mm CHROMED | Cr 0,03 mm

Griddle plate Grooved Chrome with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Grease drip tray
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 81 kg
- EAN 3611630093880

Reference : C7PASCR80S
Price : €3.029,-



400/3N | °C 50-300 | 12 mm CHROMED | Cr 0,03 mm

Gas griddle plate Smooth Cast iron 40

- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 7 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 38 kg
- EAN 3611630093897

Reference : C7PASFLG40
Price : €1.689,-

GAS | PIEZO | 12 mm IRON



Gas griddle plate Grooved Cast iron 40

- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved cast iron plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 7 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 38 kg
- EAN 3611630093910

Reference : C7PASFRG40
Price : €1.729,-

GAS | PIEZO | 12 mm IRON



Gas griddle plate Smooth Chrome 40

- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Smooth chrome plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 7 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 38 kg
- EAN 3611630093903

Reference : C7PASCLG40
Price : €1.859,-

GAS | PIEZO | 12 mm CHROMED | Cr 0,03 mm



Gas griddle plate Grooved Chrome 40

- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 7 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 38 kg
- EAN 3611630093927

Reference : C7PASCRG40
Price : €1.899,-

GAS | PIEZO | 12 mm CHROMED | Cr 0,03 mm



The products are pre-equipped to operate on natural gas, and butane gas injectors are included.



Gas griddle plate Smooth Cast iron 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 69 kg
- EAN 3611630093934

Reference : C7PASFLG80
Price : €2.819,-





Gas griddle plate Grooved Smooth Cast iron 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Cast-iron plate
- Smooth plate dimensions: W 400 x D 510 mm
- Grooved plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 69 kg
- EAN 3611630093958

Reference : C7PASFRLG80
Price : €2.829,-





Gas griddle plate Grooved Cast iron 80

- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved cast iron plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 69 kg
- EAN 3611630093972

Reference : C7PASFRG80
Price : €2.919,-



The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas griddle plate Smooth Chrome 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth chrome plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 69 kg
- EAN 3611630093941

Reference : C7PASCLG80
Price : €3.089,-



GAS | PIEZO | 12 mm CHROMED | Cr 0,03 mm

Gas griddle plate Grooved Smooth Chrome 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Chrome plate
- Smooth plate dimensions: W 400 x D 510 mm
- Grooved plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 69 kg
- EAN 3611630093965

Reference : C7PASCRLG80
Price : €3.109,-



GAS | PIEZO | 12 mm CHROMED | Cr 0,03 mm

Gas griddle plate Grooved Chrome 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 69 kg
- EAN 3611630093989

Reference : C7PASCRG80
Price : €3.189,-



GAS | PIEZO | 12 mm CHROMED | Cr 0,03 mm

The products are pre-equipped to operate on natural gas, and butane gas injectors are included.



Gas griddle plate Smooth Cast iron with open cabinet 40

- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 7 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 49 kg
- EAN 3611630093996

Reference : C7PASFLG40S
Price : €2.009,-





Gas griddle plate Grooved Cast iron with open cabinet 40

- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved cast-iron plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 7 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 49 kg
- EAN 3611630094016

Reference : C7PASFRG40S
Price : €2.059,-



The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas griddle plate Smooth Chrome with open cabinet 40

- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Smooth chrome plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 7 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 49 kg
- EAN 3611630094009

Reference : C7PASCLG40S
Price : €2.179,-



GAS | PIEZO | 12 mm CHROMED | Cr 0,03 mm

Gas griddle plate Grooved Chrome with open cabinet 40

- Stainless steel
- Adjustable thermostat from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 7 kW gas
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 49 kg
- EAN 3611630094023

Reference : C7PASCRG40S
Price : €2.219,-



GAS | PIEZO | 12 mm CHROMED | Cr 0,03 mm

The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas griddle plate Smooth Cast iron with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth cast iron plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 87 kg
- EAN 3611630094030

Reference : C7PASFLG80S
Price : €3.229,-





Gas griddle plate Grooved Cast iron with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Grooved cast iron plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 87 kg
- EAN 3611630094078

Reference : C7PASFRG80S
Price : €3.329,-





Gas griddle plate Grooved Smooth Cast iron with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Cast-iron plate
- Smooth plate dimensions: W 400 x D 510 mm
- Grooved plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 87 kg
- EAN 3611630094054

Reference : C7PASFRLG80S
Price : €3.239,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Gas griddle plate Smooth Chrome with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Smooth chrome plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 87 kg
- EAN 3611630094047

Reference : C7PASCLG80S
Price : €3.509,-





Gas griddle plate Grooved Smooth Chrome with open cabinet 80

- Stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Chrome plate
- Smooth plate dimensions: W 400 x D 510 mm
- Grooved plate dimensions: W 400 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 87 kg
- EAN 3611630094061

Reference : C7PASCRLG80S
Price : €3.519,-





Gas griddle plate Grooved Chrome with open cabinet 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 adjustable thermostats from 50 °C to 300 °C
- Grooved chrome plate
- Plate dimensions: W 800 x D 510 mm
- Plate thickness: 12 mm
- Piezo ignition system
- Grease drip tray
- Power: 14 kW gas
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 87 kg
- EAN 3611630094085

Reference : C7PASCRG80S
Price : €3.609,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.



Lava stone, known for its ability to retain and evenly distribute heat, is ideal for searing and grilling food. Casselin lava stone grills offer healthy, flavorful cooking, preserving the natural flavors of ingredients.



Lava stone grill 40

- Stainless steel grid
- Lava stone bag 5 kg
- 2 grid height positions
- «U» shaped burner tube for more even cooking
- Piezo ignition
- Grease collection tray
- Plate dimensions: W 312 x D 483 mm
- Power: 6.5 kW gas
- Dimensions: W 400 x D 700 x H 426 mm
- Weight: 31 kg
- EAN 3611630094092

Reference : C7GPL40
Price : €1.669,-

GAS PIEZO



Lava stone grill double 80

- Stainless steel grid
- Lava stone bags 2 x 5 kg
- 2 grid height positions
- «U» shaped burner tube for more even cooking
- Piezo ignition
- Grease collection tray
- Plate dimensions: 2 x W 312 x D 483 mm
- Power: 13 kW gas
- Dimensions: W 800 x D 700 x H 426 mm
- Weight: 53 kg
- EAN 3611630094108

Reference : C7GPLD40
Price : €2.749,-

GAS PIEZO

The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Lava stone grill with open cabinet 40

- Stainless steel grid
- Lava stone bag 5 kg
- 2 grid height positions
- «U» shaped burner tube for more even cooking
- Piezo ignition
- Grease collection tray
- Plate dimensions: W 312 x D 483 mm
- Power: 6.5 kW gas
- Dimensions: W 400 x D 700 x H 1004 mm
- Weight: 42 kg
- EAN 3611630094115

Reference : C7GPL40S
Price : €1.989,-





Lava stone grill double with open cabinet 80

- Stainless steel grid
- Lava stone bags 2 x 5 kg
- 2 grid height positions
- «U» shaped burner tube for more even cooking
- Piezo ignition
- Grease collection tray
- Plate dimensions: 2 x W 312 x D 483 mm
- Power: 13 kW gas
- Dimensions: W 800 x D 700 x H 1004 mm
- Weight: 69 kg
- EAN 3611630094122

Reference : C7GPLD80S
Price : €3.159,-






Meat grid for CGPL

- Dimensions: W 312 x D 483 x H 110 mm
- Weight: 4.50 kg
- EAN 3611630094139

Reference : C7GVCGPL
Price : €229,-





Fish grid for CGPL

- Dimensions: W 312 x D 483 x H 110 mm
- Weight: 3.50 kg
- EAN 3611630094146

Reference : C7GPCGPL
Price : €229,-





The products are pre-equipped to operate on natural gas, and butane gas injectors are included.



Casselin wide capacity deep fryers offer several advantages, particularly in professional kitchen fields or high standards of cooking. Here are just a few of the advantages associated with a large-capacity Casselin deep fryer:

High production: High-capacity deep fryers can produce big quantity of food in a single batch. This point is perfect for restaurants, cafés or any other establishment requiring high production of fried food.

Operational efficiency: With high capacity, cooks can handle large volumes of orders at the same time, reducing waiting time for customers and improving overall kitchen efficiency.

Flexibility: Wide capacity fryers can accommodate a variety of food portions, giving you the flexibility to prepare different fried dishes in a single cooking session.

Cost-efficiency: By cooking large quantities at once, operational costs can be reduced. It can also enable economies of scale to be negotiated on the purchase of bulk ingredients.

Time management: Increased capacity enables better time management, as it reduces the number of batches needed to satisfy high demand, thus improving overall kitchen productivity.


Even cooking: Despite their large capacity, Casselin fryers are designed to ensure even cooking, guaranteeing the quality of fried foods, whether French fries, doughnuts or other delicacies.

Electric deep fryer 13 liters 40

- AISI 304 stainless steel
- 1 tank: W 280 x D 295 x H 100 mm
- 1 basket: W 300 x D 336 x H 200 mm
- Tank capacity: 13 liters
- Adjustable thermostat from 50 °C to 190 °C
- Cold zone technology
- Safety thermostat
- Frequency: 50 Hz
- Power: 12.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 22 kg
- EAN 3611630094153

Reference : C7FE1340
Price : €2.259,-








Electric deep fryer 2 x 13 liters 80

- AISI 304 stainless steel
- 2 tanks: W 280 x D 295 x H 100 mm
- 2 baskets: W 300 x D 336 x H 200 mm
- Tanks capacity: 2 x 13 liters
- 2 adjustable thermostats from 50 °C to 190 °C
- Cold zone technology
- Safety thermostat
- Frequency: 50 Hz
- Power: 2 x 12.5 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 40 kg
- EAN 3611630094160

Reference : C7FE13280
Price : €4.149,-







Baskets for deep fryers






Baskets	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Basket for deep fryer C7FE13	215 x 300 x 120	0.7	3611630094214	**C7PF13**	**€99,-**
Basket for deep fryer C7FE13	105 x 300 x 120	0.5	3611630094221	**C7PPF13**	**€99,-**
Basket for deep fryer C7FGS15	280 x 295 x 100	0.7	3611630094238	**C7PF15**	**€119,-**
Small basket for deep fryer C7FGS15	135 x 295 x 100	0.7	3611630094245	**C7PPF15**	**€119,-**
Basket for deep fryer C7FES17	280 x 300 x 120	1	3611630094252	**C7PF17**	**€119,-**
Small basket for deep fryer C7FES17	135 x 300 x 120	0.8	3611630094269	**C7PPF17**	**€109,-**


Gas deep fryer with drain tap 15 liters 40



- Top plate in AISI 430 stainless steel
- Tank in AISI 304 stainless steel
- 1 tank: W 311 x D 339 x H 275 mm
- 1 basket: W 280 x D 295 x H 100 mm
- Tank capacity: 15 liters
- Adjustable thermostat from 50 °C to 190 °C
- Cold zone technology
- Piezo ignition system
- Safety thermostat
- Drain tap
- Power: 12 kW gas
- Dimensions: W 400 x D 700 x H 1060 mm
- Weight: 44 kg
- EAN 3611630094191

Reference : C7FG1540S
Price : €3.669,-







Gas deep fryer with drain tap 2 x 15 liters 80



- Top plate in AISI 430 stainless steel
- Tank in AISI 304 stainless steel
- 2 tanks: W 311 x D 339 x H 275 mm
- 2 baskets: W 280 x D 295 x H 100 mm
- Tanks capacity: 2 x 15 liters
- 2 adjustable thermostats from 50 °C to 190 °C
- Cold zone technology
- Piezo ignition system
- Safety thermostat
- 2 drain taps
- Power: 2 x 12 kW gas
- Dimensions: W 800 x D 700 x H 1 060 mm
- Weight: 71 kg
- EAN 3611630094207

Reference : C7FG15280S
Price : €6.799,-






The products are pre-equipped to operate on natural gas, and butane gas injectors are included.

Electric deep fryer 17 liters with open cabinet 40

- Top plate in AISI 430 stainless steel
- Tank in AISI 304 stainless steel
- 1 tank: W 280 x D 300 x H 120 mm
- 1 basket: W 300 x D 342 x H 244 mm
- Tank capacity: 17 liters
- Adjustable thermostat from 50 °C to 190 °C
- Cold zone technology
- Safety thermostat
- Frequency: 50 Hz
- Power: 13.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 45 kg
- EAN 3611630094177

Reference : C7FE1740S
Price : €2.999,-








Electric deep fryer 2 x 17 liters with open cabinet 80

- Top plate in AISI 430 stainless steel
- Tank in AISI 304 stainless steel
- 2 tanks: W 280 x D 300 x H 120 mm
- 2 baskets: W 300 x D 342 x H 244 mm
- Tanks capacity: 2 x 17 liters
- 2 adjustable thermostats from 50 °C to 190 °C
- Cold zone technology
- Safety thermostat
- 2 drain taps
- Frequency: 50 Hz
- Power: 2 x 13.5 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 79 kg
- EAN 3611630094184

Reference : C7FE17280S
Price : €5.459,-









Pasta cooker 16 liters 40

- Top plate in AISI 304 stainless steel
- Tank in AISI 316 stainless steel
- Tank capacity: 16 liters
- Tank dimensions: W 308 x D 336 x H 213 mm
- Temperature adjustable from 30 °C to 110 °C
- Safety thermostat
- Mechanical water inlet
- Frequency: 50 Hz
- Power: 4.5 kW / 400 V
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 17.3 kg

> Basket not included

- EAN 3611630094276

Reference : C7CAP1640
Price : €1.849,-





Pasta cooker 2 x 16 liters 80

- Top plate in AISI 304 stainless steel
- Tank in AISI 316 stainless steel
- Tanks capacity: 2 x 16 liters
- Tanks dimensions: 2 x W 308 x D 336 x H 213 mm
- Temperature adjustable from 30 °C to 110 °C
- Safety thermostat
- Mechanical water inlet
- Frequency: 50 Hz
- Power: 9 kW / 400 V
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 32 kg


> Basket not included

- EAN 3611630094283

Reference : C7CAP16280
Price : €3.299,-



Baskets for pasta cooker C7CAP









Baskets	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Basket 1/3	145 x 290 x 215	1.2	3611630094313	**C7PCAP13**	**€189,-**
Basket 1/3 with handles	290 x 160 x 215	1.2	3611630094320	**C7PPCAP13**	**€169,-**
Basket 1/6 with left handle	145 x 160 x 125	0.8	3611630094337	**C7PPGCAP16**	**€109,-**
Basket 1/6 with right handle	145 x 160 x 215	0.8	3611630094344	**C7PPDCAP16**	**€119,-**
Basket 1/9 with left handle	145 x 105 x 215	0.7	3611630094351	**C7PPGCAP19**	**€129,-**
Basket 1/9 with right handle	145 x 105 x 215	0.7	3611630094368	**C7PPDCAP19**	**€129,-**

Pasta cooker 23 liters with open cabinet 40

- Top plate in AISI 304 stainless steel
- Tank in AISI 316 stainless steel
- Tank capacity: 23 liters
- Tank dimensions: W 306 x D 340 x H 320 mm
- Temperature adjustable from 30 °C to 110 °C
- Safety thermostat
- Mechanical water inlet
- Frequency: 50 Hz
- Power: 6 kW / 400 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 40.3 kg

> Basket not included

- EAN 3611630094290

Reference : C7CAP2340S
Price : €2.669,-





Pasta cooker 2 x 23 liters with open cabinet 80

- Top plate in AISI 304 stainless steel
- Tank in AISI 316 stainless steel
- Tanks capacity: 2 x 23 liters
- Tanks dimensions: 2 x W 306 x D 340 x H 320 mm
- Temperature adjustable from 30 °C to 110 °C
- Safety thermostat
- Mechanical water inlet
- Frequency: 50 Hz
- Power: 12 kW / 400 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 70.8 kg

> Basket not included

- EAN 3611630094306

Reference : C7CAP23280S
Price : €4.789,-






Bain-marie GN 1/1 200 mm with drain tap 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Capacity GN 1/1 - 200 mm depth
- Container not included
- Water supply via automatic valve
- Thermostat adjustable from 30 °C to 90 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 1.6 kW / 230 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 15 kg
- EAN 3611630094375

Reference : C7BM1200V40
Price : €1.169,-






Bain-marie GN 2/1 200 mm with drain tap 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Capacity GN 2/1 - 200 mm depth
- Container not included
- Water supply via automatic valve
- Thermostat adjustable from 30 °C to 90 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 3.2 kW / 230 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 23 kg
- EAN 3611630094382

Reference : C7BM2200V80
Price : €1.689,-






Bain-marie GN 1/1 200 mm with drain tap with open cabinet 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- Capacity GN 1/1 - 200 mm depth
- Container not included
- Water supply via automatic valve
- Thermostat adjustable from 30 °C to 90 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 1.6 kW / 230 V
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 26 kg
- EAN 3611630094399

Reference : C7BM1200V40S
Price : €1.489,-






Bain-marie GN 2/1 200 mm with drain tap with open cabinet 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- GN 2/1 capacity - 200 mm depth
- Container not included
- Water supply via automatic valve
- Thermostat adjustable from 30 °C to 90 °C
- Safety thermostat
- Frequency: 50 Hz
- Power: 3.2 kW / 230 V
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 40 kg
- EAN 3611630094405

Reference : C7BM2200V80S
Price : €2.099,-





Neutral worktop 1 drawer 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 GN containers 1/1
- Adjustable feet: 115 - 175 mm
- Dimensions: W 400 x D 700 x H 330 mm
- Weight: 19 kg
- EAN 3611630094504

Reference : C7PTN1T40
Price : €859,-





Cast-iron chimney

- The workspace is unified in design with the other modules.
- Completes the perfect look of the line block, interconnection with other modules prevents dirt from sticking between parts.

Neutral worktop 1 drawer with open cabinet 40

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 1 GN containers 1/1
- Adjustable feet: 115 - 175 mm
- Dimensions: W 400 x D 700 x H 900 mm
- Weight: 30 kg
- EAN 3611630094528

Reference : C7PTN1T40S
Price : €1.189,-



Neutral worktop 1 drawer 80

- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 GN containers 1/1
- Adjustable feet: 115 - 175 mm
- Dimensions: W 800 x D 700 x H 330 mm
- Weight: 30 kg
- EAN 3611630094511

Reference : C7PTN1T80
Price : €1.219,-





Drawers for gastronorm containers

- Fully opening drawer
- GN 1/1 depth up to 150 mm possible
- Comfortable and easy for the operator

Neutral worktop 1 drawer with open cabinet 80


- Top plate in AISI 304 stainless steel
- Structure in AISI 430 stainless steel
- 2 GN containers 1/1
- Adjustable feet: 115 - 175 mm
- Dimensions: W 800 x D 700 x H 900 mm
- Weight: 46 kg
- EAN 3611630094535

Reference : C7PTN1T80S
Price : €1.629,-









Cabinet

Cabinet	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Cabinet 40	400 x 655 x 590	13	3611630094412	**C7SF40**	**€329,-**
Cabinet 80	800 x 655 x 590	16	3611630094429	**C7SF80**	**€419,-**
Cabinet 120	1200 x 655 x 590	21	3611630094436	**C7SF120**	**€549,-**



Door for cabinet

Door	Dimensions WxD (mm)	Weight (kg)	EAN	Ref.	Price
Left door	395 x 470	2.95	3611630094474	**C7PGS**	**€209,-**
Right door	395 x 470	2.95	3611630094481	**C7PDS**	**€209,-**







Cabinet with doors

Cabinet	Dimensions WxDxH (mm)	Weight (kg)	EAN	Ref.	Price
Cabinet with 1 door 40	400 x 655 x 590	15	3611630094443	**C7S1P40**	**€519,-**
Cabinet with 2 doors 80	800 x 655 x 590	23	3611630094450	**C7S2P80**	**€809,-**
Cabinet with 3 doors 120	1200 x 655 x 590	35	3611630094467	**C7S3P120**	**€1.179,-**

Cover strip for cabinet

- Stainless steel
- Dimensions: W 627 x D 8 x H 12 mm
- Weight: 0.50 kg
- EAN 3611630094498

Reference : C7BRS
Price : €22,-





PREPARATION

- STAINLESS STEEL OPEN WALL CABINET..... 278 
- GASTRONORM CONTAINER ..... 276 
- BLENDER ..... 260 
- ICE CRUSHER ..... 261 
- SERVING CART ..... 288 
- STAINLESS STEEL TROLLEY ..... 287 
- PLATFORM TROLLEY ..... 283 
- SLIDING AND RACKING TROLLEY ..... 284 
- VACUUM PACKING MACHINE ..... 269 
- WALL SHELF ..... 277 
- PIZZA PASTRY ROLL MACHINE ..... 268 
- SPIRAL MIXER ..... 261 
- KITCHEN ORDER HOLDER ..... 273 
- TRASH CAN ..... 290 
- STACKABLE RAMP ..... 282 
- GASTRONORM TRAY SUPPORT ..... 274 
- TABLE DE TRAVAIL INOX AISI 304..... 279 
- MEAT SLICER ..... 258 

MEAT SLICER



In order to obtain a perfect cut, all our meat slicers are endowed with a blade sharpener.



Meat slicer Ø 195 mm

- Feet and body in adonized aluminium
- Belt system
- Whetstone
- Tilted blade
- Blade: Ø 195 mm
- Cutting length: 190 mm
- Cutting height: 130 mm
- Slice thickness: 0.2 to 12 mm
- Frequency: 50/60 Hz
- Power: 150 W / 230 V
- Dimensions: W 425 x D 370 x H 340 mm
- Weight: 11.10 kg
- EAN 3611630006279

Reference : CTJ195B
Price : €469,-



Meat slicer Ø 195 mm - Red

- EAN 3611630017022

Reference : CTJ195BR
Price : €469,-



Meat slicer Ø 220 mm

- Feet and body in adonized aluminium
- Belt system
- Whetstone
- Tilted blade
- Blade: Ø 220 mm
- Cutting length: 190 mm
- Cutting height: 130 mm
- Slice thickness: 0.2 to 12 mm
- Frequency: 50/60 Hz
- Power: 150 W / 230 V
- Dimensions: W 460 x D 450 x H 375 mm
- Weight: 14.90 kg
- EAN 3611630006286

Reference : CTJ220B
Price : €549,-



Meat slicer Ø 250 mm



- Feet and body in adonized aluminium
- Belt system
- Whetstone
- Tilted blade
- Blade: Ø 250 mm
- Cutting length: 195 mm
- Cutting height: 140 mm
- Slice thickness: 0.2 to 15.5 mm
- Frequency: 50/60 Hz
- Power: 240 W / 230 V
- Dimensions: W 460 x D 450 x H 380 mm
- Weight: 15.40 kg
- EAN 3611630006293

Reference : CTJ250B
Price : €639,-

Meat slicer Ø 250 mm - Red



- EAN 3611630009898

Reference : CTJ250BR
Price : €639,-

Meat slicer Ø 300 mm



- Feet and body in adonized aluminium
- Belt system
- Whetstone
- Tilted blade
- Blade: Ø 300 mm
- Cutting length: 235 mm
- Cutting height: 160 mm
- Slice thickness: 0.2 to 15.5 mm
- Frequency: 50/60 Hz
- Power: 380 W / 230 V
- Dimensions: W 520 x D 500 x H 465 mm
- Weight: 21.4 kg
- EAN 3611630006309

Reference : CTJ300B
Price : €879,-



BLENDER



The Casselin 2.5L blender is ideal for professionals looking for a reliable, high-performance, and easy-to-maintain appliance. Its large capacity and power make it an essential ally for increasing productivity and satisfying demanding customers.

Blender with sound-proofing box 2.5 L

- Soft touch ABS base
- Tritan bowl and BPA-free polycarbonate housing
- Removable soundproof housing
- Safety contact
- 6-wing titanium-coated blade
- ON/OFF switch
- Manual control
- Pulse button
- Capacity: 2.5 litres
- Rotary speed control
- Max. rotation speed 28,000 rpm
- Non-slip feet
- Frequency : 50Hz
- Power: 1,680 W / 230 V
- Dimensions : W 240 x D 300 x H 565 mm
- Weight: 9.1 kg
- EAN 3611630088817

Reference : CBC25
Price : €359,-



Digital blender with sound-proofing box 2.5 L

- Soft touch ABS base
- Tritan bowl and BPA-free polycarbonate housing
- Removable soundproof box
- Safety contact
- 6-wing titanium-coated blade
- ON/OFF switch
- Digital control
- Pulse function
- Capacity: 2.5 litres
- Speed control: 9 levels
- 3 programmes (time and speed)
- Time setting: 0 - 180 seconds
- Max. rotation speed 28,000 rpm
- Non-slip feet
- Frequency : 50Hz
- Power: 1 680 W / 230 V
- Dimensions : W 240 x D 300 x H 565 mm
- Weight: 9.1 kg
- EAN 3611630088794

Reference : CBDC25
Price : €399,-



ICE CRUSHER

Ice crusher 3 L

- Stainless steel bowl
- Stainless steel blades
- Aluminium base
- Safety contact
- Non-slip feet
- Capacity: 3 liters
- Rotation speed: 1000 rpm
- Noise level: < 85 dB
- Output : 160 Kg/h
- Frequency : 50/60 Hz
- Power : 200 W / 230 V
- Dimensions : W 328 x D 197 x H 533 mm
- Weight : 5,4 Kg
- EAN 3611630088756

Reference : CBAG
Price : €459,-

It takes about 30 seconds to finish crushing the ice cubes in a full container.



SPIRAL MIXER

Spiral mixer with fixed head and bowl 5 kg

- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 7 L
- Capacity: 5 kg of dough
- Dough/hour: 29 kg
- Bowl diameter: 240 mm
- Timer
- Frequency: 50 Hz
- Power: 370 W / 230 V
- Dimensions: W 280 x D 590 x H 580 mm
- Weight: 37,5 kg
- EAN 3611630102438

Reference : CPSTCF5
Price : €1.299,-





SPIRAL MIXER



Spiral mixer with fixed head and bowl 8 kg

- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 10 L
- Capacity: 8 kg of dough
- Dough/hour: 35 kg
- Bowl diameter: 260 mm
- Timer
- Frequency: 50 Hz
- Power: 370 W / 230 V
- Dimensions: W 290 x D 590 x H 580 mm
- Weight: 40 kg
- EAN 3611630102445

Reference : CPSTCF8
Price : €1.399,-



Spiral mixer with fixed head and bowl 12 kg

- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 16 L
- Capacity: 12 kg of dough
- Dough/hour: 48 kg
- Bowl diameter: 320 mm
- Timer
- Frequency: 50 Hz
- Power: 750 W / 230 V
- Dimensions: W 385 x D 670 x H 725 mm
- Weight: 59 kg
- EAN 3611630102452

Reference : CPSTCF12
Price : €1.549,-



Spiral mixer with fixed head and bowl 17 kg

- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 22 L
- Capacity: 17 kg of dough
- Dough/hour: 56 kg
- Bowl diameter: 360 mm
- Timer
- Frequency: 50 Hz
- Power: 750 W / 230 V
- Dimensions: W 385 x D 670 x H 725 mm
- Weight: 62 kg
- EAN 3611630084031

Reference : CPSTCF17
Price : €1.649,-



Spiral mixer with fixed head and bowl 25 kg



- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 32 L
- Capacity: 25 kg of dough
- Dough/hour: 88 kg
- Bowl diameter: 400 mm
- Timer
- Frequency: 50 Hz
- Power: 1.1 kW / 230 V
- Dimensions: W 435 x D 775 x H 810 mm
- Weight: 82 kg
- EAN 3611630084024

Reference : CPSTCF25
Price : €1.949,-

Spiral mixer with fixed head and bowl 35 kg



- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 41 L
- Capacity: 35 kg of dough
- Dough/hour: 112 kg
- Bowl diameter: 450 mm
- Timer
- Frequency: 50 Hz
- Power: 1 100 W / 230 V
- Dimensions: W 480 x D 820 x H 850 mm
- Weight: 92 kg
- EAN 3611630102469



Reference : CPSTCF35
Price : €2.199,-

Spiral mixer with fixed head and bowl 42 kg



- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 48 L
- Capacity: 42 kg of dough
- Dough/hour: 128 kg
- Bowl diameter: 450 mm
- Timer
- Frequency: 50 Hz
- Power: 1 500 W / 230 V
- Dimensions: W 480 x D 805 x H 850 mm
- Weight: 98 kg
- EAN 3611630102476

Reference : CPSTCF42
Price : €2.349,-

Spiral mixer with fixed head and bowl 2 speeds 12Kg



- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 16 L
- Capacity: 12 kg of dough
- Dough/hour: 48 kg
- Bowl diameter: 320 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 750 W / 400 V
- Power speed 2 : 1 100 W / 400 V
- Dimensions: W 385 x D 670 x H 725 mm
- Weight: 59 kg
- EAN 3611630102483

Reference : CPSTCF2V12
Price : €1.899,-

Spiral mixer with fixed head and bowl 2 speeds 17Kg



- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 22 L
- Capacity: 17 kg of dough
- Dough/hour: 56 kg
- Bowl diameter: 360 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 750 W / 400 V
- Power speed 2 : 1 100 W / 400 V
- Dimensions: W 385 x D 670 x H 725 mm
- Weight: 62 kg
- EAN 3611630102490

Reference : CPSTCF2V17
Price : €1.949,-

2 speeds

Spiral mixer with fixed head and bowl 2 speeds 25Kg



- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 32 L
- Capacity: 25 kg of dough
- Dough/hour: 88 kg
- Bowl diameter: 400 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 1 100 W / 400 V
- Power speed 2 : 1 700 W / 400 V
- Dimensions: W 435 x D 750 x H 810 mm
- Weight: 82 kg
- EAN 3611630102506

Reference : CPSTCF2V25
Price : €2.299,-

Spiral mixer with fixed head and bowl 2 speeds 35Kg

- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 41 L
- Capacity: 35 kg of dough
- Dough/hour: 112 kg
- Bowl diameter: 400 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 1 100 W / 400 V
- Power speed 2 : 1 700 W / 400 V
- Dimensions: W 480 x D 820 x H 850 mm
- Weight: 92 kg
- EAN 3611630102513

2 speeds

Reference : CPSTCF2V35
Price : €2.499,-



Spiral mixer with fixed head and bowl 2 speeds 42Kg

- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 48 L
- Capacity: 42 kg of dough
- Dough/hour: 128 kg
- Bowl diameter: 450 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 1 500 W / 400 V
- Power speed 2 : 2 200 W / 400 V
- Dimensions: W 435 D 750 x H 810 mm
- Weight: 98 kg
- EAN 3611630102520

Reference : CPSTCF2V42
Price : €2.699,-





Spiral mixer with fixed head and bowl 2 speeds 48Kg

- Stainless steel bowl, spiral, central column and protective grid
- Fixed head and bowl
- Bowl volume: 60 L
- Capacity: 48 kg of dough
- Dough/hour: 144 kg
- Bowl diameter: 500 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 1 800 W / 400 V
- Power speed 2 : 2 200 W / 400 V
- Dimensions: W 535 D 960 x H 915 mm
- Weight: 148 kg
- EAN 3611630102537

Reference : CPSTCF2V48
Price : €4.159,-



SPIRAL MIXER

Spiral mixer with liftable head and removable bowl 2 speeds 12 kg

- Stainless steel bowl, spiral, central column and protective grid
- Lifting head
- Removable bowl
- Bowl volume: 16 L
- Capacity: 12 kg of dough
- Dough/hour: 48 kg
- Bowl diameter: 320 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 750 W / 400 V
- Power speed 2 : 1 100 W / 400 V
- Dimensions: W 390 D 670 x H 735 mm
- Weight: 71,5 kg
- EAN 3611630102544

Reference : CPSTRCA2V12
Price : €2.399,-



Spiral mixer with liftable head and removable bowl 2 speeds 17 kg

- Stainless steel bowl, spiral, central column and protective grid
- Lifting head
- Removable bowl
- Bowl volume: 22 L
- Capacity: 17 kg of dough
- Dough/hour: 56 kg
- Bowl diameter: 360 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 750 W / 400 V
- Power speed 2 : 1 100 W / 400 V
- Dimensions: W 390 D 670 x H 735 mm
- Weight: 81 kg
- EAN 3611630102551

Reference : CPSTRCA2V17
Price : €2.499,-



Spiral mixer with liftable head and removable bowl 25 kg

- Stainless steel bowl, spiral, central column and protective grid
- Lifting head
- Removable bowl
- Bowl volume: 32 L
- Capacity: 25 kg of dough
- Dough/hour: 88 kg
- Bowl diameter: 400 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 1 300 W / 400 V
- Power speed 2 : 1 700 W / 400 V
- Dimensions: W 435 x D 775 x H 810 mm
- Weight: 95 kg
- EAN 3611630084048

2 speeds

Reference : CPSTRCA25
Price : €2.849,-



Spiral mixer with liftable head and removable bowl 35 kg

- Stainless steel bowl, spiral, central column and protective grid
- Lifting head
- Removable bowl
- Bowl volume: 41 L
- Capacity: 35 kg of dough
- Dough/hour: 102 kg
- Bowl diameter: 450 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 1 300 W / 400 V
- Power speed 2 : 1 700 W / 400 V
- Dimensions: W 480 x D 815 x H 850 mm
- Weight: 114 kg
- EAN 3611630084062

2 speeds



Reference : CPSTRCA35
Price : €2.979,-



Spiral mixer with liftable head and removable bowl 2 speeds 42 kg

- Stainless steel bowl, spiral, central column and protective grid
- Lifting head
- Removable bowl
- Bowl volume: 48 L
- Capacity: 42 kg of dough
- Dough/hour: 128 kg
- Bowl diameter: 450 mm
- Timer
- Frequency: 50 Hz
- 2 speeds
- Power speed 1 : 1 500 W / 400 V
- Power speed 2 : 2 200 W / 400 V
- Dimensions: W 480 D 800 x H 850 mm
- Weight: 108 kg
- EAN 3611630102568



Reference : CPSTRCA2V42
Price : €3.099,-



PIZZA PASTRY ROLL MACHINE



TOUCH AND GO TECHNOLOGY
Simply put your dough in the upper part of the machine and thanks to the infrared sensors, the rollers of the rolling mill start automatically.



Pizza pastry roll machine 300

- Stainless steel
- Touch and Go technology
- Diameter from 140 to 300 mm
- Weight of pizza dough unit: 80 to 210 gram
- Rolling pins dimensions: 310 mm
- Frequency: 50/60 Hz
- Power: 250 W / 230 V
- Dimensions: W 440 x D 380 x H 615 mm
- Weight: 25 kg
- EAN 3611630001328

Reference : CFP1
Price : €1.319,-





Pizza pastry roll machine 400

- Stainless steel
- Touch and Go technology
- Diameter from 260 to 400 mm
- Weight of pizza dough unit: 210 to 710 gram
- Rolling pins dimensions: 420 mm
- Frequency: 50/60 Hz
- Power: 250 W / 230 V
- Dimensions: W 540 x D 410 x H 720 mm
- Weight: 37 kg
- EAN 3611630001335

Reference : CFP2
Price : €1.439,-

VACUUM PACKING MACHINE



Vacuum machines with external aspiration allow you to maintain and preserve your food or preparations longer and also limit the growth of bacteria. It is not recommended to vacuum liquids or powders, as you risk damaging them. We therefore recommend the use of embossed bags for better aspiration.

Table top vacuum machines are used for vacuuming all types of food and preparations, whether solid or liquid.
You can use either embossed or smooth bags for vacuum packaging.

TABLE OF FOOD STORAGE TIMES

FOODS	POSITIVE TEMPERATURE	NEGATIVE TEMPERATURE
Confits Duck legs, chicken legs, turkey legs, gizzards, poultry livers, cassoulet …	30 days	6 months
Ready-made Meals, seafood shells, beef carrots, stew, rabbit in sauce, chicken in sauce, chicken with rice,paella, couscous, sauerkraut …	8 days	2 months
Cooked vegetables Tomatoes, eggplants, beets, carrots, zucchinis, spinach, beans, onions, potatoes, leeks …	10 days	3 months
Meat	12 days	5 months
Terrines	25 days	6 months
Cooked fish	10 days	3 months
Smoked salmon	30 days	6 months
Foie gras	25 days	6 months

VACUUM PACKING MACHINE

Vacuum packing machine 35



- Stainless steel
- External vacuum
- Digital control
- Semi-automatic
- Sealing bar: 350 mm
- Vacuum pump: 20 L/min
- Frequency: 50 Hz
- Power: 250 W / 230 V
- Dimensions: W 370 x D 260 x H 130 mm
- Weight: 8 kg
- EAN 3611630002424

Reference : CMSV35
Price : €499,-



Vacuum packing machine 40



- Stainless steel
- External vacuum
- Digital control
- Semi-automatic
- Sealing bar: 400 mm
- Vacuum pump: 20 L/min
- Frequency: 50 Hz
- Power: 250 W / 230 V
- Dimensions: W 420 x D 260 x H 130 mm
- Weight: 9 kg
- EAN 3611630002431

Reference : CMSV40
Price : €599,-

Vacuum packing machine 45



- Stainless steel
- External vacuum
- Digital control
- Semi-automatic
- Sealing bar: 450 mm
- Vacuum pump: 40 L/min
- Frequency: 50 Hz
- Power: 270 W / 230 V
- Dimensions: W 470 x D 260 x H 130 mm
- Weight: 10 kg
- EAN 3611630002448

Reference : CMSV45A
Price : €709,-



Table top vacuum packer 30

- Stainless steel 18/10
- Pressed vat
- External or internal vacuum
- Digital control
- Automatic
- Opening carter 90°
- Oil vacuum pump: 7.2 m3/h
- Sealing bar: 300 mm
- Dimensions of chamber: W 310 x D 350 x H 120 mm
- Frequency: 50 Hz
- Power: 350 W / 230 V
- Dimensions: W 410 x D 460 x H 420 mm
- Weight: 32 kg
- EAN 3611630072601

Reference : CMSVC30B
Price : €2.299,-



Table top vacuum packer 40

- Stainless steel 18/10
- Pressed vat
- External or internal vacuum
- Digital control
- Automatic
- Opening carter 90°
- Oil vacuum pump: 14.4 m3/h
- Sealing bar: 400 mm
- Dimensions of chamber: W 410 x D 450 x H 220 mm
- Frequency: 50/60 Hz
- Power: 900 W / 230 V
- Dimensions: W 510 x D 560 x H 450 mm
- Weight: 55 kg
- EAN 3611630072595

Reference : CMSVC40B
Price : €2.899,-



Table top vacuum packer 40 auto

- Stainless steel 18/10
- Pressed vat
- External or internal vacuum
- Digital control
- Automatic
- Opening carter 90°
- Connection for neutral gas
- Oil vacuum pump: 24 m3/h
- Sealing bar: 400 mm
- Dimensions of chamber: W 410 x D 450 x H 220 mm
- Frequency: 50/60 Hz
- Power: 900 W / 230 V
- Dimensions: W 510 x D 560 x H 450 mm
- Weight: 60 kg
- EAN 3611630072588

Reference : CMSVC40AB
Price : €3.999,-



VACUUM BAGS

Vacuum preservation bags are multilayer plastic packaging. They are impermeable to oxygen, dust, moisture and micro-organisms.
For food use, these vacuum bags must be free of bisphenol A and phthalate-free.

EMBOSSED VACUUM BAGS

Food embossed vacuum bags are preservation bags that can be used with vacuum packing machine and table top vacuum packer. The bags under embossed vacuum bags have one smooth side and another embossed side, which makes air extraction possible.
Designed for vacuum packing of cold products, they are suitable for reheating up to 80 °C maximum. They can withstand a cold of -40 °C and guarantee the preservation of the product for a maximum period of 6 months.

SMOOTH VACUUM BAGS

These smooth vacuum storage bags can only be used with table top vacuum packers.They offer excellent resistance to tearing and perforation as they are 95 microns thick (µm).

Embossed vacuum bags per 100

- Temperature of use: -40 °C à +80 °C
- Thickness: 95 microns

Dim. (mm)	EAN	Ref.	Price
170 x 230	3611630002677	**CSVG170X230**	**€16,-**
200 x 300	3611630002684	**CSVG200X300**	**€27,-**
250 x 350	3611630002691	**CSVG250X350**	**€33,-**
350 x 450	3611630002707	**CSVG350X450**	**€65,-**



Roll of embossed bags

- Temperature of use: -40 °C à +80 °C
- Thickness: 95 microns

Dim. (mm)	EAN	Ref.	Price
200	3611630002714	**CSVGR200**	**€7,-**
300	3611630002721	**CSVGR300**	**€10,-**



Smooth vacuum bags per 100

- Temperature of use: -40 °C à +80 °C
- Thickness: 95 microns

Dim. (mm)	EAN	Ref.	Price
170 x 230	3611630002738	**CSVL170X230**	**€15,-**
200 x 300	3611630002745	**CSVL200X300**	**€24,-**
250 x 350	3611630002752	**CSVL250X350**	**€30,-**
350 x 450	3611630002769	**CSVL350X450**	**€50,-**



KITCHEN ORDER HOLDER

Kitchen order holder 18

- Aluminium
- 25 mini glass balls to grip the sheets
- Hang length 450 mm
- Double-sided adhesive
- 4 fixing holes
- Dimensions: W 460 x D 25 x H 55 mm
- Weight: 0.30 kg
- EAN 3611630006873

Reference : CPAD18
Price : €26,-

46 cm



Kitchen order holder 24

- Aluminium
- 34 glass balls to grip the sheets
- Hang length 600 mm
- Double-sided adhesive
- 4 fixing holes
- Dimensions: W 612 x D 25 x H 55 mm
- Weight: 0.45 kg
- EAN 3611630006880

Reference : CPAD24
Price : €28,-

61 cm



Kitchen order holder 36

- Aluminium
- 54 glass balls to grip the sheets
- Hang length 900 mm
- Double-sided adhesive
- 5 fixing holes
- Dimensions: W 915 x D 25 x H 55 mm
- Weight: 0.70 kg
- EAN 3611630006903

Reference : CPAD36
Price : €30,-

91 cm



Kitchen order holder 48

- Aluminium
- 72 glass balls to grip the sheets
- Hang length 1 120 mm
- Double-sided adhesive
- 5 fixing holes
- Dimensions: W 1220 x D 25 x H 55 mm
- Weight: 0.90 kg
- EAN 3611630006897

Reference : CPAD48
Price : €32,-

122 cm



Shelf for 3 containers GN1/6

- Stainless steel
- 3 GN 1/6 - 200 mm depth
- 3 ladles
- 3 perforated lids
- Dimensions: W 170 x D 570 x H 370 mm
- Weight: 4 kg
- EAN 3611630075466

Reference : CSBG316
Price : €199,-





Table-top shelf for 6 containers GN1/6 - Simple

- Stainless steel
- 6 GN containers 1/6 - 150 mm depth
- 5 GN strips
- Dimensions: W 989 x D 250 x H 210 mm
- Weight: 4.7 kg
- EAN 3611630076678

Reference : CSBG616
Price : €199,-



Table-top shelf for 12 containers GN1/6 - central positioning

- Stainless steel
- 12 GN containers 1/6 - 150 mm depth
- 10 GN strips
- Dimensions: W 989 x D 440 x H 210 mm
- Weight: 8 kg
- EAN 3611630076692

Reference : CSBG1216C
Price : €349,-



Table-top shelf for 12 containers GN1/6 - 2 ranks

- Stainless steel
- 12 GN containers 1/6 - 150 mm depth
- 10 GN strips
- Dimensions: W 989 x D 390 x H 210 mm
- Weight: 7.6 kg
- EAN 3611630076685

Reference : CSBG1216R
Price : €349,-



GASTRONORM CONTAINER AISI 201





Gastronorm container 1/1

Dim. (mm)	H (mm)	Liters	EAN	Ref.	Price
530 x 325	65	9,8	3611630085984	**CBG11065B**	**€11,-**
530 x 325	100	15	3611630085991	**CBG11100B**	**€14,-**
530 x 325	150	22,5	3611630086004	**CBG11150B**	**€21,-**
530 x 325	200	30	3611630086011	**CBG11200B**	**€25,-**





Gastronorm container 1/2

Dim. (mm)	H (mm)	Liters	EAN	Ref.	Price
325 x 265	65	4,7	3611630086028	**CBG12065B**	**€7,-**
325 x 265	100	7,2	3611630086035	**CBG12100B**	**€9,-**
325 x 265	150	10,8	3611630086042	**CBG12150B**	**€14,-**






Gastronorm container 1/3

Dim. (mm)	H (mm)	Liters	EAN	Ref.	Price
325 x 176	65	2,9	3611630086059	**CBG13065B**	**€5,-**
325 x 176	100	4,5	3611630086066	**CBG13100B**	**€8,-**
325 x 176	150	6,8	3611630086073	**CBG13150B**	**€11,-**






Gastronorm container 1/4

Dim. (mm)	H (mm)	Liters	EAN	Ref.	Price
265 x 162	65	2,1	3611630086080	**CBG14065B**	**€5,-**
265 x 162	100	3,2	3611630086097	**CBG14100B**	**€7,-**
265 x 162	150	4,9	3611630086103	**CBG14150B**	**€10,-**





Gastronorm container 1/6

Dim. (mm)	H (mm)	Liters	EAN	Ref.	Price
176 x 162	65	1,4	3611630086110	**CBG16065B**	**€4,-**
176 x 162	100	2,1	3611630086127	**CBG16100B**	**€5,-**
176 x 162	150	3,2	3611630086134	**CBG16150B**	**€7,-**



Adaptor bar for gastronorm containers

Dim. (mm)	EAN	Ref.	Price
325 x 20	3611630086141	**CBGB325B**	**€3,-**
530 x 20	3611630086158	**CBGB530B**	**€5,-**



Gastronorm lid

Dim. (mm)	EAN	Ref.	Price
GN 1/1 - 530 x 325	3611630086165	**CBGC11B**	**€9,-**
GN 1/2 - 325 x 265	3611630086172	**CBGC12B**	**€6,-**
GN 1/3 - 325 x 176	3611630086189	**CBGC13B**	**€4,-**
GN 1/4 - 265 x 162	3611630086196	**CBGC14B**	**€4,-**
GN 1/6 - 176 x 162	3611630086202	**CBGC16B**	**€3,-**

WALL SHELF

Wall shelf

References : CEMI1B CEMI2B CEMI3B CEMI4B

- 1 pair of L 580 mm racks
- 2 shelves of the desired length
- 2 pairs of consoles

References : CEMI5B CEMI6B CEMI7B CEMI8B

- 3 racks of L 580 mm
- 2 shelves of the desired length
- 3 pairs of consoles



Length (mm)	Depth (mm)	EAN	Ref.	Price
600	355	3611630061810	**CEMI1B**	**€229,-**
800	355	3611630060295	**CEMI2B**	**€259,-**
1 000	355	3611630060301	**CEMI3B**	**€279,-**
1 200	355	3611630061834	**CEMI4B**	**€309,-**
1 400	355	3611630061841	**CEMI5B**	**€339,-**
1 600	355	3611630061858	**CEMI6B**	**€379,-**
1 800	355	3611630060318	**CEMI7B**	**€419,-**
2 000	355	3611630061865	**CEMI8B**	**€469,-**

STAINLESS STEEL OPEN WALL CABINET 600 AISI 201





Width (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref.	Price
600	400	600	15	3611630090438	**CAM60**	**€229,-**
800	400	600	18	3611630090445	**CAM80**	**€269,-**
1000	400	600	20.9	3611630090452	**CAM100**	**€309,-**
1200	400	600	23.8	3611630090469	**CAM120**	**€349,-**
1400	400	600	26.6	3611630090476	**CAM140**	**€399,-**

STAINLESS STEEL WALL CABINET WITH SLIDING DOORS





Width (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref.	Price
600	400	600	18.6	3611630090483	**CAMPC60**	**€269,-**
800	400	600	22.6	3611630090490	**CAMPC80**	**€319,-**
1000	400	600	26.4	3611630090506	**CAMPC100**	**€369,-**
1200	400	600	30.2	3611630090513	**CAMPC120**	**€419,-**
1400	400	600	34.1	3611630090520	**CAMPC140**	**€469,-**

WORKBENCH STAINLESS STEEL WITH SLIDING DOORS AISI 304



Workbench stainless steel with sliding doors 600 AISI 304

Width (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref.	Price
1000	600	850	44.7	3611630090537	**C6TTPC100**	**€669,-**
1200	600	850	51.1	3611630090544	**C6TTPC120**	**€699,-**
1400	600	850	58	3611630090551	**C6TTPC140**	**€739,-**



Workbench stainless steel with sliding doors 700 AISI 304

Width (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref.	Price
1000	700	850	49	3611630090568	**C7TTPC100**	**€769,-**
1200	700	850	56	3611630090575	**C7TTPC120**	**€799,-**
1400	700	850	63	3611630090582	**C7TTPC140**	**€839,-**

WORKBENCH STAINLESS STEEL WITH SHELF AISI 304



Workbench stainless steel 600 with shelf AISI 304

Width (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref.	Price
600	600	850	14	3611630090599	**C6TTE60**	**€229,-**
800	600	850	16.5	3611630090605	**C6TTE80**	**€269,-**
1000	600	850	19.1	3611630090612	**C6TTE100**	**€309,-**
1200	600	850	21.8	3611630090629	**C6TTE120**	**€349,-**



Workbench stainless steel 600 with shelf AISI 304

Width (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref.	Price
600	700	850	15.3	3611630090674	**C7TTE60**	**€249,-**
800	700	850	18.1	3611630090681	**C7TTE80**	**€289,-**
1000	700	850	21.3	3611630090698	**C7TTE100**	**€329,-**
1200	700	850	24.2	3611630090704	**C7TTE120**	**€369,-**

WORKBENCH STAINLESS STEEL WITH BACKSPLASH AND SHELF AISI 304



Workbench stainless steel 600 with backsplash and shelf AISI 304

Width (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref.	Price
600	600	950	14.6	3611630090636	**C6TTDE60**	**€249,-**
800	600	950	17.3	3611630090643	**C6TTDE80**	**€289,-**
1000	600	950	20	3611630090650	**C6TTDE100**	**€329,-**
1200	600	950	22.7	3611630090667	**C6TTDE120**	**€369,-**



Workbench stainless steel 700 with backsplash and shelf AISI 304

Width (mm)	Depth (mm)	Height (mm)	Weight (kg)	EAN	Ref.	Price
600	700	950	15.8	3611630090711	**C7TTDE60**	**€269,-**
800	700	950	18.7	3611630090728	**C7TTDE80**	**€309,-**
1000	700	950	21.5	3611630090735	**C7TTDE100**	**€349,-**
1200	700	950	24.5	3611630090742	**C7TTDE120**	**€389,-**

STACKABLE RAMP

Stackable ramp

- Stainless steel
- Anti-slip feet
- Space between the feet in depth: 320 mm



Heating ramp

See p.162





Length (mm)	Depth (mm)	Height (mm)	Space between feet (mm)	Compatible with	EAN	Ref.	Price
1000	355	355	920	CRCE100	3611630076630	**CRNE100**	**€269,-**
1200	355	355	1120	CRCE120	3611630076647	**CRNE120**	**€299,-**
1500	380	355	1420	CRCE150	3611630076654	**CRNE150**	**€349,-**
1800	380	355	1720	CRCE180	3611630076661	**CRNE180**	**€399,-**



PLATFORM TROLLEY

Platform trolley

- Stainless steel
- 4 wheels, 2 with brake
- Maximum load: 180 kg
- Dimensions: W 910 x D 600 x H 920 mm
- Weight: 17.1 kg
- EAN 3611630082617

Reference : CCP
Price : €249,-





SLIDING AND RACKING TROLLEY





Gastronorm Racking Trolley 15 x GN 1/1

- Stainless steel
- 4 wheels, 2 with brake
- Space between slides: 80 mm
- Thickness of the slides: 0.8 mm
- Capacity: 15 GN 1/1 containers
- Built-in
- Dimensions: W 380 x D 550 x H 1700 mm
- Weight: 19 kg

> Easy to assemble

- EAN 3611630082549

Reference : CEG1511
Price : €319,-

Gastronorm Racking Trolley 15 x GN 2/1

- Stainless steel
- 4 wheels, 2 with brake
- Distance between rails: 80 mm
- Thickness of the rails: 0.8 mm
- Capacity: 15 GN 2/1 containers
- Built-in
- Dimensions: W 590 x D 670 x H 1700 mm
- Weight: 24 kg

> Easy to assemble

- EAN 3611630082556

Reference : CEG1521
Price : €459,-

Pastry trolley 15 levels - 400 x 600

- Stainless steel
- 4 wheels, 2 with brake
- Space between rails: 80 mm
- Thickness of rails: 1.0 mm
- Capacity: 15 containers 400 x 600 mm
- Built-in
- Dimensions: W 470 x D 620 x H 1700 mm
- Weight: 21.8 kg

> Easy to assemble

- EAN 3611630082563

Reference : CEPT15
Price : €359,-





SLIDING AND RACKING TROLLEY



Sliding trolley 7 x GN 1/1

- Stainless steel
- 4 wheels, 2 with brake
- Space between slides: 80 mm
- Thickness of the slides: 0.8 mm
- 325 mm front and rear entrance
- Capacity: 7 GN 1/1 containers
- Dimensions of work surface: W 380 x D 550 mm
- Maximum load per level: 12 kg
- Maximum total load: 84 kg
- Dimensions: W 380 x D 550 x H 950 mm
- Weight: 13.2 kg

> Easy to assemble

- EAN 3611630082518

Reference : CCG711
Price : €249,-



Sliding trolley 7 x GN 2/1

- Stainless steel
- 4 wheels, 2 with brake
- Space between slides: 80 mm
- Thickness of the slides: 0.8 mm
- Entrance of 530 mm front and back
- Capacity: 7 GN 2/1 containers
- Dimensions of work surface: W 590 x D 670 mm
- Maximum load per level: 12 kg
- Maximum total load: 84 kg
- Dimensions: W 590 x D 670 x H 950 mm
- Weight: 18.6 kg
- EAN 3611630082525

Reference : CCG721
Price : €309,-



Double sliding trolley 14 x GN 1/1

- Stainless steel
- 4 wheels, 2 with brake
- Space between slides: 80 mm
- Thickness of the slides: 0.8 mm
- Entrance of 530 mm front and back
- Capacity: 14 GN 1/1 containers
- Dimensions of work surface: W 740 x D 550 mm
- Maximum load per level: 12 kg
- Maximum total load: 168 kg
- Dimensions: W 740 x D 550 x H 950 mm
- Weight: 22.9 kg

> Easy to assemble

- EAN 3611630082532

Reference : CCDG1411
Price : €349,-

STAINLESS STEEL TROLLEY



Stainless steel trolley 2 shelves

- Trolley in stainless steel
- 4 swivelling castors with 2 brakes
- Carrying capacity: 120 kg
- Shelf dimensions: W 823 x D 503 mm
- Useful shelf dimensions: W 755 x D 440 mm
- Distance between shelves: 570 mm
- Dimensions: W 850 x D 525 x H 945 mm
- Weight: 10,15 kg

> Easy to assemble

- EAN 3611630000208

Reference : CCl2
Price : €149,-



Stainless steel trolley 3 shelves

- Trolley in stainless steel
- 4 swivelling castors with 2 brakes
- Carrying capacity: 120 kg
- Shelf size: W 823 x D 503 mm
- Useful shelf size: W 755 x D 440 mm
- Distance between top and middle shelves: 275 mm
- Distance between middle/bottom shelves: 270 mm
- Dimensions: W 850 x D 525 x H 945 mm
- Weight: 13,9 kg

> Easy to assemble

- EAN 3611630000215

Reference : CCl3
Price : €169,-



Stainless steel trolley 5 shelves

- Stainless steel
- 4 wheels, 2 with brake
- Load capacity: 50 kg / tray
- Tray dimensions: W 823 x D 503 mm
- Useful dimensions of trays: W 755 x D 740 mm
- Cart dimensions: W 845 x D 528 x H 1550 mm
- Weight: 21.8 kg

> Easy assembly

- EAN 3611630082594

Reference : CCl5
Price : €259,-

SERVING CART

Serving cart in wood effect 2 trays

• Epoxy painted stainless steel tube
• Trays with wood effect coating
• 4 wheels, 2 with brakes
• Load capacity : 120 kg
• Shelf dimensions: W 823 x D 503 mm
• Useful shelves dimensions: W 755 x D 440 mm
• Distance between shelves: 570 mm
• Serving cart dimensions: W 850 x D 525 x H 945 mm
• Weight: 10.15 kg
> Easy assembly
• EAN 3611630090759

Reference : CCSB2P
Price : €319,-





Serving cart in wood effect 3 trays

• Epoxy painted stainless steel tube
• Trays with wood effect coating
• 4 wheels, 2 with brakes
• Load capacity: 120 kg
• Shelf dimensions : W 823 x D 503 mm
• Useful shelves dimensions : W 755 x D 440 mm
• Distance between top and middle shelves: 275 mm
• Distance between middle and bottom shelves: 270 mm
• Serving cart dimensions: W 850 x D 525 x H 945 mm
• Weight: 13.9 kg
> Easy assembly
• EAN 3611630090766

Reference : CCSB3P
Price : €389,-



Serving cart in wood effect 2 trays 1 hoop

• Epoxy painted stainless steel tube
• Trays with wood effect coating
• 4 wheels, 2 with brakes
• Load capacity : 120 kg
• Shelf dimensions: W 823 x D 503 mm
• Useful shelves dimensions: W 755 x D 440 mm
• Distance between shelves: 570 mm
• Serving cart dimensions: W 850 x D 525 x H 945 mm
• Weight: 10.15 kg
> Easy assembly
• EAN 3611630090773

Reference : CCSB2P1
Price : €319,-



Serving cart in wood effect 3 trays 1 hoop

• Epoxy painted stainless steel tube
• Trays with wood effect coating
• 4 wheels, 2 with brakes
• Load capacity: 120 kg
• Shelf dimensions : W 823 x D 503 mm
• Useful shelves dimensions : W 755 x D 440 mm
• Distance between top and middle shelves: 275 mm
• Distance between middle and bottom shelves: 270 mm
• Serving cart dimensions: W 850 x D 525 x H 945 mm
• Weight: 13.9 kg
> Easy assembly
• EAN 3611630090780

Reference : CCSB3P1
Price : €389,-



Garbage bag holder stainless steel trolley



- Stainless steel
- 4 swivelling castors with 2 brakes
- Garbage bag diameter: 290 mm
- Load capacity: 40 Kg
- Tray dimensions: W 825 x D 525 mm
- Height between shelves: 570 mm
- Dimensions: W 845 x D 525 x H 940 mm
- Weight: 10 kg

> Easy to assemble

- EAN 3611630023092

Reference : CCIPP
Price : €219,-

2-hole waste sorting table





- Stainless steel
- Capacity of 2 garbage bag holders
- Cart dimensions: W 1000 x D 600 x H 800 mm
- Weight: 15.3 kg

> Easy to assemble

- EAN 3611630082570

Reference : CTT2VD
Price : €279,-

Mobile garbage bag holder



- Stainless steel 201
- 4 wheels, 2 with brake
- Cart dimensions: W 505 x D 355 x H 800 mm
- Weight: 5.44 kg

> Easy to assemble

- EAN 3611630082587

Reference : CPSPM
Price : €129,-

Fast food trash can

- Stainless steel
- Capacity: 110 liters
- Ledge to hold trays
- Magnetic valve to access the bag
- Garbage bag held by a resilient elastic
- Magnetic mobile facade on 4 wheels
- Dimensions: W 500 x D 540 x H 1 255 mm
- Weight: 28 kg
- EAN 3611630059497

Reference : CPS
Price : €829,-





Fast food trash can black

- EAN 3611630069410

Reference : CPSN
Price : €829,-



Garbage bag holder 80L

- Stainless steel tubes: 0.9 mm thickness, Ø19 mm
- Opening pedal
- Rubber clamp: 8 mm thickness
- 2 swivelling castors with brakes
- Dimensions: W 590 x D 425 x H 750 mm
- Weight: 3.7 kg

> Easy assembly

- EAN 3611630078221

Reference : CPSPP80
Price : €139,-



Garbage bag holder trolley 110L

- Stainless steel tubes: 0.9 mm thickness, Ø19 mm
- Opening pedal
- Rubber clamp: 8 mm thickness
- 2 swivelling castors with brakes
- Dimensions: W 590 x D 425 x H 955 mm
- Weight: 4.3 kg

> Easy assembly

- EAN 3611630003810

Reference : CPSPP
Price : €149,-



GASTRO ECONOMY



BUFFET

- CUP WARMER ..... 320 
- CHOCOLATE DISPENSER ..... 302 
- WATER BOILER ..... 296 
- CEREALS DISPENSER ..... 298 
- JUICE DISPENSER ..... 303 
- MILK DISPENSER ..... 301 
- COFFEE PERCOLATOR ..... 294 
- HEATED PLATE ..... 323 
- BUFFET DISPLAY ..... 309 
- EUTECTIC HOLDER AND PLATE ..... 300 
- SAUCE HOLDER ..... 304 
- EUTECTIC DISPLAY CASE ..... 308 

COFFEE PERCOLATOR

GASTRO ECONOMY



Coffee percolator 48 cups SP

- Permanent stainless steel filter
- Single wall stainless steel case
- Capacity: 6.8 liters
- 2 separated warm systems for percolation and keeping warm
- Drip tray
- Security thermostat with automatic reset
- Anti drip system
- Filling level indicator
- Preparation time for 6.8 L: 45 minutes
- Frequency: 50/60 Hz
- Power: 950 W / 230 V
- Dimensions: Ø 210 mm, H 370 mm
- Weight: 2.30 kg
- EAN 3611630014182

Reference : CPC48S
Price : €116,-



Coffee percolator 60 cups SP

- Permanent stainless steel filter
- Single wall stainless steel case
- Capacity: 8.8 liters
- 2 separated warm systems for percolation and keeping warm
- Drip tray
- Security thermostat with automatic reset
- Anti drip system
- Filling level indicator
- Preparation time for 8.8 L: 50 minutes
- Frequency: 50/60 Hz
- Power: 950 W / 230 V
- Dimensions: Ø 210 mm, H 430 mm
- Weight: 2.35 kg
- EAN 3611630014199

Reference : CPC60S
Price : €135,-



Stainless steel filter



Coffee percolator 100 cups SP

- Permanent stainless steel filter
- Single wall stainless steel case
- Capacity: 15 liters
- 2 separated warm systems for percolation and keeping warm
- Drip tray
- Security thermostat with automatic reset
- Anti drip system
- Filling level indicator
- Preparation time for 15 L: 40 minutes
- Frequency: 50/60 Hz
- Power: 1.65 kW / 230 V
- Dimensions: Ø 270 mm, H 440 mm
- Weight: 3.05 kg
- EAN 3611630014205

Reference : CPC100S
Price : €155,-

Descaler for coffee machines

- 10 packets of 30g
- Type: powder
- Weight: 0.5 kg
- EAN 3611630001427

Reference : CPCD
Price : €18,-



Coffee percolator 48 cups

- Permanent stainless steel filter
- Stainless case with double wall anti-burn
- Capacity: 6.8 liters
- 2 separated warm systems for percolation and keeping warm
- Security thermostat with automatic reset
- Anti drip system
- Filling level indicator
- Preparation time for 6.8 L: 45 minutes
- Frequency: 50/60 Hz
- Power: 950 W / 230 V
- Dimensions: Ø 210 mm, H 370 mm
- Weight: 4.6 kg
- EAN 3611630000291

Reference : CPC48
Price : €126,-

Double wall anti-burn



Coffee percolator 60 cups

- Permanent stainless steel filter
- Stainless case with double wall anti-burn
- Capacity: 8.8 liters
- 2 separated warm systems for percolation and keeping warm
- Security thermostat with automatic reset
- Anti drip system
- Filling level indicator
- Preparation time for 8.8 L: 50 minutes
- Frequency: 50/60 Hz
- Power: 950 W / 230 V
- Dimensions: Ø 210 mm, H 430 mm
- Weight: 4.8 kg
- EAN 3611630000307

Reference : CPC60
Price : €149,-

Double wall anti-burn



Coffee percolator 100 cups

- Permanent stainless steel filter
- Stainless case with double wall anti-burn
- Capacity: 15 liters
- 2 separated warm systems for percolation and keeping warm
- Security thermostat with automatic reset
- Anti drip system
- Filling level indicator
- Preparation time for 15 L: 40 minutes
- Frequency: 50/60 Hz

Double wall anti-burn



- Power: 1.65 kW / 230 V
- Dimensions: Ø 270 mm, H 440 mm
- Weight: 5.4 kg
- EAN 3611630000314

Reference : CPC100
Price : €175,-



- Power: 1.65 kW / 230 V
- Dimensions: Ø 290 mm, H 460 mm
- Weight: 3.9 kg
- EAN 3611630089814

Reference : CPC100N
Price : €189,-

WATER BOILER



Water boiler 6.8 L

- Tank and lid in stainless steel
- Double wall anti-burn
- Filling level indicator
- Capacity: 6.8 liters
- Adjustable thermostat from 30 °C to 100 °C
- Safety thermostat with reset button
- Anti drip system
- Frequency: 50/60 Hz
- Power: 950 W / 230 V
- Dimensions: Ø 225 mm, H 395 mm
- Weight: 2.3 kg
- EAN 3611630001717

Reference : CDEC68
Price : €116,-





Water boiler 10 L

- Tank and lid in stainless steel
- Double wall anti-burn
- Filling level indicator
- Capacity: 10 liters
- Adjustable thermostat from 30 °C to 100 °C
- Safety thermostat with reset button
- Anti drip system
- Frequency: 50/60 Hz
- Power: 1.6 kW / 230 V
- Dimensions: Ø 225 mm, H 470 mm
- Weight: 2.5 kg
- EAN 3611630001724

Reference : CDEC10
Price : €126,-



Water boiler 15 L

- Tank and lid in stainless steel
- Double wall anti-burn
- Filling level indicator
- Capacity: 15 liters
- Adjustable thermostat from 30 °C to 100 °C
- Safety thermostat with reset button
- Anti drip system
- Frequency: 50/60 Hz
- Power: 1.65 kW / 230 V
- Dimensions: Ø 273 mm, H 468 mm
- Weight: 3.25 kg
- EAN 3611630001731

Reference : CDEC15
Price : €149,-



Water boiler 20 L

- Tank and lid in stainless steel
- Double wall anti-burn
- Filling level indicator
- Capacity: 20 liters
- Adjustable thermostat from 30 °C to 100 °C
- Safety thermostat with reset button
- Anti drip system
- Frequency: 50/60 Hz
- Power: 2.5 kW / 230 V
- Dimensions: Ø 318 mm, H 490 mm
- Weight: 3.58 kg
- EAN 3611630001748

Reference : CDEC20
Price : €175,-



Water boiler 25 L

- Tank and lid in stainless steel
- Double wall anti-burn
- Filling level indicator
- Capacity: 25 liters
- Adjustable thermostat from 30 °C to 100 °C
- Safety thermostat with reset button
- Anti drip system
- Frequency: 50/60 Hz
- Power: 2.5 kW / 230 V
- Dimensions: Ø 318 mm, H 560 mm
- Weight: 4.85 kg
- EAN 3611630001755

Reference : CDEC25
Price : €186,-





Water boiler 30 L

- Tank and lid in stainless steel
- Double wall anti-burn
- Filling level indicator
- Capacity: 30 liters
- Adjustable thermostat from 30 °C to 100 °C
- Safety thermostat with reset button
- Anti drip system
- Frequency: 50/60 Hz
- Power: 2.5 kW / 230 V
- Dimensions: Ø 318 mm, H 640 mm
- Weight: 5.5 kg
- EAN 3611630001762

Reference : CDEC30
Price : €199,-



CEREALS DISPENSER



Double canisters cereals dispenser

- Metallic structure
- 2 clear ABS containers
- Hermetic top cover
- Portion control system
- Capacity: 2 x 3 liters
- Stainless steel crumb collector
- Dimensions: W 300 x D 390 x H 640 mm
- Weight: 5 kg
- EAN 3611630003780

Reference : CDC2
Price : €249,-



Triple canisters cereals dispenser

- Metallic structure
- 3 clear ABS containers
- Hermetic top cover
- Portion control system
- Capacity: 3 x 3 liters
- Stainless steel crumb collector
- Dimensions: W 460 x D 390 x H 640 mm
- Weight: 6 kg
- EAN 3611630003797

Reference : CDC3
Price : €349,-





Four canisters cereals dispenser

- Metallic structure
- 4 clear ABS containers
- Hermetic top cover
- Portion control system
- Capacity: 4 x 3 liters
- Stainless steel crumb collector
- Dimensions: W 600 x D 390 x H 640 mm
- Weight: 7 kg
- EAN 3611630003803

Reference : CDC4
Price : €409,-

2-tube cereal dispenser Large



- Epoxy painted metal structure
- Hermetic lids in stainless steel
- 2 ABS containers
- Portion control system
- Capacity: 2 x 5 liters
- Stainless steel crumb collector
- Dimensions: W 398 x D 388 x H 735 mm
- Weight: 5.20 kg
- EAN 3611630080279

Reference : CDCL2
Price : €289,-

3-tube cereal dispenser Large



- Epoxy painted metal structure
- Hermetic lids in stainless steel
- 3 ABS containers
- Portion control system
- Capacity: 3 x 5 liters
- Stainless steel crumb collector
- Dimensions: W 596 x D 388 x H 735 mm
- Weight: 7.40 kg
- EAN 3611630080286

Reference : CDCL3
Price : €429,-

4-tube cereal dispenser Large



- Epoxy painted metal structure
- Hermetic lids in stainless steel
- 4 ABS containers
- Portion control system
- Capacity: 4 x 5 liters
- Stainless steel crumb collector
- Dimensions: W 794 x D 388 x H 735 mm
- Weight: 9.60 kg
- EAN 3611630080293

Reference : CDCL4
Price : €509,-

CUP WARMER



3-tube rotating cereal dispenser

- Epoxy painted metal structure
- Hermetic lids in stainless steel
- 3 ABS containers
- Portion control system
- Capacity: 3 x 5 liters
- Includes 36 porcelain bowls
- Rotating base
- 3 porcelain crumb containers
- Dimensions: Ø 530 x H 735 mm
- Weight: 29 kg
- EAN 3611630080309

Reference : CDCR3
Price : €599,-



Cup warmer 3 levels

- Stainless steel
- Single glazed tempered glass
- 3 shelves: 3 x W 479 x D 284 mm
- LED lighting (red, blue, green or cyan)
- Digital control for each shelf
- Thermostat adjustable from 30 °C to 60 °C
- Frequency: 50 Hz
- Power: 300 W / 230 V
- Dimensions: W 309 x D 535 x H 582 mm
- Weight: 29.5 kg
- EAN 3611630081948

Reference : CCT3N
Price : €889,-

6 x 1 L milk bricks



Milk cooler and cup warmer

- Stainless steel
- Single glazed tempered glass
- LED lighting
- Commercial capacity: 15 L
- Digital temperature control
- Thermostat adjustable from 2 °C to 8 °C
- Climatic class : 4
- Refrigerant: R600A
- Cup heating temperature 60 °C
- Frequency: 50 Hz
- Power: 300 W / 230 V
- Dimensions: W 300 x D 525 x H 640 mm
- Weight: 35 kg
- EAN 3611630081931

Reference : CRLCT
Price : €1.199,-

MILK DISPENSER

Porcelain cold milk dispenser 4 L

- Porcelain pot
- Capacity: 4 liters
- Cooling by ice cube container stainless steel
- Porcelain sign with metal chain
- Dimensions: W 190 x D 320 x H 420 mm
- Weight: 6 kg
- EAN 3611630003766

Reference : CDLPF4
Price : €369,-



Porcelain hot milk dispenser 4 L

- Porcelain pot
- Capacity: 4 liters
- Porcelain sign with metal chain
- Adjustable thermostat from 40 °C to 80 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 600 W / 230V
- Dimensions: W 290 x D 260 x H 390 mm
- Weight: 7 kg
- EAN 3611630003773

Reference : CDLPC4
Price : €409,-



Porcelain hot milk dispenser 10 L

- Porcelain pot
- Capacity: 10 liters
- Porcelain sign with metal chain
- Adjustable thermostat from 40 °C to 80 °C
- Safety thermostat
- Frequency: 50/60 Hz
- Power: 750 W / 230 V
- Dimensions: W 340 x D 260 x H 430 mm
- Weight: 9 kg
- EAN 3611630043427

Reference : CDLPC10
Price : €479,-



CHOCOLATE DISPENSER

Casselin chocolate dispensers are designed for professional use, and need very little space. Their heating system using a bain-marie system keeps the chocolate hot for several hours.



Hot chocolate dispenser 5 L

- ABS basis and polycarbonate bowl
- Bain-marie technology to heat and keep hot
- Stainless steel bowl with safety thermostat
- Adjustable thermostat from 65°C to 85 °C
- Removable anti drip faucet
- On/Off light indicator
- Drip tray
- Capacity: 5 liters
- Frequency: 50/60 Hz
- Power: 1 kW / 230 V
- Dimensions: W 410 x D 280 x H 460 mm
- Weight: 8.4 kg
- EAN 3611630004565

Reference : CCH5LN
Price : €689,-



Tank heating by bain-marie



Hot chocolate dispenser 10 L

- ABS Basis and polycarbonate bowl
- Bain-marie technology to heat and keep hot
- Stainless steel bowl with safety thermostat
- Adjustable thermostat from 65 °C to 85 °C
- Removable anti drip faucet
- On/Off light indicator
- Drip tray
- Capacity: 10 liters
- Frequency: 50/60 Hz
- Power: 1 kW / 230 V
- Dimensions: W 410 x D 280 x H 580 mm
- Weight: 9.1 kg
- EAN 3611630004572

Reference : CCH10LN
Price : €739,-



JUICE DISPENSER

Juice dispenser 8 Liters

- ABS pot
- Capacity: 8 liters
- Cooling by stainless steel ice cube container
- Anti drip system
- Dimensions: W 200 x D 485 x H 560 mm
- Weight: 5.15 kg
- EAN 3611630013970

Reference : CDJ8
Price : €199,-



Juice dispenser 2 x 8 Liters

- ABS pot
- Capacity: 2 x 8 liters
- Cooling by stainless steel ice cube container
- Anti drip system
- Dimensions: W 470 x D 485 x H 560 mm
- Weight: 10.30 kg
- EAN 3611630013987

Reference : CDJ82
Price : €369,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

EUTECTIC HOLDER AND PLATE



Eutectic refrigerated buffet plate GN 1/3

- Stainless steel
- Keeps cold for up to 6 hours
- Rubber feet
- Dimensions: W 325 x D 176 x H 46 mm
- Weight: 1.20 kg
- EAN 3611630080446

Reference : CPBRE13
Price : €69,-



Eutectic refrigerated buffet plate GN 1/2

- Stainless steel
- Keeps cold for up to 6 hours
- Rubber feet
- Dimensions: W 325 x D 265 x H 46 mm
- Weight: 2.05 kg
- EAN 3611630080439

Reference : CPBRE12
Price : €89,-



Eutectic refrigerated buffet plate GN 2/4

- Stainless steel
- Keeps cold for up to 6 hours
- Rubber feet
- Dimensions: W 530 x D 162 x H 46 mm
- Weight: 2.05 kg
- EAN 3611630080453

Reference : CPBRE24
Price : €89,-



Eutectic refrigerated buffet plate GN 1/1

- Stainless steel
- Keeps cold for up to 6 hours
- Rubber feet
- Dimensions: W 530 x D 325 x H 46 mm
- Weight: 4.40 kg
- EAN 3611630080422

Reference : CPBRE11
Price : €129,-



We have developed a wide range of holders for your cold buffets. This range of eutectic refrigerated holders allows you to serve starters, cheeses and desserts in an elegant way, keeping them at the perfect temperature for about 6 hours.

Eutectic refrigerated buffet holder Medium 1

- Black epoxy painted steel
- 1 aluminium eutectic plate Ø 290 x 52 mm
- Keep cold for up to 6 hours
- Rubber feet
- Dimensions: W 321 x D 321 x H 77 mm
- Weight: 5 kg
- EAN 3611630080507

Reference : CSBREM1
Price : €179,-



Eutectic refrigerated buffet holder Medium 2

- Black epoxy painted steel
- 2 aluminium eutectic plates Ø 290 x 52 mm
- Keep cold for up to 6 hours
- Rubber feet
- Dimensions: W 632 x D 321 x H 77 mm
- Weight: 6 kg
- EAN 3611630080514

Reference : CSBREM2
Price : €289,-



EUTECTIC HOLDER AND PLATE



Eutectic refrigerated buffet holder Small 1

- Black epoxy painted steel
- 1 aluminium eutectic plate Ø 170 x 52 mm
- Keep cold for up to 6 hours
- Rubber feet
- Dimensions: W 203 x D 203 x H 77 mm
- Weight: 5 kg
- EAN 3611630080460

Reference : CSBRES1
Price : €139,-



Eutectic refrigerated buffet holder Small 2

- Black epoxy painted steel
- 2 aluminium eutectic plates Ø 170 x 52 mm
- Keep cold for up to 6 hours
- Rubber feet
- Dimensions: W 203 x D 203 x H 77 mm
- Weight: 6 kg
- EAN 3611630080477

Reference : CSBRES2
Price : €219,-



Eutectic refrigerated buffet holder Small 3

- Black epoxy painted steel
- 3 aluminium eutectic plates Ø 170 x 52 mm
- Keep cold for up to 6 hours
- Rubber feet
- Dimensions: W 396 x D 203 x H 77 mm
- Weight: 6.50 kg
- EAN 3611630080484

Reference : CSBRES3
Price : €299,-



Eutectic refrigerated buffet holder Small 4

- Black epoxy painted steel
- 4 aluminium eutectic plates Ø 170 x 52 mm
- Keep cold for up to 6 hours
- Rubber feet
- Dimensions: W 589 x D 203 x H 77 mm
- Weight: 8 kg
- EAN 3611630080491

Reference : CSBRES4
Price : €369,-

Eutectic refrigerated buffet holder GN 1/3

- Black epoxy painted steel
- 1 GN 1/3 steel eutectic plate
- Keep cold for up to 6 hours
- Rubber feet
- Dimensions: W 358 x D 206 x H 74 mm
- Weight: 2.35 kg
- EAN 3611630080521

Reference : CSBRE13
Price : €189,-



Eutectic refrigerated buffet holder GN 1/2

- Black epoxy painted steel
- 1 GN 1/2 steel eutectic plate
- Keep cold for up to 6 hours
- Rubber feet
- Dimensions: W 358 x D 298 x H 74 mm
- Weight: 3.25 kg
- EAN 3611630080538

Reference : CSBRE12
Price : €209,-



Eutectic refrigerated buffet holder GN 1/1

- Black epoxy painted steel
- 1 GN 1/1 steel eutectic plate
- Keep cold for up to 6 hours
- Rubber feet
- Dimensions: W 563 x D 358 x H 74 mm
- Weight: 6.05 kg
- EAN 3611630080545

Reference : CSBRE11
Price : €279,-



EUTECTIC DISPLAY CASE



Eutectic refrigerated buffet display case 1

- Black epoxy painted steel
- Steel eutectic plate 250 x 250 mm
- Porcelain plate 300 x 300 mm
- Stainless steel drip tray
- Removable tempered glass cover
- Dimensions: W 380 x D 460 x H 395 mm
- Weight: 17 kg
- EAN 3611630080552

Reference : CVBRE1
Price : €349,-

Eutectic refrigerated buffet display case 2

- Black epoxy painted steel
- 2 steel eutectic plates 250 x 250 mm
- 2 porcelain plates 300 x 300 mm
- Stainless steel drip tray
- Removable tempered glass cover
- Dimensions: W 680 x D 460 x H 395 mm
- Weight: 27 kg
- EAN 3611630080569

Reference : CVBRE2
Price : €489,-



Eutectic refrigerated buffet display case 3

- Black epoxy painted steel
- 3 steel eutectic plates 250 x 250 mm
- 3 porcelain plates 300 x 300 mm
- Stainless steel drip tray
- Removable tempered glass cover
- Dimensions: W 980 x D 460 x H 395 mm
- Weight: 35 kg
- EAN 3611630080576

Reference : CVBRE3
Price : €609,-



BUFFET DISPLAY



Our roll-top buffet display, which comes in heated or refrigerated versions, is perfect solution for hospitality professionals, buffets, events, caterers and exhibitions. Their roll-top acrylic lid allows customers to have a clear view of the food displayed while keeping it in a hygienic environment.

Eutectic refrigerated roll-top buffet display GN 1/1

- Black epoxy-painted steel
- Roll-top acrylic lid
- Bamboo wall
- Eutectic steel plate GN 1/1
- Keep cold for up to 6 hours
- Utensil tray (Utensil not included)
- Stainless steel drip tray
- Dimensions: W 850 x D 485 x H 322 mm
- Weight: 14 kg
- EAN 3611630080590

Reference : CPBREC11
Price : €759,-



Heated roll-top buffet display

- Black epoxy painted statinless steel
- Tempered glass heated surface
- Heating dimensions: 530 x 325 mm
- Heating indicator
- Roll-top acrylic lid
- Bamboo wall
- Adjustable thermostat up to 90 °C
- Utensil tray (utensil not included)
- Frequency: 50/60 Hz
- Power: 450 W / 230 V
- Dimensions: W 850 x D 505 x H 322 mm
- Weight: 14.50 kg
- EAN 3611630081221

Reference : CPBCC
Price : €739,-



BUFFET DISPLAY



Buffet display 3 levels GN 1/3 - Taly

• Black epoxy painted steel bracket
• Stainless steel plate
• Dimensions: W 351 x D 437 x H 492 mm
• Weight: 5.70 kg
> Suitable for GN 1/3 eutectic plate
> Easy to assemble
• EAN 3611630080606

Reference : CPB13T
Price : €299,-



Buffet display 3 levels GN 1/2 - Taly

• Black epoxy painted steel support
• Stainless steel plate
• Dimensions: W 351 x D 525 x H 492 mm
• Weight: 7.40 kg
> Suitable for GN 1/2 eutectic plate
> Easy to assemble
• EAN 3611630080620

Reference : CPB12T
Price : €339,-



Buffet display 3 levels GN 1/1 - Taly

• Black epoxy painted steel support
• Stainless steel plate
• Dimensions: W 556 x D 586 x H 492 mm
• Weight: 9 kg
> Suitable for GN 1/1 eutectic plate
> Easy to assemble
• EAN 3611630080637

Reference : CPB11T
Price : €399,-



Buffet display 3 levels GN 2/4 - Taly

• Black epoxy painted steel support
• Stainless steel plate
• Dimensions: W 556 x D 423 x H 492 mm
• Weight: 7.50 kg
> Suitable for GN 2/4 eutectic plate
> Easy to assemble
• EAN 3611630080613

Reference : CPB24T
Price : €329,-



Enhance your professional cocktails with our wide range of display units: plates, salad bowls, ramekins, bowls, verrines etc. A multitude of styles to meet all your needs in terms of dressing for your buffets.

Buffet display - Nena

• Black epoxy painted steel holder
• Stainless steel plate
• 1 porcelain plate W 530 x D 325 x H 13 mm
• 4 porcelain ramekins W 110 x D 110 x H 85 mm
• Dimensions: W 556 x D 450 x H 312 mm
• Weight: 8.40 kg
> Suitable for GN 1/1 eutectic plate
> Easy to assemble
• EAN 3611630080644

Reference : CPBN
Price : €349,-



Eutectic refrigerated buffet display - Nena

• Black epoxy painted steel holder
• Stainless steel plate
• 1 GN 1/1 eutectic plate
• Keep cold for up to 6 hours
• 1 porcelain plate W 530 x D 325 x H 13 mm
• 4 porcelain ramekins W 110 x D 110 x H 85 mm
• Dimensions: W 556 x D 450 x H 312 mm
• Weight: 12.40 kg
> Easy to assemble
• EAN 3611630080651

Reference : CPBREN
Price : €419,-





Eutectic refrigerated buffet display 1 G - Nena

- Black epoxy painted steel
- Stainless steel feet
- 1 porcelain plate Ø 290 x 18 mm
- 1 eutectic plate Ø 290 x 55 mm
- Keep cold for up to 6 hours
- Dimensions: W 352 x D 352 x H 220 mm
- Weight: 5 kg
- EAN 3611630080682

Reference : CPBRE1GN
Price : €249,-



Eutectic refrigerated buffet display 3 T - Nena

- Black epoxy painted steel
- Stainless steel feet
- 3 porcelain plates Ø 170 x 18 mm
- 3 eutectic plates Ø 170 x 55 mm
- Keep cold for up to 6 hours
- Dimensions: W 225 x D 592 x H 422 mm
- Weight: 7 kg
- EAN 3611630080675

Reference : CPBRE3TN
Price : €439,-



Eutectic refrigerated buffet display 3 V - Nena

- Black epoxy painted steel
- Stainless steel feet
- 3 porcelain plates Ø 170 x 18 mm
- 3 eutectic plates Ø 170 x 55 mm
- Keep cold for up to 6 hours
- Dimensions: W 456 x D 428 x H 220 mm
- Weight: 6 kg
- EAN 3611630080668

Reference : CPBRE3VN
Price : €469,-

Eutectic refrigerated buffet display 1 - Kira

- Black epoxy painted steel
- Stainless steel feet
- 3 porcelain bowls Ø 190 x 55 mm
- 3 eutectic plates Ø 170 x 55 mm
- Dimensions: W 650 x D 230 x H 240 mm
- Weight: 2.50 kg
- EAN 3611630080989


Reference : CPBRE1K
Price : €369,-



Eutectic refrigerated buffet display 2 - Kira

- Black epoxy painted steel
- Stainless steel feet
- 3 porcelain bowls Ø 190 x 55 mm
- 3 eutectic plates Ø 170 x 55 mm
- Dimensions: W 650 x D 230 x H 340 mm
- Weight: 2.80 kg
- EAN 3611630080996

Reference : CPBRE2K
Price : €389,-



Eutectic refrigerated buffet display 3 - Kira

- Black epoxy painted steel
- Stainless steel feet
- 1 porcelain salad bowl Ø 400 x 65 mm
- 1 eutectic plate Ø 290 x 55 mm
- Keep cold for up to 6 hours
- Dimensions: W 395 x D 395 x H 150 mm
- Weight: 5.5 kg
- EAN 3611630081016

Reference : CPBRE3K
Price : €259,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków


tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl



Buffet display 1 - Kira

• Black epoxy painted steel
• Stainless steel feet
• 3 porcelain bowls Ø 190 x 55 mm
• Dimensions: W 650 x D 230 x H 240 mm
• Weight: 2.50 kg
> Compatible with eutectic plate Ø 170 x 55 mm
• EAN 3611630080965

Reference : CPB1K
Price : €249,-



Buffet display 2 - Kira

• Black epoxy painted steel
• Stainless steel feet
• 3 porcelain bowls Ø 190 x 55 mm
• Dimensions: W 650 x D 230 x H 340 mm
• Weight: 2.80 kg
> Compatible with eutectic plate Ø 170 x 55 mm
• EAN 3611630080972

Reference : CPB2K
Price : €259,-



Buffet display 3 - Kira

• Black epoxy painted steel
• Stainless steel feet
• 1 porcelain salad bowl Ø 400 x 65 mm
• Dimensions: W 395 x D 395 x H 150 mm
• Weight: 5 kg
> Compatible with eutectic plate Ø 290 x 55 mm
• EAN 3611630081009

Reference : CPB3K
Price : €209,-



Ramekin display 12 - Lopo

- Black epoxy painted steel
- 12 porcelain ramekins W 90 x D 90 x H 65 mm
- Dimensions: W 450 x D 330 x H 150 mm
- Weight: 2.80 kg
- EAN 3611630081078

Reference : CPR12L
Price : €139,-



Ramekin display 24 - Lopo

- Black epoxy painted steel
- 12 round porcelain ramekins Ø 75 x 40 mm
- 12 square porcelain ramekins W 65 x D 65 x H 35 mm
- Supports can be divided into 4 rows
- Dimensions: W 500 x D 360 x H 180 mm
- Weight: 8 kg
- EAN 3611630081092

Reference : CPR24L
Price : €219,-



Rotating ramekin holder

- Black powder-coated steel
- 19 porcelain ramekins W 110 x D 110 x H 85 mm
- 18 removable racks
- Rotating base
- Dimensions: W 330 x D 330 x H 495 mm
- Weight: 19 kg
- EAN 3611630081184

Reference : CPARRL
Price : €359,-



Verrine display 24 - Chupito

- Black epoxy painted steel
- 24 verrines
- Dimensions: W 380 x D 285 x H 260 mm
- Weight: 4.60 kg
- EAN 3611630081085

Reference : CPV24CHU
Price : €139,-





We offer a wide range of display units, a real aesthetic asset for your buffets. Modern and trendy, they are perfect to highlight your dishes during breakfasts, banquets, cocktail parties, etc.



Plate display 2 - Meti

- Black epoxy painted steel
- 2 porcelain plates 200 x 200 x 60 mm
- 1 tempered glass plate
- Dimensions: W 560 x D 495 x H 360 mm
- Weight: 7.8 kg
- EAN 3611630081023

Reference : CPA2M
Price : €209,-



Plate display 4 - Meti

- Black epoxy painted steel
- 4 porcelain plates 200 x 200 x 60 mm
- 1 tempered glass plate
- Dimensions: W 1135 x D 400 x H 360 mm
- Weight: 14.50 kg
- EAN 3611630081030

Reference : CPA4M
Price : €289,-



Bowl display x3 - Biru

- Black epoxy painted steel
- 3 porcelain bowls Ø 130 x 70 mm
- Dimensions: W 380 x D 355 x H 350 mm
- Weight: 2.80 kg
- EAN 3611630081108

Reference : CPB3B
Price : €149,-

Salad bowl display 1 - Ruma

- Black epoxy painted steel
- 5 porcelain salad bowls Ø 230 x 130 mm
- Capacity: 5 x 2.8 L
- Dimensions: W 525 x D 526 x H 575 mm
- Weight: 15.50 kg
- EAN 3611630081047

Reference : CPS1R
Price : €349,-



Salad bowl display 2 - Ruma

- Black epoxy painted steel
- 5 porcelain salad bowls Ø 197 x 100 mm
- Capacity: 5 x 1.6 L
- Dimensions: W 525 x D 526 x H 555 mm
- Weight: 15.50 kg
- EAN 3611630081054

Reference : CPS2R
Price : €369,-



Salad bowl display 3 - Ruma

- Black epoxy painted steel
- 5 porcelain salad bowls Ø 250 x 90 mm
- Capacity: 5 x 1.6 L
- Dimensions: W 530 x D 536 x H 555 mm
- Weight: 15.50 kg
- EAN 3611630081061

Reference : CPS3R
Price : €329,-





Ramekin display 3 - Lopo

- Black epoxy painted steel
- 3 porcelain ramekins Ø 90 x H 70 mm
- Capacity ramekins: 3 x 170 ml
- Dimensions: W 350 x D 135 x H 180 mm
- Weight: 2.0 kg
- EAN 3611630090087

Reference : CPR3L
Price : €129,-



Ramekin display 4 - Lopo

- Black epoxy painted steel
- 4 porcelain ramekins Ø 90 x H 70 mm
- Capacity ramekins 4 x 170 ml
- Dimensions: W 230 x D 240 x H 180 mm
- Weight: 2.3 kg
- EAN 3611630090094

Reference : CPR4L
Price : €149,-



Ramekin display 6 - Lopo

- Black epoxy painted steel
- 6 porcelain ramekins Ø 90 x H 70 mm
- Capacity 6 x 170 ml ramekins
- Dimensions: W 350 x D 240 x H 180 mm
- Weight: 3.4 kg
- EAN 3611630090100

Reference : CPR6L
Price : €169,-



Ramekin display 8 - Lopo

- Black epoxy painted steel
- 8 porcelain ramekins Ø 90 x H 70 mm
- Capacity 8 x 170 ml ramekins
- Dimensions: W 230 x D 240 x H 300 mm
- Weight: 3.7 kg
- EAN 3611630090117

Reference : CPR8L
Price : €189,-

Rotating seafood display 1 Fuly

- Black epoxy painted steel
- Rotating base
- 1 porcelain salad bowl Ø 300 x H 75 mm
- 5 porcelain ramekins W 90 x D 90 x H 65 mm
- Capacity ramekins 5 x 240 ml
- Dimensions: W 320 x D 320 x H 325 mm
- Weight: 7 kg
- EAN 3611630090049

Reference : CPFR1F
Price : €239,-



Rotating seafood display 2 Fuly

- Black epoxy painted steel
- Rotating base
- 1 porcelain salad bowl Ø 395 x H 85 mm
- 2 porcelain ramekins: W 110 x D 110 x H 85 mm
- 4 porcelain ramekins: W 90 x D 90 x H 65 mm
- Capacity of ramekins: 2 x 500 ml + 4 x 240 ml
- Dimensions: W 395 x D 395 x H 390 mm
- Weight: 10.7 kg
- EAN 3611630090056

Reference : CPFR2F
Price : €319,-



Rotating seafood display 3 Fuly

- Black epoxy painted steel
- Rotating base
- 1 porcelain salad bowl Ø 470 x H 65 mm
- 2 porcelain ramekins: W 175 x D 175 x H 75 mm
- 6 porcelain ramekins: W 90 x D 90 x H 65 mm
- Capacity small ramekins: 6 x 240 ml
- Dimensions: W 470 x D 470 x H 405 mm
- Weight: 16 kg
- EAN 3611630090063

Reference : CPFR3F
Price : €379,-



SAUCE HOLDER



Refrigerated eutectic sauce rack GN 1/2

- Black epoxy painted steel
- 4 porcelain pots Ø 125 x 145 mm
- Pot capacity: 4 x 1,25 L
- GN 1/2 eutectic plate
- Keep cold for up to 6 hours
- Dimensions: W 275 x D 358 x H 200 mm
- Weight: 7.20 kg
- EAN 3611630081146

Reference : CSASRE12
Price : €349,-



Heated sauce rack GN 1/2

- Black epoxy painted steel
- 4 porcelain pots Ø 125 x 145 mm
- Pot capacity: 4 x 1,25 L
- Heated plate GN 1/2
- Adjustable thermostat from 40 to 90 °C
- Frequency: 50/60 Hz
- Power: 300 W / 230 V
- Dimensions: W 327 x D 340 x H 245 mm
- Weight: 7.20 kg
- EAN 3611630081153

Reference : CSASC12
Price : €449,-



Rotating sauce holder

- Black epoxy painted steel
- 6 porcelain pots Ø 125 x 145 mm
- Pot capacity: 6 x 1.25 L
- 6 stainless steel spoons
- Rotating base
- Dimensions: W 405 x D 405 x H 255 mm
- Weight: 10.50 kg
- EAN 3611630081177

Reference : CSASR
Price : €529,-



Sauce holder 1

- Black epoxy painted steel
- 3 porcelain jars Ø 100 x 123 mm
- Jar capacity: 3 x 0.5 L
- Dimensions: W 380 x D 187 x H 210 mm
- Weight: 3.20 kg
- EAN 3611630081238

Reference : CSAS1
Price : €219,-



Sauce holder 2

- Black epoxy painted steel
- 3 porcelain jars Ø 118 x 145 mm
- Jar capacity: 3 x 0.9 L
- Dimensions: W 425 x D 201 x H 230 mm
- Weight: 4 kg
- EAN 3611630081245

Reference : CSAS2
Price : €249,-



Sauce holder 3

- Black epoxy painted steel
- 3 porcelain jars Ø 134 x 165 mm
- Jar capacity: 3 x 1.3 L
- Dimensions: W 455 x D 212 x H 245 mm
- Weight: 5.70 kg
- EAN 3611630081252

Reference : CSAS3
Price : €279,-



Sauce holder 4

- Black epoxy painted steel
- 4 porcelain pots Ø 125 x 145 mm
- Pot capacity: 4 x 1,25 L
- Dimensions: W 630 x D 267 x H 200 mm
- Weight: 6.20 kg
- EAN 3611630081160

Reference : CSAS4
Price : €269,-



Refrigerated eutectic sauce rack GN 2/4

- Black epoxy painted steel
- 4 porcelain pots Ø 125 x 145 mm
- Pot capacity: 4 x 1,25 L
- GN 2/4 eutectic plate
- Keep cold for up to 6 hours
- Dimensions: W 540 x D 245 x H 200 mm
- Weight: 7.50 kg
- EAN 3611630081139

Reference : CSASRE24
Price : €329,-


GASTRO ECONOMY

HEATED PLATE

Heated steel plate GN 1/3

- Stainless steel
- Heating indicator light
- Heating surface: 325 x 176 mm
- Thermostat adjustable from 40 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 325 x D 196 x H 75 mm
- Weight: 1.85 kg
- EAN 3611630081214

Reference : CPCA13
Price : €179,-



Heated steel plate GN 1/2

- Stainless steel
- Heating indicator light
- Heating surface: 325 x 265 mm
- Thermostat adjustable from 40 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 300 W / 230 V
- Dimensions: W 325 x D 285 x H 75 mm
- Weight: 2.40 kg
- EAN 3611630081207

Reference : CPCA12
Price : €199,-



Heated steel plate GN 1/1

- Stainless steel
- Heating indicator light
- Heating surface: 530 x 325 mm
- Thermostat adjustable from 40 °C to 90 °C
- Frequency: 50/60 Hz
- Power: 450 W / 230 V
- Dimensions: W 530 x D 345 x H 75 mm
- Weight: 4 kg
- EAN 3611630081191

Reference : CPCA11
Price : €279,-



GASTRO ECONOMY



COLD

- UPRIGHT FREEZER 337
- UPRIGHT GLASS DOOR FREEZER 344
- UPRIGHT FRIDGE 326
- UPRIGHT GLASS DOOR FRIDGE 334
- BACK BAR CHILLER 348
- WINE CELLAR 408
- DRY AGING CABINET 411
- BLAST CHILLER 406
- COOLING CABINET 381
- UNDERCOUNTER REFRIGERATED CHEF BASE..... 404
- SALADETTE 387
- TABLE-TOP SALADETTE 374
- TABLE-TOP SALAD BAR WITH INOX LID 376
- REFRIGERATED COUNTER 395
- NEGATIVE REFRIGERATED COUNTER 400
- REFRIGERATED PIZZA COUNTER WITH GRANITE TOP 393
- REFRIGERATED MARKET DISPLAY 358
- REFRIGERATED MARKET DISPLAY 369
- BUILT-IN REFRIGERATED DISPLAY 366
- REFRIGERATED SUSHI SHOWCASE 373
- ICE CREAM DISPLAY CASE 372
























Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl



Bakery fridge 400 L White

- Ventilated cooling
- Roll-Bond evaporator system
- Automatic compressor cycle defrost
- 65 mm insulation per side
- LED lighting
- Door lock with key
- Self-closing door
- 4 adjustable shelves 400x600 mm
- Adjustable stainless steel feet (optional wheels kit)
- Digital thermostat
- Temperature adjustable from + 2 °C to + 8 °C
- Climate class: 4
- Net capacity: 265 L
- Commercial capacity: 400 L
- Refrigerant: R600a
- Frequency: 50/60 Hz
- Power: 180 W / 230 V
- Dimensions: W 740 x D 680 x H 1800 mm
- Weight: 91 kg
- EAN 3611630083195

Reference : CAPP400LB
Price : €1.409,-

38°C



38°C

Bakery fridge 400 L Steel

- Stainless steel
- Ventilated cooling
- Roll-Bond evaporator system
- Automatic compressor cycle defrost
- 65 mm insulation per side
- LED lighting
- Door lock with key
- Self-closing door
- 4 adjustable shelves 400x600 mm + 1 lower shelf
- Digital thermostat
- Temperature adjustable from + 2 °C to + 8 °C
- Climate class: 4
- Net capacity: 265 L
- Commercial capacity: 400 L
- Refrigerant: R600a
- Frequency: 50/60 Hz
- Power: 180 W / 230 V
- Dimensions: W 740 x D 680 x H 1800 mm
- Weight: 88 kg
- EAN 3611630083188

Reference : CAPP400L
Price : €1.469,-

Upright Fridge 200 L White A++

- Ventilated cooling
- 50 mm insulation per side
- Automatic compressor cycle defrost
- Roll-Bond evaporator system
- LED lighting
- Door lock with key
- Reversible door
- ON/OFF switch
- 2+1 adjustable shelves
- Digital thermostat with sound et visual alarm
- Door-open and high temperature alarm
- Temperature adjustable from +0 °C to + 8 °C
- Climate class: 3
- Net capacity: 99 L
- Commercial capacity: 200 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 56 W / 230 V
- Dimensions: W 598 x D 679 x H 838 mm
- Weight: 41 kg
- EAN 3611630101684



Reference : CAP200LBA
Price : €889,-

Upright Fridge 200 L Steel A++

- Stainless steel outside
- Ventilated cooling
- 50 mm insulation per side
- Automatic compressor cycle defrost
- LED lighting
- Door lock with key
- Reversible door
- ON/OFF switch
- 2+1 adjustable shelves
- Digital thermostat with sound et visual alarm
- Temperature adjustable from +0 °C to + 8 °C
- Climate class: 3
- Net capacity: 99 L
- Commercial capacity: 200 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 56 W / 230 V
- Dimensions: W 598 x D 679 x H 838 mm
- Weight: 43 kg
- EAN 3611630101691



Reference : CAP200LA
Price : €999,-

Upright Fridge 235 L Steel

- Stainless steel (inside and out)
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Anti-condensation frame
- 80 mm insulation per side
- Hot gas defrosting
- LED lighting
- Door lock with key
- Self-closing door
- Reversible door
- ON/OFF switch
- 3 adjustable shelves for 1/1 GN + 1 lower shelf
- Digital thermostat
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Net capacity: 162 L
- Commercial capacity: 235 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 185 W / 230 V
- Dimensions: W 469 x D 725 x H 1 990 mm
- Weight: 77 kg
- EAN 3611630101288



Reference : CAP235L
Price : €2.149,-



Upright Fridge 400 L White

38°C

- Ventilated cooling
- Roll-Bond evaporator system
- Automatic compressor cycle defrost
- Door lock with key
- 60 mm insulation per side
- Self-closing door
- Reversible door
- 4 adjustable shelves + 1 lower shelf
- Digital thermostat
- Adjustable temperature from + 2 °C to + 10 °C
- Climate class: 4
- Net capacity: 312 L
- Commercial capacity: 400 L
- Refrigerant: R 600a
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 600 x D 685 x H 1890 mm
- Weight: 62 kg
- EAN 3611630083140

Reference : CAP400LB
Price : €1.189,-



Upright Fridge 400 L Steel

38°C

- Stainless steel (inside and outside)
- Ventilated cooling
- Roll-Bond evaporator system
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Door lock with key
- Self-closing door
- Reversible door
- 4 adjustable shelves + 1 lower shelf
- Digital thermostat
- Adjustable temperature from + 2 °C to + 10 °C
- Climate class: 4
- Net capacity: 312 L
- Commercial capacity: 400 L
- Refrigerant: R 600a
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 600 x D 685 x H 1890 mm
- Weight: 62 kg
- EAN 3611630083133

Reference : CAP400L
Price : €1.249,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

GASTRO ECONOMY

Upright Fridge 546 L Steel

- Stainless steel
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Anti-condensation frame
- 80 mm insulation per side
- Hot gas defrosting
- LED lighting
- Door lock with key
- Self-closing door
- Reversible door
- ON/OFF switch
- 3 adjustable shelves for 2/1 GN + 1 lower shelf
- Adjustable stainless steel feet (optional wheels kit)
- Digital thermostat
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Net capacity: 410 L
- Commercial capacity: 546 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 210 W / 230 V
- Dimensions: W 700 x D 823 x H 2045 mm
- Weight: 108 kg
- EAN 3611630083157

38°C

Reference : CAP546L
Price : €2.199,-



Upright Fridge 546 L Tropicalized

- Stainless steel (inside and out)
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Anti-condensation frame
- 80 mm insulation per side
- Automatic electric defrost
- LED lighting
- Door lock with key
- Self-closing door
- Reversible door
- ON/OFF switch
- 3 adjustable shelves for 2/1 GN + 1 lower shelf
- Digital thermostat
- Inverter compressor
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 5
- Net capacity: 410 L
- Commercial capacity: 546 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 73 W / 230 V
- Dimensions: W 700 x D 850 x H 2 045 mm
- Weight: 109 kg
- EAN 3611630101257

Reference : CAP546LT
Price : €2.599,-

40°C

Designed to withstand the most demanding environments, our tropicalized display case ensures optimal performance even in high heat and humidity conditions. Ideal for professional kitchens, snack bars, and bakeries, it guarantees perfect product preservation while remaining sturdy and reliable.





Upright Fridge 600 L White

- Ventilated cooling
- Roll-Bond evaporator system
- Automatic compressor cycle defrost
- Door lock with key
- 60 mm insulation per side
- Self-closing door
- Reversible door
- 4 adjustable shelves for 2/1 GN + 1 lower shelf
- 2 adjustable stainless steel feet + 2 rear wheels
- Digital thermostat
- Temperature adjustable from + 2 °C to + 10 °C
- Net capacity: 469 L
- Climate class: 4
- Commercial capacity: 600 L
- Refrigerant: R600a
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 780 x D 730 x H 1890 mm
- Weight: 85 kg
- EAN 3611630083171

Reference : CAP600LB
Price : €1.289,-

38°C



Upright Fridge 600 L Steel

- Stainless steel (inside and outside)
- Ventilated cooling
- Roll-Bond evaporator system
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Door lock with key
- Self-closing door
- Reversible door
- 4 adjustable shelves for 2/1 GN + 1 lower shelf
- 2 adjustable stainless steel feet + 2 rear wheels
- Digital thermostat
- Temperature adjustable from + 2 °C to + 10 °C
- Net capacity: 469 L
- Climate class: 4
- Commercial capacity: 600 L
- Refrigerant: R600a
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 780 x D 730 x H 1890 mm
- Weight: 85 kg
- EAN 3611630083164

Reference : CAP600L
Price : €1.359,-

38°C

Upright Fridge 1255 L Steel

- Stainless steel (inside and outside)
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Anti-condensation frame
- 80 mm insulation per side
- Hot gas defrosting
- LED lighting
- Door lock with key
- Self-closing doors
- ON/OFF switch
- 6 adjustable shelves for 2/1 GN + 2 lower shelves
- Adjustable stainless steel feet (optional wheels kit)
- Digital thermostat
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Net capacity: 820 L
- Commercial capacity: 1255 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 286 W / 230 V
- Dimensions: W 1400 x D 823 x H 2045 mm
- Weight: 165 kg
- EAN 3611630083126

38°C

Reference : CAP1255L
Price : €3.299,-



UPRIGHT GLASS DOOR FRIDGE



Upright glass door fridge 400 L White

- Ventilated cooling
- Roll-Bond evaporator system
- 60 mm insulation per side
- Automatic compressor cycle defrost
- LED lighting
- Door lock with key
- Reversible dougle glazing door
- 4 adjusable shelves for GN 2/1 + 1 lower shelf
- Digital thermostat
- Temperature adjustable from - 1 °C to + 5 °C
- Climate class: 3
- Net capacity: 339 L
- Commercial capacity: 400 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 600 x D 723 x H 1 890 mm
- Weight: 77 kg
- EAN 3611630101769

Reference : CAPV400LB
Price : €1.399,-

38°C



Upright glass door fridge 400 L Steel

- Ventilated cooling
- Roll-Bond evaporator system
- 60 mm insulation per side
- Automatic compressor cycle defrost
- LED lighting
- Door lock with key
- Reversible dougle glazing door
- 4 adjusable shelves for GN 2/1 + 1 lower shelf
- Digital thermostat
- Temperature adjustable from - 1 °C to + 5 °C
- Climate class: 3
- Net capacity: 312 L
- Commercial capacity: 400 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 600 x D 723 x H 1 890 mm
- Weight: 77 kg
- EAN 3611630101783

Reference : CAPV400L
Price : €1.489,-

38°C

Upright glass door fridge 600 L White

- Ventilated cooling
- Roll-Bond evaporator system
- 60 mm insulation per side
- Automatic compressor cycle defrost
- LED lighting
- Door lock with key
- Reversible dougle glazing door
- 4 adjusable shelves for GN 2/1 + 1 lower shelf
- Digital thermostat
- Temperature adjustable from - 1 °C to + 5 °C
- Climate class: 3
- Net capacity: 410 L
- Commercial capacity: 600 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 780 x D 768 x H 1 890 mm
- Weight: 104 kg
- EAN 3611630101752

38°C

Reference : CAPV600LB
Price : €1.489,-



Upright glass door fridge 600 L Steel

- Ventilated cooling
- Roll-Bond evaporator system
- 60 mm insulation per side
- Automatic compressor cycle defrost
- LED lighting
- Door lock with key
- Reversible dougle glazing door
- 4 adjusable shelves for GN 2/1 + 1 lower shelf
- Digital thermostat
- Temperature adjustable from - 1 °C to + 5 °C
- Climate class: 3
- Net capacity: 410 L
- Commercial capacity: 600 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 200 W / 230 V
- Dimensions: W 780 x D 768 x H 1 890 mm
- Weight: 104 kg
- EAN 3611630101776

38°C

Reference : CAPV600L
Price : €1.559,-




GASTRO ECONOMY

Upright Freezer 200 L White

- Static fan assisted cooling
- 50 mm insulation per side
- Manual defrost
- LED lighting
- Door lock with key
- Reversible door
- ON/OFF switch
- 2 fixed shelves with evaporator
- Digital thermostat with sound et visual alarm
- Temperature adjustable from - 23 °C to - 18 °C
- Climate class: 3
- Net capacity: 95 L
- Commercial capacity: 200 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 80 W / 230 V
- Dimensions: W 598 x D 679 x H 838 mm
- Weight: 39 kg
- EAN 3611630101714

Reference : CAN200LB
Price : €929,-





Upright Freezer 200 L Steel

- Stainless steel outside
- Static fan assisted cooling
- 50 mm insulation per side
- Manual defrost
- LED lighting
- Door lock with key
- Reversible door
- ON/OFF switch
- 2 fixed shelves with evaporator
- Digital thermostat with sound et visual alarm
- Temperature adjustable from - 23 °C to - 18 °C
- Climate class: 3
- Net capacity: 95 L
- Commercial capacity: 200 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 80 W / 230 V
- Dimensions: W 598 x D 679 x H 838 mm
- Weight: 41 kg
- EAN 3611630101721

Reference : CAN200L
Price : €1.079,-





Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

Upright Freezer 235 L Steel



- Stainless steel (inside and out)
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Anti-condensation heated frame
- 70 mm insulation per side
- Automatic electric defrost
- LED lighting
- Door lock with key
- Self-closing door
- Reversible door
- ON/OFF switch
- 3 adjustable shelves for 1/1 GN + 1 lower shelf
- Digital thermostat
- Inverter compressor
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from • 22 °C to - 18 °C
- Climate class: 4
- Net capacity: 162 L
- Commercial capacity: 235 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 250 W / 230 V
- Dimensions: W 469 x D 725 x H 1 990 mm
- Weight: 80 kg
- EAN 3611630101295

Reference : CAN235L
Price : €2.449,-



Upright Freezer 400 L White

- Static cooling
- Manual defrost
- Door lock with key
- 65 mm insulation per side
- Self-closing door
- Reversible door
- 6 fixed shelves with evaporator
- 2 adjustable stainless steel feet + 2 rear wheels
- Digital thermostat
- Temperature adjustable from -22 °C to -18 °C
- Climate class: 4
- Net capacity: 303 L
- Commercial capacity: 400 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: W 600 x D 685 x H 1890 mm
- Weight: 60 kg
- EAN 3611630083089

Reference : CAN400LB
Price : €1.279,-





Upright Freezer 400 L Steel

- Stainless steel (inside and outside)
- Static cooling
- Manual defrost
- Door lock with key
- 65 mm insulation per side
- Self-closing door
- Reversible door
- 6 fixed shelves with evaporator
- 2 adjustable stainless steel feet + 2 rear wheels
- Digital thermostat
- Temperature adjustable from -22 °C to -18 °C
- Climate class: 4
- Net capacity: 303 L
- Commercial capacity: 400 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: W 600 x D 685 x H 1890 mm
- Weight: 60 kg
- EAN 3611630083072

Reference : CAN400L
Price : €1.389,-





Upright Freezer 546 L Steel


- Stainless steel (inside and outside)
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Anti-condensation heating frame
- 80 mm insulation per side
- Hot gas defrosting
- LED lighting
- Door lock with key
- Self-closing door
- Reversible door
- ON/OFF switch
- 3 adjustable shelves for GN 2/1 + 1 fixed shelf
- Adjustable stainless steel feet (optional wheels kit)
- Digital thermostat
- Temperature adjustable from -22 °C to -18 °C
- Climate class: 4
- Net capacity: 303 L
- Commercial capacity: 546 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 313 W / 230 V
- Dimensions: W 700 x D 815 x H 2055 mm
- Weight: 108 kg
- EAN 3611630083096



Reference : CAN546L
Price : €2.599,-

Upright Freezer 546 L Tropicalized

- Stainless steel (inside and out)
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Anti-condensation heated frame
- 80 mm insulation per side
- Hot gas defrosting
- LED lighting
- Door lock with key
- Self-closing door
- Reversible door
- ON/OFF switch
- 3 adjustable shelves for 2/1 GN + 1 lower shelf
- Digital thermostat
- Inverter compressor
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from • 22 °C to • 18 °C
- Climate class: 5
- Net capacity: 410 L
- Commercial capacity: 546 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 160 W / 230 V
- Dimensions: W 700 x D 850 x H 2 045 mm
- Weight: 109 kg
- EAN 3611630101271



Designed to withstand the most demanding environments, our tropicalized display case ensures optimal performance even in high heat and humidity conditions. Ideal for professional kitchens, snack bars, and bakeries, it guarantees perfect product preservation while remaining robust and reliable.

Reference : CAN546LT
Price : €2.799,-





Upright Freezer 600 L White

- Static cooling
- Manual defrost
- Door lock with key
- Self-closing door
- 65 mm insulation per side
- Reversible door
- ON/OFF switch
- 6 fixed shelves with evaporator
- 2 adjustable stainless steel feet + 2 rear wheels
- Digital thermostat
- Temperature adjustable from -22 °C to -18 °C
- Climate class: 4
- Net capacity: 456 L
- Commercial capacity: 600 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: W 780 x D 720 x H 1895 mm
- Weight: 82 kg
- EAN 3611630083102

Reference : CAN600LB
Price : €1.499,-





Upright Freezer 600 L Steel

- Stainless steel (inside and outside)
- Static cooling
- Manual defrost
- Door lock with key
- 80 mm insulation per side
- Self-closing door
- Reversible door
- ON/OFF switch
- 6 fixed shelves with evaporator
- 2 adjustable stainless steel feet + 2 rear wheels
- Digital thermostat
- Temperature adjustable from -22 °C to -18 °C
- Climate class: 4
- Net capacity: 456 L
- Commercial capacity: 600 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 400 W / 230 V
- Dimensions: W 780 x D 720 x H 1895 mm
- Weight: 82 kg
- EAN 3611630083119

Reference : CAN600L
Price : €1.549,-



Upright Freezer 1255 L Steel

- Stainless steel (inside and outside)
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Anti-condensation heating frame
- 80 mm insulation per side
- Hot gas defrosting
- LED lighting
- Door lock with key
- Self-closing doors
- 6 adjustable shelves for GN 2/1 + 2 fixed shelves
- ON/OFF switch
- Adjustable stainless steel feet (optional wheels kit)
- Digital thermostat
- Temperature adjustable from -22 °C to -18 °C
- Climate class: 4
- Net capacity: 842 L
- Commercial capacity: 1255 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 733 W / 230 V
- Dimensions: W 1 400 x D 823 x H 2 045 mm
- Weight: 172 kg
- EAN 3611630083065

Reference : CAN1255L
Price : €3.999,-



COLD

UPRIGHT GLASS DOOR FREEZER



Upright glass door freezer 140 L White

- Stainless steel tray
- Ventilated cooling
- 50 mm insulation per side
- Automatic electric defrost
- LED lighting
- Door lock with key
- Triple glazed door
- On/Off switch
- 2 adjustable shelves
- Digital thermostat
- Digital thermostat with sound et visual alarm
- Door-open and high temperature alarm
- Temperature adjustable from - 12 °C to + 5 °C
- Climate class: 3
- Commercial capacity: 140 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 230 W / 230 V
- Dimensions: W 598 x D 699 x H 839 mm
- Weight: 39 kg
- EAN 3611630101882

Reference : CANV140LB
Price : €1.349,-



Upright glass door freezer 140 L Steel

- Stainless steel tray
- Ventilated cooling
- 50 mm insulation per side
- Automatic electric defrost
- LED lighting
- Door lock with key
- Triple glazed door
- On/Off switch
- 2 adjustable shelves
- Digital thermostat
- Digital thermostat with sound et visual alarm
- Door-open and high temperature alarm
- Temperature adjustable from - 12 °C to + 5 °C
- Climate class: 3
- Commercial capacity: 140 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 230 W / 230 V
- Dimensions: W 598 x D 699 x H 839 mm
- Weight: 39 kg
- EAN 3611630101899

Reference : CANV140L
Price : €1.389,-

Upright glass door freezer 200 L White

- Static fan assisted cooling
- 50 mm insulation per side
- Manual defrost
- LED lighting
- Door lock with key
- ON/OFF switch
- 2 fixed shelves with evaporator
- Digital thermostat with sound et visual alarm
- Door-open and high temperature alarm
- Triple glazed door
- Temperature adjustable from - 21 °C to - 18 °C
- Climate class: 4
- Net capacity: 98 L
- Commercial capacity: 200 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 174 W / 230 V
- Dimensions: W 598 x D 679 x H 838 mm
- Weight: 50 kg
- EAN 3611630101738

Reference : CANV200LB
Price : €1.099,-



Upright glass door freezer 200 L

- Stainless steel outside
- Static fan assisted cooling
- 50 mm insulation per side
- Manual defrost
- LED lighting
- Door lock with key
- ON/OFF switch
- 2 fixed shelves with evaporator
- Digital thermostat with sound et visual alarm
- Door-open and high temperature alarm
- Triple glazed door
- Temperature adjustable from - 21 °C to - 18 °C
- Climate class: 4
- Net capacity: 98 L
- Commercial capacity: 200 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 174 W / 230 V
- Dimensions: W 598 x D 679 x H 838 mm
- Weight: 50 kg
- EAN 3611630101745

Reference : CANV200L
Price : €1.149,-



UPRIGHT GLASS DOOR FREEZER



Upright glass door freezer 400 L White

- Static cooling
- 65 mm insulation per side
- Manual defrost
- LED lighting
- Door lock with key
- Double glazed door
- 6 fixed shelves with evaporator
- Digital thermostat
- Temperature adjustable from - 18 °C to - 15 °C
- Climate class: 3
- Net capacity: 363 L
- Commercial capacity: 400 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 450 W / 230 V
- Dimensions: W 600 x D 723 x H 1 902 mm
- Weight: 91 kg
- EAN 3611630101813

Reference : CANV400LB
Price : €1.599,-





Upright glass door freezer 400 L Steel

- Static cooling
- 65 mm insulation per side
- Manual defrost
- LED lighting
- Door lock with key
- Double glazed door
- 6 fixed shelves with evaporator
- Digital thermostat
- Temperature adjustable from - 18 °C to - 15 °C
- Climate class: 3
- Net capacity: 363 L
- Commercial capacity: 400 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 450 W / 230 V
- Dimensions: W 600 x D 723 x H 1 902 mm
- Weight: 91 kg
- EAN 3611630101820

Reference : CANV400L
Price : €1.649,-



Upright glass door freezer 600 L White

- Static cooling
- 65 mm insulation per side
- Manual defrost
- LED lighting
- Door lock with key
- Double glazed door
- 6 fixed shelves with evaporator
- Digital thermostat
- Temperature adjustable from - 18 °C to - 15 °C
- Climate class: 3
- Net capacity: 469 L
- Commercial capacity: 600 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 450 W / 230 V
- Dimensions: W 780 x D 768 x H 1 902 mm
- Weight: 110 kg
- EAN 3611630101790

Reference : CANV600LB
Price : €1.699,-





Upright glass door freezer 600 L Steel

- Static cooling
- 65 mm insulation per side
- Manual defrost
- LED lighting
- Door lock with key
- Double glazed door
- 6 fixed shelves with evaporator
- Digital thermostat
- Temperature adjustable from - 18 °C to - 15 °C
- Climate class: 3
- Net capacity: 469 L
- Commercial capacity: 600 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 450 W / 230 V
- Dimensions: W 780 x D 768 x H 1 902 mm
- Weight: 110 kg
- EAN 3611630101806

Reference : CANV600L
Price : €1.749,-





BACK BAR CHILLER



The back bars are available with sliding or hinged doors. They allow drinks, sandwiches or any other food items that can be found in a bar, café, pizzeria, brasserie etc. to be stored under counter.



Back bar chiller 1 door

38°C

- Black lacquered steel
- Tempered glass
- Roll-bond evaporator system
- Ventilated cooling
- Automatic compressor cycle defrost
- 40 mm insulation per side
- Digital thermostat
- Door lock with key
- LED lighting
- Hinged door
- 2 adjustable shelves
- Temperature adjustable from - 1 °C to + 6 °C
- Climate class: CC3
- Net capacity: 128 L
- Commercial capacity: 133 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 180 W / 230 V
- Dimensions: W 600 x D 520 x H 900 mm
- Weight: 44 kg
- EAN 3611630083386

Reference : CAB1P
Price : €749,-



38°C

Back bar chiller 2 sliding doors

- Black lacquered steel
- Tempered glass
- Roll-bond evaporator system
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- Door lock with key
- LED lighting
- 2 sliding doors
- 4 adjustable shelves
- Temperature adjustable from - 1 °C to + 6 °C
- Climate class: CC3
- Net capacity: 200 L
- Commercial capacity: 201 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 230 W / 230 V
- Dimensions: W 900 x D 520 x H 900 mm
- Weight: 58 kg
- EAN 3611630083393

Reference : CAB2PC
Price : €1.029,-

Back bar chiller 3 doors

- Black lacquered steel
- Tempered glass
- Roll-bond evaporator system
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- Door lock with key
- LED lighting
- 3 hinged doors
- 6 adjustable shelves
- Temperature adjustable from - 1 °C to + 6 °C
- Climate class: CC3
- Net capacity: 312 L
- Commercial capacity: 320 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 240 W / 230 V
- Dimensions: W 1350 x D 520 x H 900 mm
- Weight: 80 kg
- EAN 3611630083409

Reference : CAB3P
Price : €1.299,-

38°C



Back bar chiller 3 sliding doors

- Black lacquered steel
- Tempered glass
- Roll-bond evaporator system
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- Door lock with key
- LED lighting
- 3 sliding doors
- 6 adjustable shelves
- Temperature adjustable from - 1 °C to + 6 °C
- Climate class: CC3
- Net capacity: 312 L
- Commercial capacity: 320 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 240 W / 230 V
- Dimensions: W 1350 x D 520 x H 900 mm
- Weight: 80 kg
- EAN 3611630083416

Reference : CAB3PC
Price : €1.329,-

38°C



Back bar chiller 2 glass doors

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- Door lock with key
- 4 adjustable shelves
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +1 °C to +7 °C
- Climate class: 3
- Net capacity: 302 L
- Commercial capacity: 315 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 240 W / 230 V
- Dimensions: W 1 460 x D 515 x H 860 mm
- Weight: 92 kg
- EAN 3611630101936

38°C



Reference : CAB2PV
Price : €2.449,-

Back bar chiller 3 glass doors

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- Door lock with key
- 6 adjustable shelves
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +1 °C to +7 °C
- Climate class: 3
- Net capacity: 485 L
- Commercial capacity: 500 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 373 W / 230 V
- Dimensions: W 2 085 x D 535 x H 860 mm
- Weight: 121 kg
- EAN 3611630101943

38°C



Reference : CAB3PV
Price : €3.199,-

Back bar chiller 4 glass doors

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- Door lock with key
- 8 adjustable shelves
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +1 °C to +7 °C
- Climate class: 3
- Net capacity: 615 L
- Commercial capacity: 618 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 456 W / 230 V
- Dimensions: W 2 540 x D 535 x H 860 mm
- Weight: 151 kg
- EAN 3611630101950

38°C

Reference : CAB4PV
Price : €3.849,-



COLD

Back bar chiller 2 solid doors

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- Ventilated cooling
- Door lock with key
- Self-closing and reversible doors
- 4 adjustable shelves
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +2 °C to +8 °C
- Climate class: 3
- Net capacity: 242 L
- Commercial capacity: 315 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 224 W / 230 V
- Dimensions: W 1 460 x D 515 x H 860 mm
- Weight: 91 kg
- EAN 3611630101905

38°C



Reference : CAB2PP
Price : €2.149,-

Back bar chiller 3 solid doors

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- Ventilated cooling
- Door lock with key
- Self-closing and reversible doors
- 6 adjustable shelves
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +2 °C to +8 °C
- Climate class: 3
- Net capacity: 410 L
- Commercial capacity: 500 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 351 W / 230 V
- Dimensions: W 2 085 x D 515 x H 860 mm
- Weight: 119 kg
- EAN 3611630101912

38°C



Reference : CAB3PP
Price : €2.769,-

Back bar chiller 4 solid doors

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- Door lock with key
- Self-closing and reversible doors
- 8 adjustable shelves
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +2 °C to +8 °C
- Climate class: 3
- Net capacity: 531 L
- Commercial capacity: 618 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 385 W / 230 V
- Dimensions: W 2 540 x D 515 x H 860 mm
- Weight: 149 kg
- EAN 3611630101929

38°C

Reference : CAB4PP
Price : €3.319,-



COLD

Back bar chiller 2 x 2 drawers

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- 4 key-lock drawers
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +2 °C to +8 °C
- Climate class: 3
- Net capacité : 242 L
- Commercial capacity: 315 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 224 W / 230 V
- Dimensions: W 1 460 x D 515 x H 860 mm
- Weight: 91 kg
- EAN 3611630102001

38°C

Reference : CAB22T
Price : €2.979,-



Back bar chiller 3 x 2 drawers

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- 6 key-lock drawers
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +2 °C to +8 °C
- Climate class: 3
- Net capacity: 410 L
- Commercial capacity: 500 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 351 W / 230 V
- Dimensions: W 2 085 x D 515 x H 860 mm
- Weight: 119 kg
- EAN 3611630102018

38°C

Reference : CAB32T
Price : €4.019,-



Back bar chiller 4 x 2 drawers



- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- 8 key-lock drawers
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +2 °C to +8 °C
- Climate class: 3
- Net capacity: 531 L
- Commercial capacity: 618 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 385 W / 230 V
- Dimensions: W 2 540 x D 515 x H 860 mm
- Weight: 149 kg
- EAN 3611630103855

38°C

Reference : CAB42T
Price : €4.999,-



Back bar chiller 2 x 2 glass drawers

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- 4 key-lock drawers
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +1 °C to +7 °C
- Climate class: 3
- Net capacity: 302 L
- Commercial capacity: 315 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 240 W / 230 V
- Dimensions: W 1 460 x D 535 x H 860 mm
- Weight: 92 kg
- EAN 3611630102032

38°C

Reference : CAB22TV
Price : €3.999,-



Back bar chiller 3 x 2 glass drawers

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- 6 key-lock drawers
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +1 °C to +7 °C
- Climate class: 3
- Net capacity: 485 L
- Commercial capacity: 500 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 373 W / 230 V
- Dimensions: W 2 085 x D 535 x H 860 mm
- Weight: 121 kg
- EAN 3611630102049

38°C

Reference : CAB32TV
Price : €5.469,-





Back bar chiller 2 x 2 mixed glass drawers

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- 2 key-lock top 1/3 drawers
- 2 key-lock lower 2/3 drawers
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +1 °C to +7 °C
- Climate class: 3
- Net capacity: 302 L
- Commercial capacity: 315 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 240 W / 230 V
- Dimensions: W 1 460 x D 535 x H 860 mm
- Weight: 92 kg
- EAN 3611630102056

38°C

Reference : CAB22TMV
Price : €3.999,-



Back bar chiller 3 x 2 mixed glass drawers

- Matt black powder-coated steel
- Ventilated cooling
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- LED lighting
- 3 key-lock top 1/3 drawers
- 3 key-lock lower 2/3 drawers
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from +1 °C to +7 °C
- Climate class: 3
- Net capacity: 485 L
- Commercial capacity: 500 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 373 W / 230 V
- Dimensions: W 2 085 x D 535 x H 860 mm
- Weight: 121 kg
- EAN 3611630102063

38°C

Reference : CAB32TMV
Price : €5.469,-





MINI DISPLAY FRIDGE



Refrigerated display cases make it possible to present food attractively and preserve it. They combine ease of loading and high visibility of the products on display.



Display fridge 58 L - White

- Ventilated refrigeration
- Automatic defrost system
- Inside lighting
- Temperature from 4 °C to 12 °C
- Capacity: 58 liters
- 2 shelves included
- Refrigerant gas R600A
- Climate class: 4
- Frequency: 50 Hz
- Power: 130 W / 230 V
- Dimensions: W 425 x D 380 x H 805 mm
- Weight: 28.5 kg
- EAN 3611630000017

Reference : CVR58LB
Price : €499,-





Display fridge 58 L - Black

- Ventilated refrigeration
- Automatic defrost system
- Inside lighting
- Temperature from 4 °C to 12 °C
- Capacity: 58 liters
- 2 shelves included
- Refrigerant gas R600A
- Climate class: 4
- Frequency: 50 Hz
- Power: 130 W / 230 V
- Dimensions: W 425 x D 380 x H 805 mm
- Weight: 28.5 kg
- EAN 3611630023139

Reference : CVR58LN
Price : €499,-



Display fridge 78 L - White

- Ventilated refrigeration
- Automatic defrost system
- Inside lighting
- Temperature from 4 °C to 12 °C
- Capacity: 78 liters
- 3 shelves included
- Refrigerant gas R600A
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 425 x D 380 x H 960 mm
- Weight: 32.5 kg
- EAN 3611630000024

Reference : CVR78LB
Price : €539,-





Display fridge 78 L - Black

- Ventilated refrigeration
- Automatic defrost system
- Inside lighting
- Temperature from 4 °C to 12 °C
- Capacity: 78 liters
- 3 shelves included
- Refrigerant gas R600A
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 425 x D 380 x H 960 mm
- Weight: 32.5 kg
- EAN 3611630000727

Reference : CVR78LN
Price : €539,-





Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

REFRIGERATED DISPLAY CASE



Refrigerated display case 2 doors 93 L Black

- Double glazing
- Ventilated cooling
- Automatic defrost
- LED lighting
- 3 adjustable and tiltable glass shelves
- Front and rear doors
- Electronic thermostat with digital display
- Temperature adjustable from 2°C to 8°C
- Capacity: 93 L
- Climate class: 4
- Refrigerant : R600a
- Shelf dimensions: W 348 x D 248 mm
- Frequency: 50 Hz
- Power: 200 W / 230 V
- Dimensions: W 429 x D 458 x H 1004 mm
- Weight: 47 kg
- EAN 3611630089418

Reference : CVR93L
Price : €899,-





Display fridge 98 L - Black

- Ventilated refrigeration
- Automatic defrost system
- Inside lighting
- Temperature from 4 °C to 12 °C
- Capacity: 98 liters
- 3 shelves included
- Refrigerant gas R600A
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 425 x D 380 x H 1100 mm
- Weight: 37.5 kg
- EAN 3611630028219

Reference : CVR98LN
Price : €589,-





Display fridge 98 L - White

- EAN 3611630000031

Reference : CVR98LB
Price : €589,-



Refrigerated display case 235 L - White

- Ventilated refrigeration
- Automatic defrost system
- Inside lighting LED
- Temperature from 4 °C to 12 °C
- Capacity: 235 liters
- 4 swivelling castors 2 with brakes
- 4 shelves included
- Refrigerant gas R600A
- Climate class: 4
- Frequency: 50 Hz
- Power: 250 W / 230 V
- Dimensions: W 520 x D 485 x H 1700 mm
- Weight: 77 kg
- EAN 3611630000079

Reference : CVR235LB
Price : €1.309,-



Refrigerated display case 235 L - Black

- Ventilated refrigeration
- Automatic defrost system
- Inside lighting LED
- Temperature from 4 °C to 12 °C
- Capacity: 235 liters
- 4 swivelling castors 2 with brakes
- 3 shelves included
- Refrigerant gas R600A
- Climate class: 4
- Frequency: 50 Hz
- Power: 250 W / 230 V
- Dimensions: W 520 x D 485 x H 1700 mm
- Weight: 77 kg
- EAN 3611630074148

Reference : CVR235LN
Price : €1.309,-



Electronic thermostat



REFRIGERATED DISPLAY CASE



The display cases optimize your space and are provided with sliding doors in order to facilitate the service of your preparations.



Refrigerated display case 100 L black

- Double glazing
- Forced ventilated refrigeration with 2 fans
- Automatic defrost system
- Safety glass
- LED ligthing
- Temperature from 2 °C to 12 °C
- Capacity: 100 liters
- Refrigerant gas R600A
- 2 adjustable shelves included
- Dimensions shelves: 2 x W 600 x D 300 mm
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 685 x D 455 x H 675 mm
- Weight: 40.5 kg
- EAN 3611630000048

Reference : CVR100LN
Price : €739,-



Refrigerated display case 100 L white

- Double glazing
- Forced ventilated refrigeration with 2 fans
- Automatic defrost system
- Safety glass
- LED ligthing
- Temperature from 2 °C to 12 °C
- Capacity: 100 liters
- Refrigerant gas R600A
- 2 adjustable shelves included
- Dimensions shelves: W 600 x D 300 mm
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 685 x D 455 x H 675 mm
- Weight: 40.5 kg
- EAN 3611630001861

Reference : CVR100LB
Price : €739,-



Refrigerated display case 120 L

- Double glazing
- Forced ventilated refrigeration with 2 fans
- Automatic defrost system
- Safety glass
- LED ligthing
- Temperature from 2 °C to 12 °C
- Capacity: 120 liters
- Refrigerant gas R600A
- 2 adjustable shelves included
- Dimensions shelves: W 635 x D 340 mm / W 635 x D 370 mm
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 710 x D 575 x H 685 mm
- Weight: 57 kg
- EAN 3611630000055

Reference : CVR120L
Price : €969,-



Refrigerated display case double sliding doors 125 L

- Double glazing
- Forced ventilated refrigeration with 2 fans
- Automatic defrost system
- Safety glass
- LED ligthing
- 2 sliding doors back and front
- Temperature from 2 °C to 12 °C
- Capacity: 125 liters
- Refrigerant gas: R600A
- 2 adjustable shelves included
- Dimensions shelves: W 630 x D 340 mm / W 630 x D 370 mm
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 160 W / 230 V
- Dimensions: W 710 x D 568 x H 686 mm
- Weight: 55 kg
- EAN 3611630016940

Reference : CVR125L
Price : €1.019,-



Refrigerated display case 129 L

- Double tempered glass
- LED lighting
- Glass shelves
- Sliding doors
- Condensate drainage via external air duct
- Electronic thermostat with digital display
- Temperature adjustable from 2 °C to 12 °C
- Capacity: 129 L
- Refrigerant: R290
- Climate class: 4
- Frequency: 50 Hz
- Power: 189 W / 230 V
- Dimensions: W 624 x D 560 x H 874 mm
- Weight: 58.5 kg
- EAN 3611630082075

Reference : CVR129L
Price : €1.259,-

REFRIGERATED DISPLAY CASE



Refrigerated display case 156 L

- Double glazing
- LED lighting
- 4 height-adjustable and tiltable glass shelves
- Sliding doors
- Condensate drain via external air duct
- Electronic thermostat with digital display
- Temperature adjustable from 2°C to 10 °C
- Capacity: 156 L
- Climate class: 4
- Refrigerant : R290
- Grid dimensions: W 320 x D 325 mm / W 320 x D 375 mm
- Frequency: 50 Hz
- Power: 170 W / 230 V
- Dimensions: W 702 x D 595 x H 754 mm
- Weight: 68.5 kg
- EAN 3611630089432

Reference : CVR156L
Price : €1.099,-



Refrigerated display case 160 L

- Double glazing
- Forced ventilated refrigeration with 2 fans
- Automatic defrost system
- Safety glass
- LED ligthing
- Temperature from 2 °C to 12 °C
- Capacity: 160 liters
- Refrigerant gas R600A
- 2 adjustable shelves included
- Dimensions shelves: W 810 x D 370 mm / W 810 x D 400 mm
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 885 x D 575 x H 685 mm
- Weight: 68.4 kg
- EAN 3611630000062

Reference : CVR160L
Price : €1.079,-



Refrigerated display case 185 L

- Double glazing
- Ventilated cooling
- Automatic defrost
- Safety glass
- LED overhead lighting
- Sliding rear doors
- Temperature from 2°C to 12°C
- Capacity: 186 liters
- Refrigerant : R290
- 3 adjustable grids
- Climate class: 4
- Grid dimensions: W 813 x D 335 mm / W 813 x D 367 mm
- Frequency: 50 Hz
- Power: 330 W / 230 V
- Dimensions: W 874 x D 574 x H 887 mm
- Weight: 80 kg
- EAN 3611630089470

Reference : CVR185L
Price : €1.199,-

Round refrigerated display case 100 L

- Stainless steel
- Double tempered glass
- Ventilated cooling
- Automatic defrost
- Electronic thermostat with digital display
- Adjustable temperature from 2 °C to 8 °C
- LED lighting on two sides
- 3 Adjustable glass shelves
- Shelf can be swivelled manually
- Self-closing door
- Capacity: 100 L
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 210 W / 230 V
- Dimensions: W 480 x D 480 x H 1030 mm
- Weight: 50 kg
- EAN 3611630082051

Reference : CVRR100L
Price : €1.179,-





Round refrigerated display case 360 L

- Stainless steel
- Double tempered glass
- Ventilated cooling
- Automatic defrost
- Electronic thermostat with digital display
- Adjustable temperature from 2 °C to 8 °C
- LED lighting on two sides
- 4 Adjustable glass shelves
- Shelf can be swivelled manually
- Self-closing door
- 5 castors, 2 with brakes
- Capacity: 360 L
- Refrigerant: R290
- Climate class: 4
- Frequency: 50 Hz
- Power: 460 W / 230 V
- Dimensions: W 680 x D 680 x H 1750 mm
- Weight: 127 kg
- EAN 3611630082068

Reference : CVRR360L
Price : €3.359,-



BUILT-IN REFRIGERATED DISPLAY



Casselin's built-in display cases are equipped with a new ventilation system to avoid condensation on the glass.



Built-in refrigerated display case 120 L

- Double glazing
- Flat front glass
- Forced ventilated refrigeration with 2 fans
- Automatic defrost system
- LED ligthing
- Rear filling of products
- Temperature from 2 °C to 12 °C
- Temperature controller
- Capacity: 120 liters
- Refrigerant gas R600A
- 2 adjustable shelves included
- Dimensions shelves: W 636 x D 367 mm
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 702 x D 568 x H 686 mm
- Weight: 57 kg
- EAN 3611630074117

Reference : CVRE120L
Price : €969,-



Built-in refrigerated display case 145 L

- Double glazing
- Flat front glass
- Ventilated cooling
- Automatic defrost
- LED lighting
- Rear sliding door
- On/Off button
- Temperature from 2°C to 8°C
- Capacity: 145 liters
- Refrigerant : R290
- Climate class: 4
- 3 height-adjustable and tiltable grids
- Grid dimensions: W 640 x D 368 mm
- Frequency: 50 Hz
- Power: 330 W / 230 V
- Dimensions: W 704 x D 585 x H 887 mm
- Weight: 71 kg
- EAN 3611630089449

Reference : CVRE145L
Price : €1.099,-

Ventilation system on the front of the display case





Built-in refrigerated display 160 L

- Double glazing
- Flat front glass
- Forced ventilated refrigeration with 2 fans
- Automatic defrost system
- LED ligthing
- Rear filling of products
- Temperature from 2 °C to 12 °C
- Temperature controller
- Capacity: 160 liters
- Refrigerant gas R600A
- 2 adjustable shelves included
- Dimensions shelves: W 813 x D 367 mm
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 880 x D 568 x H 686 mm
- Weight: 66 kg
- EAN 3611630074124

Reference : CVRE160L
Price : €1.069,-



Built-in refrigerated display case 185 L

- Double glazing
- Flat front glass
- Ventilated cooling
- Automatic defrost
- LED lighting
- Rear sliding door
- On/Off button
- Temperature from 2°C to 8°C
- Capacity: 186 liters
- Refrigerant : R290
- Climate class: 4
- 3 height-adjustable and tiltable grids
- Grid dimensions: W 815 x D 367 mm
- Frequency: 50 Hz
- Power: 450 W / 230 V
- Dimensions: W W 874 x D 585 x H 887 mm
- Weight: 80 kg
- EAN 3611630089456

Reference : CVRE185L
Price : €1.199,-

BUILT-IN REFRIGERATED DISPLAY

Built-in refrigerated display 200 L



anti-fogging system

- Double glazing
- Flat front glass
- Forced ventilated refrigeration with 2 fans
- Automatic defrost system
- LED ligthing
- Rear filling of products
- Temperature from 2 °C to 12 °C
- Temperature controller
- Capacity: 200 liters
- Refrigerant gas R290A
- 2 adjustable shelves included
- Dimensions up shelves: W 115 x D 330 mm
- Dimensions down shelves: W 155 x D 370 mm
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 1227 x D 568 x H 686 mm
- Weight: 90 kg
- EAN 3611630074131

Reference : CVRE200L
Price : €1.679,-



Built-in refrigerated display case 225 L

- Double glazing
- Flat front glass
- Ventilated cooling
- Automatic defrost
- Top LED lighting
- Sliding door at rear
- On/Off button
- Temperature from 2°C to 8°C
- Capacity: 215 liters
- Refrigerant : R290
- Climate class: 4
- 3 height-adjustable and tiltable grids
- Grid dimensions: L 1155 x 370 mm
- Frequency: 50 Hz
- Power: 580 W / 230 V
- Dimensions: W 1224 x D 585 x H 897 mm
- Weight: 104 kg
- EAN 3611630089463

Reference : CVRE225L
Price : €1.899,-



REFRIGERATED MARKET DISPLAY



Whether in a bakery, confectionery, café or delicatessen, Casselin refrigerated display cases are an ideal choice for those seeking a superior solution for displaying and preserving fresh produce, while creating a pleasing visual experience for discerning customers.



Refrigerated display case 65 L

- Stainless steel
- Single glazing
- Automatic defrost
- Front opening
- Static cooling
- On/Off button
- Electronic thermostat with digital display
- Temperature adjustable from 2°C to 12°C
- Capacity: 65 L
- Climate class: 4
- Refrigerant : R600a
- Frequency: 50 Hz
- Power: 130 W / 230 V
- Dimensions: W 662 x D 634 x H 394 mm
- Weight: 30 kg
- EAN 3611630089425

Reference : CVR65L
Price : €999,-



REFRIGERATED MARKET DISPLAY



Compact, these display cases are designed to fit perfectly into the limited space of market stalls, while ensuring optimum performance. Casselin refrigerated display cases are the ideal choice for itinerant traders wishing to guarantee the quality and freshness of their products, wherever they may be.



Refrigerated display case 118 L

- Stainless steel
- Single glass
- Automatic defrost
- Static cooling
- Front curved glass that slides back
- On/off switch
- Adjustable feet
- Electronic thermostat with digital display
- Adjustable temperature from 2 °C to 12 °C
- Capacity: 118 L
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 105 W / 230 V
- Dimensions: W 695 x D 882 x H 417 mm
- Weight: 38.5 kg
- EAN 3611630074100

Reference : CVR118L
Price : €999,-



Refrigerated display case 128 L

- Stainless steel
- Single glass
- Automatic defrost
- Static cooling
- Tilt-up and sliding front glass
- Sliding rear doors
- On/off switch
- Glass shelf W 664 x D 280 mm
- Adjustable feet
- Electronic thermostat with digital display
- Adjustable temperature from 2 °C to 12 °C
- Capacity: 128 L
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 105 W / 230 V
- Dimensions: W 685 x D 874 x H 419 mm
- Weight: 42 kg
- EAN 3611630074094

Reference : CVR128L
Price : €1.049,-

Refrigerated market display on trolley 175 L

- Stainless steel
- Single glass
- Curved front glass
- Automatic defrost
- Static cooling
- Evaporator with condensation tray
- LED lighting
- On/off switch
- Filling at the back
- Electronic thermostat with digital display
- Adjustable temperature from 2 °C to 12 °C
- Capacity: 175 L
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 200 W / 230 V
- Dimensions: W 915 x D 890 x H 1080 mm
- Weight: 66 kg
- EAN 3611630074063

Reference : CVRM175L
Price : €2.299,-



Refrigerated market display on trolley 255 L

- Stainless steel
- Single glass
- Curved front glass
- Automatic defrost
- Static cooling
- Evaporator with condensation tray
- LED lighting
- On/off switch
- Filling at the back
- Electronic thermostat with digital display
- Adjustable temperature from 2 °C to 12 °C
- Capacity: 256 L
- Refrigerant: R600A
- Climate class: 4
- Frequency: 50 Hz
- Power: 200 W / 230 V
- Dimensions: W 1250 x D 890 x H 1080 mm
- Weight: 84 kg
- EAN 3611630074070

Reference : CVRM256L
Price : €2.599,-



ICE CREAM DISPLAY CASE

GASTRO ECONOMY

Table top ice cream display case 4 x GN 1/3

- Acier inoxydable
- Couvercle basculant double vitrage en verre trempé
- Dégivrage automatique
- Froid statique
- 4 bacs GN1/3 prof. 100 mm inclus
- Interrupteur On/Off
- Thermostat électronique à affichage digital
- Température réglable jusqu'à -18°C
- Classe climatique : 4
- Pieds réglables
- Fluide réfrigérant : R290
- Frequency : 50 Hz
- Puissance : 220 W / 220 V
- Dimensions : L 867 x P 735 x H 446 mm
- Poids : 45 Kg
- EAN 3611630099998

Reference : CVG413B
Price : €1.399,-

4x GN1/3 or 8 x GN1/6

Static cold

Capacity : 67 L



Sushi refrigerated display case 43 L

- Curved front glass
- Static cooling
- Automatic defrost
- LED lighting (Dim. 347 x 310 mm)
- Ceiling evaporator with condensation tray
- Sliding doors
- Electronic thermostat with digital display
- Adjustable temperature from 0 °C to 12 °C
- 4 GN 1/3 containers 40 mm depth
- Capacity: 43 L
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 1131 x D 450 x D 330 mm
- Weight: 33 kg
- EAN 3611630082082

Reference : CVRS43L
Price : €999,-



Sushi refrigerated display case 63 L

- Curved front glass
- Static cooling
- Automatic defrost
- LED lighting (Dim. 347 x 310 mm)
- Ceiling evaporator with condensation recovery
- Sliding doors
- Electronic thermostat with digital display
- Temperature adjustable from 0 °C to 12 °C
- 5 GN 1/3 containers 40 mm depth
- Capacity: 63 L
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 1307 x D 450 x D 330 mm
- Weight: 36 kg
- EAN 3611630082099

Reference : CVRS63L
Price : €1.099,-



Sushi refrigerated display case 83 L

- Curved front glass
- Static cooling
- Automatic defrost
- LED lighting (Dim. 347 x 310 mm)
- Ceiling evaporator with condensation recovery
- Sliding doors
- Electronic thermostat with digital display
- Temperature adjustable from 0 °C to 12 °C
- 6 GN 1/3 containers 40 mm depth
- Capacity: 83 L
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 160 W / 230 V
- Dimensions: W 1483 x D 450 x H 330 mm
- Weight: 39 kg
- EAN 3611630082105

Reference : CVRS83L
Price : €1.199,-



TABLE-TOP SALADETTE



Table-top saladette 4x GN 1/3

- Stainless steel
- Single glass
- Static cooling
- Automatic defrost
- Electronic thermostat with digital display
- Adjustable temperature from 0 °C to 12 °C
- 4 GN1/3 containers 150 mm depth
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 125 W / 230 V
- Dimensions: W 1200 x D 395 x H 426 mm
- Weight: 40.5 kg
- EAN 3611630082006

Reference : CSAP413
Price : €949,-



Table-top saladette 6x GN 1/3

- Stainless steel
- Single glass
- Static cooling
- Automatic defrost
- Electronic thermostat with digital display
- Adjustable temperature from 0 °C to 12 °C
- 6 GN1/3 containers 150 mm depth
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 125 W / 230 V
- Dimensions: W 1500 x D 395 x H 426 mm
- Weight: 45 kg
- EAN 3611630082020

Reference : CSAP613
Price : €1.049,-



Table-top saladette 8x GN 1/3

- Stainless steel
- Single glass
- Static cooling
- Automatic defrost
- Electronic thermostat with digital display
- Adjustable temperature from 0 °C to 12 °C
- 8 GN1/3 containers 150 mm depth
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 140 W / 230 V
- Dimensions: W 1800 x D 395 x H 426 mm
- Weight: 54.5 kg
- EAN 3611630082044

Reference : CSAP813
Price : €1.199,-

Table-top saladette 5x GN 1/4

30°C

- Stainless steel
- Single glass
- Static cooling
- Automatic defrost
- Electronic thermostat with digital display
- Adjustable temperature from 0 °C to 12 °C
- 5 GN1/4 containers 150 mm depth
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 125 W / 230 V
- Dimensions: W 1200 x D 335 x H 426 mm
- Weight: 34.8 kg
- EAN 3611630081993



Reference : CSAP514
Price : €899,-

Table-top saladette 7x GN 1/4

30°C

- Stainless steel
- Single glass
- Static cooling
- Automatic defrost
- Electronic thermostat with digital display
- Adjustable temperature from 0 °C to 12 °C
- 7 GN1/4 containers 150 mm depth
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 125 W / 230 V
- Dimensions: W 1500 x D 335 x H 426 mm
- Weight: 43.5 kg
- EAN 3611630082013



Reference : CSAP714
Price : €1.049,-

Table-top saladette 8x GN 1/4

30°C

- Stainless steel
- Single glass
- Static cooling
- Automatic defrost
- Electronic thermostat with digital display
- Adjustable temperature from 0 °C to 12 °C
- 8 GN1/4 containers 150 mm depth
- Refrigerant: R600a
- Climate class: 4
- Frequency: 50 Hz
- Power: 140 W / 230 V
- Dimensions: W 1800 x D 335 x H 426 mm
- Weight: 48.5 kg
- EAN 3611630082037



Reference : CSAP814
Price : €1.099,-

TABLE-TOP SALAD BAR WITH INOX LID

Table-top saladette with lid 5 x GN 1/4

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 5 GN1/4 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 1 200 x D 335 x H 281 mm
- Weight: 57 kg
- EAN 3611630101431

36°C

Reference : CSAP514C
Price : €889,-



See p.276



Table-top saladette with lid 6 x GN 1/4

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 6 GN1/4 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 1 400 x D 335 x H 281 mm
- Weight: 61 kg
- EAN 3611630101448

36°C

Reference : CSAP614C
Price : €989,-



Table-top saladette with lid 7 x GN 1/4

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 7 GN1/4 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 1 500 x D 335 x H 281 mm
- Weight: 63 kg
- EAN 3611630101455

Reference : CSAP714C
Price : €1.019,-



Table-top saladette with lid 8 x GN 1/4

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 8 GN1/4 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 1 800 x D 335 x H 281 mm
- Weight: 69 kg
- EAN 3611630101462

Reference : CSAP814C
Price : €1.149,-

See p.276





Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

TABLE-TOP SALAD BAR WITH INOX LID

Table-top saladette with lid 10 x GN 1/4

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 10 GN1/4 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 2 000 x D 335 x H 281 mm
- Weight: 69 kg
- EAN 3611630101479

36°C

See p.276



Reference : CSAP1014C
Price : €1.229,-



Table-top saladette with lid 3 x GN 1/3 + 1 GN 1/2

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 3 GN1/3 + 1 GN1/2 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 1 200 x D 335 x H 282 mm
- Weight: 60 kg
- EAN 3611630101486

36°C

Reference : CSAP313C
Price : €959,-



Table-top saladette with lid 6 x GN 1/3

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 6 GN1/3 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 1 400 x D 335 x H 282 mm
- Weight: 64 kg
- EAN 3611630101493

36°C



Reference : CSAP613C
Price : €1.049,-

Table-top saladette with lid 5 x GN 1/3 + 1 GN 1/2

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 5 GN1/3 + 1 GN1/2 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 1 500 x D 395 x H 282 mm
- Weight: 66 kg
- EAN 3611630101509

36°C

See p.276



Reference : CSAP513C
Price : €1.089,-



TABLE-TOP SALAD BAR WITH INOX LID

Table-top saladette with lid 8 x GN 1/3

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 8 GN1/3 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 1 800 x D 335 x H 282 mm
- Weight: 72 kg
- EAN 3611630101516

36°C

Reference : CSAP813C
Price : €1.179,-



See p.276



Table-top saladette with lid 9 x GN 1/3

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 60 mm insulation per side
- Digital thermostat
- Electronic thermostat with digital display
- Adjustable temperature from +2 °C to +8 °C
- 9 GN1/3 containers 150 mm depth (not included)
- Climate class: 4
- Refrigerant: R 290
- Frequency: 50 Hz
- Power: 135 W / 230 V
- Dimensions: W 1 800 x D 395 x H 282 mm
- Weight: 76 kg
- EAN 3611630101523

36°C

Reference : CSAP913C
Price : €1.269,-



Negative refrigerated serving table 2 doors

- Stainless steel
- Ventilated cooling
- Hot gas defrosting
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 45 mm insulation per side
- 2 self-closing doors
- 2 adjustable shelves for 1/1 GN
- Temperature adjustable from - 18 °C to - 10 °C
- Climate class: 4
- Commercial capacity: 232 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 237 W / 230 V
- Dimensions: W 900 x D 700 x H 883 mm
- Weight: 75 kg
- EAN 3611630101585

Reference : CDRN2P
Price : €1.679,-



Negative refrigerated serving table 3 doors

- Stainless steel
- Ventilated cooling
- Hot gas defrosting
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 45 mm insulation per side
- 3 self-closing doors
- 3 adjustable shelves for 1/1 GN
- Temperature adjustable from - 18 °C to - 10 °C
- Climate class: 4
- Commercial capacity: 364 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 276 W / 230 V
- Dimensions: W 1 365 x D 700 x H 883 mm
- Weight: 103 kg
- EAN 3611630101592

Reference : CDRN3P
Price : €2.249,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl



38°C

Saladette - Refrigerated serving table 1 door GN 1/1

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- ON/OFF switch
- Anti-condensation frame
- 1 self-closing door
- 1 adjustable shelf GN 1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 600A
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 74 W / 230 V
- Dimensions: W 450 x D 700 x H 890 mm
- Weight: 45.5 kg
- EAN 3611630083300

Reference : CSA1P
Price : €949,-



38°C

Saladette - Refrigerated serving table 2 doors GN 1/1

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- 2 self-closing doors
- 2 adjustable shelves GN1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 600A
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 142.4 W / 230 V
- Dimensions: W 900 x D 700 x H 880 mm
- Weight: 70 kg
- EAN 3611630083225

Reference : CSA2P
Price : €1.369,-

Saladette - Refrigerated serving table 3 doors GN 1/1

38°C

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- 3 self-closing doors
- 3 adjustable shelves GN1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 230 W / 230 V
- Dimensions: W 1365 x D 700 x H 880 mm
- Weight: 95 kg
- EAN 3611630083232

Reference : CSA3P
Price : €1.899,-





38°C

Saladette - Refrigerated serving table 2 drawers GN 1/1

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- ON/OFF switch
- Anti-condensation frame
- 2 drawers for GN 1/1 containers (not included)
- Adjustable temperature from + 0 °C to + 8 °C
- Refrigerant: R 600A
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 74 W / 230 V
- Dimensions: W 450 x D 700 x H 890 mm
- Weight: 49 kg
- EAN 3611630083324

Reference : CSA2T
Price : €1.299,-



38°C

Saladette - Refrigerated serving table 4 drawers GN 1/1

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- 4 drawers for GN 1/1 (tray not included)
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 600A
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 142.4 W / 230 V
- Dimensions: W 900 x D 700 x H 880 mm
- Weight: 88.5 kg
- EAN 3611630083249

Reference : CSA4T
Price : €2.099,-

COLD

Saladette - Refrigerated serving table 6 drawers GN 1/1

38°C

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- 6 drawers for GN 1/1 (tray not included)
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 230 W / 230 V
- Dimensions: W 1365 x D 700 x H 880 mm
- Weight: 112 kg
- EAN 3611630083256

Reference : CSA6T
Price : €3.099,-



Saladette - Refrigerated serving table with backsplash 2 doors GN 1/1



38°C

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- Digital thermostat
- 45 mm insulation per side
- Anti-condensation frame
- Backsplash height 100 mm
- 2 self-closing doors
- 2 adjustable shelves GN 1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 600A
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 142.4 W / 230 V
- Dimensions: W 900 x D 700 x H 980 mm
- Weight: 90 kg
- EAN 3611630083263

Reference : CSAD2P
Price : €1.429,-

Saladette - Refrigerated serving table with backsplash 3 doors GN 1/1



38°C

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- Backsplash height 100 mm
- 3 self-closing doors
- 3 adjustable shelves GN 1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 230 W / 230 V
- Dimensions: W 1365 x D 700 x H 1080 mm
- Weight: 109 kg
- EAN 3611630083270

Reference : CSAD3P
Price : €1.949,-

Saladette - Refrigerated serving table 2 drawers 1 door GN 1/1



38°C

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- Digital thermostat
- Anti-condensation frame
- 1 self-closing door
- 2 drawers for GN 1/1 (tray not included)
- 1 adjustable shelf GN1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 600A
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 142.4 W / 230 V
- Dimensions: W 900 x D 700 x H 880 mm
- Weight: 88 kg
- EAN 3611630083201

Reference : CSATP21
Price : €1.729,-

Refrigerated serving table 2 doors GN 1/1 Granit

38°C



- Stainless steel
- Static cooling
- Granite worktop
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 2 self-closing doors
- 2 adjustable shelves GN 1/1
- Temperature adjustable from +0 °C to + 8 °C
- Climate class: 4
- Commercial capacity: 214 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 142,4 W / 230 V
- Dimensions: W 900 x D 700 x H 870 mm
- Weight: 86 kg
- EAN 3611630101561

Reference : CDR2PG
Price : €1.549,-

Refrigerated serving table 3 doors GN 1/1 Granit

36°C

- Stainless steel
- Static cooling
- Granite worktop
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 3 self-closing doors
- 3 adjustable shelves GN 1/1
- Temperature adjustable from +0 °C to + 8 °C
- Climate class: 4
- Commercial capacity: 214 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 233 W / 230 V
- Dimensions: W 1 365 x D 700 x H 870 mm
- Weight: 129 kg
- EAN 3611630101578



Reference : CDR3PG
Price : €1.899,-

Refrigerated serving table with backsplash 2 doors GN 1/1

36°C

- Stainless steel
- Static cooling
- Granite worktop
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- Backsplash height 150 mm
- 3 self-closing doors
- 3 adjustable shelves GN 1/1
- Temperature adjustable from +0 °C to + 8 °C
- Climate class: 4
- Commercial capacity: 416 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 233 W / 230 V
- Dimensions: W 1 400 x D 700 x H 1 022 mm
- Weight: 199 kg
- EAN 3611630101554



Reference : CDRD3PG
Price : €2.369,-


GASTRO ECONOMY

Saladette for preparation 1 door GN 1/1

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- ON/OFF switch
- Anti-condensation frame
- Separating bar for GN containers Included
- Retractable top for GN containers
- 1 self-closing door
- 1 adjustable shelf GN 1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Net capacity: 101 L
- Commercial capacity: 103 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Climate class: 4
- Power: 74 W / 230 V
- Dimensions: W 450 x D 700 x H 890 mm
- Weight: 43 kg
- EAN 3611630083317

36°C



Reference : CSAP1P
Price : €929,-

Saladette for preparation 2 doors 900

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- Separating bar for GN containers Included
- Opening top
- 2 self-closing doors
- 2 adjustable shelves GN 1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Net capacity: 220 L
- Commercial capacity: 232 L
- Refrigerant: R 600A
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 142.4 W / 230 V
- Dimensions: W 900 x D 700 x H 883 mm
- Weight: 88 kg
- EAN 3611630083331

36°C



Reference : CSAP2P900
Price : €1.319,-

Saladette for preparation 2 doors 1045

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- Separating bar for GN containers Included
- Opening top
- 2 self-closing doors
- 2 adjustable shelves GN 1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Net capacity: 258 L
- Commercial capacity: 269 L
- Refrigerant: R 600A
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 182 W / 230 V
- Dimensions: W 1045 x D 700 x H 883 mm
- Weight: 75 kg
- EAN 3611630083348

Reference : CSAP2P1045
Price : €1.429,-



Saladette for preparation 3 doors GN 1/1

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- Separating bar for GN containers Included
- Opening top
- 3 self-closing doors
- 3 adjustable shelves
- Temperature adjustable from + 0 °C to + 8 °C
- Net capacity: 350 L
- Commercial capacity: 365 L
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 230 W / 230 V
- Dimensions: W 1365 x D 700 x H 883 mm
- Weight: 92 kg
- EAN 3611630083355

Reference : CSAP3P
Price : €1.799,-



Saladette 2 doors 5 x GN 1/6

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- 2 self-closing doors
- 2 adjustable shelves GN 1/1
- Suitable for 5 GN 1/6 containers (not included)
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 600A
- Climate class: 4
- Net capacity: 227 L
- Commercial capacity: 240 L
- Frequency: 50/60 Hz
- Power: 142.4 W / 230 V
- Dimensions: W 900 x D 700 x H 1005 mm
- Weight: 73 kg
- EAN 3611630083287

Reference : CSA2P516
Price : €1.439,-



Saladette 3 doors 8 x GN 1/6

- Stainless steel
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- 3 self-closing doors
- 3 adjustable shelves GN 1/1
- Suitable for 8 GN 1/6 containers (not included)
- Temperature adjustable from + 0 °C to + 8 °C
- Refrigerant: R 290
- Climate class: 4
- Net capacity: 376 L
- Commercial capacity: 390 L
- Frequency: 50/60 Hz
- Power: 230 W / 230 V
- Dimensions: W 1365 x D 700 x H 1005 mm
- Weight: 101 kg
- EAN 3611630083294

Reference : CSA3P816
Price : €1.899,-



SALADETTE



The saladettes, with 2 or 3 doors, are ideal for professional kitchens and any catering business such as fast food outlets, snack bars, pizzerias etc. They will facilitate the preparation of starters or sandwiches thanks to their work surface.



Saladette with glass display 2 doors GN 1/1

- Stainless steel
- Protective glass and glass shelf
- Static cooling
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- Anti-condensation frame
- Separating bar for GN trays Included
- 2 self-closing doors
- 2 adjustable shelves
- Temperature adjustable from + 0 °C to + 8 °C
- Worktop height: 840 mm
- Net capacity: 220 L
- Commercial capacity: 232 L
- Refrigerant: R 600A
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 142.4 W / 230 V
- Dimensions: W 900 x D 700 x H 1295 mm
- Weight: 91 kg
- EAN 3611630083362

Reference : CSAV2P
Price : €1.599,-



Saladette with glass door 3 display GN 1/1

- Stainless steel
- Protective glass and glass shelf
- Static cooling
- Automatic defrosting by compressor cycle
- Digital thermostat
- Anti-condensation frame
- Separating bar for GN trays Included
- 3 self-closing doors
- 3 adjustable shelves GN 1/1
- Temperature adjustable from + 0 °C to + 8 °C
- Worktop height: 840 mm
- Net capacity: 350 L
- Commercial capacity: 364 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Climate class: 4
- Power: 230 W / 230 V
- Dimensions: W 1365 x D 700 x H 1295 mm
- Weight: 124 kg
- EAN 3611630083379

Reference : CSAV3P
Price : €2.099,-

Saladette for preparation 2 doors GN 1/1 Granit

- Stainless steel (inside and out)
- Ventilated cooling
- Granite worktop
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 2 self-closing doors
- 2 adjustable shelves GN 1/1
- Temperature adjustable from +0 °C to + 8 °C
- 5 GN1/6 containers 150 mm depth (not included)
- Climate class: 4
- Commercial capacity: 265 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 142,4 W / 230 V
- Dimensions: W 900 x D 700 x H 1 090 mm
- Weight: 98 kg
- EAN 3611630101530

Reference : CSAP2PG
Price : €1.439,-



Saladette for preparation 3 doors GN 1/1 Granit

- Stainless steel (inside and out)
- Ventilated cooling
- Granite worktop
- Automatic compressor cycle defrost
- 45 mm insulation per side
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 3 self-closing doors
- 3 adjustable shelves GN 1/1
- Temperature adjustable from +0 °C to + 8 °C
- 5 GN1/6 containers 150 mm depth (not included)
- Climate class: 4
- Commercial capacity: 265 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 233 W / 230 V
- Dimensions: W 1 365 x D 700 x H 1 090 mm
- Weight: 140 kg
- EAN 3611630101547

Reference : CSAP3PG
Price : €2.449,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl


GASTRO ECONOMY

REFRIGERATED PIZZA COUNTER WITH GRANITE TOP

Refrigerated pizza counter 2 doors

- Stainless steel (inside and out)
- Granite worktop
- Ventilated cooling
- Automatic compressor cycle defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- Backsplash height 200 mm
- 2 self-closing doors
- 2 adjustable shelves for 600 x 400 mm
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Commercial capacity: 220 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 300 W / 230 V
- Dimensions: W 1 500 x D 800 x H 1 040 mm
- Weight: 203 kg
- EAN 3611630101400

Reference : CTAPZR2P
Price : €2.679,-



Refrigerated pizza counter 3 doors

- Stainless steel (inside and out)
- Granite worktop
- Ventilated cooling
- Automatic compressor cycle defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- Backsplash height 200 mm
- 3 self-closing doors
- 3 adjustable shelves for 600 x 400 mm
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Commercial capacity: 640 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 285 W / 230 V
- Dimensions: W 2 025 x D 800 x H 1 040 mm
- Weight: 296 kg
- EAN 3611630101417

Reference : CTAPZR3P
Price : €3.269,-



REFRIGERATED PIZZA COUNTER WITH GRANITE TOP



Refrigerated pizza counter 5 drawers 1 door

- Stainless steel (inside and out)
- Granite worktop
- Ventilated cooling
- Automatic compressor cycle defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- Backsplash height 200 mm
- 1 self-closing door
- 1 shelf for 600 x 400 mm
- 5 neutral drawers for dough
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Commercial capacity: 220 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 300 W / 230 V
- Dimensions: W 1 500 x D 800 x H 1 040 mm
- Weight: 216 kg
- EAN 3611630101394

Reference : CTAPZR5T1P
Price : €3.299,-

Refrigerated pizza counter 5 drawers 2 doors

- Stainless steel (inside and out)
- Granite worktop
- Ventilated cooling
- Automatic compressor cycle defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- Backsplash height 200 mm
- 1 self-closing door
- 1 shelf for 600 x 400 mm
- 5 neutral drawers for dough
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Commercial capacity: 430 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 285 W / 230 V
- Dimensions: W 2 025 x D 800 x H 1 040 mm
- Weight: 309 kg
- EAN 3611630101424

Reference : CTAPZR5T2P
Price : €3.929,-



Refrigerated counter 4 drawers GN 1/1

38°C

- Stainless steel (inside and out)
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- 4 drawers for GN 1/1 (tray not included)
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Net capacity: 68 L
- Commercial capacity: 181 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 282 W / 230 V
- Dimensions: W 1 367 x D 700 x H 650 mm
- Weight: 100 kg
- EAN 3611630101363

Reference : CTAR4T
Price : €2.499,-



Refrigerated counter 6 drawers GN 1/1

- Stainless steel (inside and out)
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- 6 drawers for GN 1/1 (tray not included)
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Net capacity: 102 L
- Commercial capacity: 268 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 282 W / 230 V
- Dimensions: W 1 803 x D 700 x H 650 mm
- Weight: 128 kg
- EAN 3611630101370

38°C

Reference : CTAR6T
Price : €3.059,-



Refrigerated counter 8 drawers GN 1/1

- Stainless steel (inside and out)
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- 8 drawers for GN 1/1 (tray not included)
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Climate class: 4
- Net capacity: 136 L
- Commercial capacity: 362 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 282 W / 230 V
- Dimensions: W 2 239 x D 700 x H 650 mm
- Weight: 157 kg
- EAN 3611630101387

38°C

Reference : CTAR8T
Price : €3.599,-



Refrigerated counter 2 doors

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- Evaporator with anti-corrosion treatment
- Door lock with key
- 2 self-closing doors
- 4 adjustable shelves GN 1/1
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Net capacity: 175 L
- Commercial capacity: 260 L
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 282 W / 230 V
- Dimensions: W 1350 x D 700 x H 850 mm
- Weight: 100 kg
- EAN 3611630083423

Reference : CTAR2P
Price : €2.299,-



Refrigerated counter with backsplash 2 doors

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- Evaporator with anti-corrosion treatment
- Backsplash height 100 mm
- 2 self-closing doors
- 4 adjustable shelves GN 1/1
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Net capacity: 175 L
- Commercial capacity: 260 L
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 282 W / 230 V
- Dimensions: W 1350 x D 700 x H 950 mm
- Weight: 102 kg
- EAN 3611630083430

Reference : CTARD2P
Price : €2.359,-



Refrigerated counter 3 doors

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- Evaporator with anti-corrosion treatment
- 3 self-closing doors
- 6 adjustable shelves GN 1/1
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Net capacity: 259 L
- Commercial capacity: 400 L
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 282 W / 230 V
- Dimensions: W 1800 x D 700 x H 850 mm
- Weight: 124 kg
- EAN 3611630083447

38°C

Reference : CTAR3P
Price : €2.599,-



Refrigerated counter with backsplash 3 doors

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- Evaporator with anti-corrosion treatment
- Backsplash height 100 mm
- 3 self-closing doors
- 6 adjustable shelves GN 1/1
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Net capacity: 259 L
- Commercial capacity: 400 L
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 282 W / 230 V
- Dimensions: W 1800 x D 700 x H 950 mm
- Weight: 126 kg
- EAN 3611630083454

38°C

Reference : CTARD3P
Price : €2.659,-



Refrigerated counter 4 doors

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- Evaporator with anti-corrosion treatment
- Door lock with key
- 4 self-closing doors
- 8 adjustable shelves GN 1/1
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Net capacity: 345 L
- Commercial capacity: 570 L
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 282 W / 230 V
- Dimensions: W 2250 x D 700 x H 850 mm
- Weight: 137 kg
- EAN 3611630083461

38°C

Reference : CTAR4P
Price : €3.099,-



Refrigerated counter with backsplash 4 doors

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- Evaporator with anti-corrosion treatment
- Backsplash height 100 mm
- 4 self-closing doors
- 8 adjustable shelves GN 1/1
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 2 °C to + 8 °C
- Net capacity: 345 L
- Commercial capacity: 570 L
- Refrigerant: R 290
- Climate class: 4
- Frequency: 50/60 Hz
- Power: 282 W / 230 V
- Dimensions: W 2250 x D 700 x H 850 mm
- Weight: 150 kg
- EAN 3611630083478

38°C

Reference : CTARD4P
Price : €3.199,-



NEGATIVE REFRIGERATED COUNTER

Negative refrigerated counter 2 doors



- Stainless steel (inside and out)
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- 2 self-closing doors
- 4 adjustable shelves for 1/1 GN
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 22 °C to - 18 °C
- Climate class: 4
- Net capacity: 175 L
- Commercial capacity: 260 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 250 W / 230 V
- Dimensions: W 1 350 x D 700 x H 850 mm
- Weight: 113 kg
- EAN 3611630101301

Reference : CTARN2P
Price : €2.649,-



Negative refrigerated counter 3 doors



- Stainless steel (inside and out)
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- 3 self-closing doors
- 6 adjustable shelves for 1/1 GN
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 22 °C to - 18 °C
- Climate class: 4
- Net capacity: 261 L
- Commercial capacity: 400 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 670 W / 230 V
- Dimensions: W 1 800 x D 700 x H 850 mm
- Weight: 150 kg
- EAN 3611630101325

Reference : CTARN3P
Price : €3.019,-



Negative refrigerated counter 4 doors

- Stainless steel (inside and out)
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- 60 mm insulation per side
- 4 self-closing doors
- 8 adjustable shelves for 1/1 GN
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 22 °C to - 18 °C
- Climate class: 4
- Net capacity: 345 L
- Commercial capacity: 570 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 570 W / 230 V
- Dimensions: W 2 250 x D 700 x H 850 mm
- Weight: 170 kg
- EAN 3611630101349



Reference : CTARN4P
Price : €3.349,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

NEGATIVE REFRIGERATED COUNTER

Negative refrigerated counter with backsplash 2 doors

- Stainless steel (inside and out)
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- Backsplash height 100 mm
- 60 mm insulation per side
- 2 self-closing doors
- 4 shelves for 1/1 GN
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 22 °C to - 18 °C
- Climate class: 4
- Net capacity: 175 L
- Commercial capacity: 260 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 570 W / 230 V
- Dimensions: W 1 350 x D 700 x H 950 mm
- Weight: 115 kg
- EAN 3611630101318



Reference : CTARND2P
Price : €2.719,-



Negative refrigerated counter with backsplash 3 doors

- Stainless steel (inside and out)
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- Backsplash height 100 mm
- 60 mm insulation per side
- 3 self-closing doors
- 6 shelves for 1/1 GN
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 22 °C to - 18 °C
- Climate class: 4
- Net capacity: 261 L
- Commercial capacity: 400 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 570 W / 230 V
- Dimensions: W 1 800 x D 700 x H 950 mm
- Weight: 152 kg
- EAN 3611630101332




Reference : CTARND3P
Price : €3.099,-



Negative refrigerated counter with backsplash 4 doors

- Stainless steel (inside and out)
- Ventilated cooling
- Automatic electric defrost
- Digital thermostat
- ON/OFF switch
- Evaporator with anti-corrosion treatment
- Backsplash height 100 mm
- 60 mm insulation per side
- 4 self-closing doors
- 8 adjustable shelves for 1/1 GN
- Adjustable stainless steel feet (optional wheels kit)
- Temperature adjustable from - 22 °C to - 18 °C
- Climate class: 4
- Net capacity: 345 L
- Commercial capacity: 570 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 570 W / 230 V
- Dimensions: W 2 250 x D 700 x H 950 mm
- Weight: 170 kg
- EAN 3611630101356



Reference : CTARND4P
Price : €3.449,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

UNDERCOUNTER REFRIGERATED CHEF BASE

Refrigerated chef base 1 mixed positive-negative drawer 2 x GN 1/1

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Evaporator with anti-corrosion treatment
- Colling/Freezing thermostat
- On/Off switch
- 50 mm insulation per side
- Drawer capacity 2 x GN 1/1 150 depth
- Temperature adjustable from • 2°C to + 8°C / -21°C to -18°C
- Climate class: 4
- Commercial capacity: 78 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 345 W / 230 V
- Dimensions: W 905 x D 700 x H 605 mm
- Weight: 85 kg
- EAN 3611630101646

Reference : CSRMPN2
Price : €2.449,-



Refrigerated chef base 2 mixed positive-negative drawers 4 x GN 1/1

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Evaporator with anti-corrosion treatment
- 2 cooling/freezing thermostats
- 2 On/Off switchs
- 50 mm insulation per side
- 2 drawers capacity 4 x GN 1/1 150 depth
- Temperature adjustable from - 2°C to + 8°C / -21°C to -18°C
- Climate class: 4
- Commercial capacity: 179 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 689 W / 230 V
- Dimensions: W 905 x D 700 x H 870 mm
- Weight: 135 kg
- EAN 3611630101653

Reference : CSRMPN4
Price : €3.779,-



Refrigerated chef base 1 mixed positive-negative drawer 3 x GN 1/1

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Evaporator with anti-corrosion treatment
- Cooling/freezing thermostat
- On/Off switch
- 50 mm insulation per side
- 1 drawer capacity 3 x GN 1/1 150 depth
- Temperature adjustable from • 2°C to + 8°C / -21°C to -18°C
- Climate class: 4
- Commercial capacity: 116 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 345 W / 230 V
- Dimensions: W 1 230 x D 700 x H 605 mm
- Weight: 95 kg
- EAN 3611630101660

Reference : CSRMPN3
Price : €2.589,-



Refrigerated chef base 2 mixed positive-negative drawers 6 x GN 1/1

- Stainless steel
- Ventilated cooling
- Automatic electric defrost
- Evaporator with anti-corrosion treatment
- 2 cooling/freezing thermostats
- 2 On/Off switchs
- 50 mm insulation per side
- 2 drawers capacity 6 x GN 1/1 150 depth
- Temperature adjustable from - 2°C to + 8°C / -21°C to -18°C
- Climate class: 4
- Commercial capacity: 265 L
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 689 W / 230 V
- Dimensions: W 1 230 x D 700 x H 870 mm
- Weight: 150 kg
- EAN 3611630101677

Reference : CSRMPN6
Price : €3.959,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

Blast chiller 3 levels

- Stainless steel
- Ventilated cooling
- Manual defrost
- Digital thermostat with sound et visual alarm
- Evaporator with anti-corrosion treatment
- Automatic storage mode at the end of the blast chilling cycle
- 60 mm insulation per side
- Open door alarm
- Integrated spike sensor
- Temperature controlled or temporizated blast chilling cycle
- Temperature adjustable from - 38 °C to + 10 °C
- Climate class: 4
- Cooling capacity: 7 Kg
- Freezing capacity: 5 Kg
- Capacity 3 x GN 2/3
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 420 W / 230 V
- Dimensions: W 660 x D 640 x H 437 mm
- Weight: 44 kg
- EAN 3611630101608

Reference : CCRR3N
Price : €2.659,-



Blast chiller 5 levels

- Stainless steel
- Ventilated cooling
- Manual defrost
- Digital thermostat with sound et visual alarm
- Evaporator with anti-corrosion treatment
- Automatic storage mode at the end of the blast chilling cycle
- 60 mm insulation per side
- Open door alarm
- Reversible door
- Integrated spike sensor
- Temperature controlled or temporizated blast chilling cycle
- Temperature adjustable from - 40 °C to + 10 °C
- Climate class: 5
- Cooling capacity: 15 Kg
- Freezing capacity: 10 Kg
- Capacity 5 x GN 2/3 600 x 400 mm
- 65 mm distance between containers
- Adjustable stainless steel feet (optional wheels kit)
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 420 W / 230 V
- Dimensions: W 760 x D 725 x H 850 mm
- Weight: 76 kg
- EAN 3611630101615

Reference : CCRR5N
Price : €3.599,-



Blast chiller 10 levels

- Stainless steel
- Ventilated cooling
- Manual defrost
- Digital thermostat with sound et visual alarm
- Evaporator with anti-corrosion treatment
- Automatic storage mode at the end of the blast chilling cycle
- 75 mm insulation per side
- Open door alarm
- Reversible door
- Integrated spike sensor
- Temperature controlled or temporizated blast chilling cycle
- Temperature adjustable from - 40 °C to + 10 °C
- Climate class: 5
- Cooling capacity: 25 Kg
- Freezing capacity: 20 Kg
- Capacity 10 x GN 2/3 600 x 400 mm
- 75 mm distance between containers
- Adjustable stainless steel feet (optional wheels kit)
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 1 180 W / 230 V
- Dimensions: W 790 x D 900 x H 1 535 mm
- Weight: 120 kg
- EAN 3611630101622

Reference : CCRR10N
Price : €6.329,-



Blast chiller 15 levels

- Stainless steel
- Ventilated cooling
- Manual defrost
- Digital thermostat with sound et visual alarm
- Evaporator with anti-corrosion treatment
- Automatic storage mode at the end of the blast chilling cycle
- 75 mm insulation per side
- Open door alarm
- Reversible door
- Integrated spike sensor
- Temperature controlled or temporizated blast chilling cycle
- Temperature adjustable from - 40 °C to + 10 °C
- Climate class: 5
- Cooling capacity: 35 Kg
- Freezing capacity: 45 Kg
- Capacity 15 x GN 2/3 600 x 400 mm
- 75 mm distance between containers
- Adjustable stainless steel feet (optional wheels kit)
- Refrigerant: R 290
- Frequency: 50/60 Hz
- Power: 2 080 W / 230 V
- Dimensions: W 790 x D 943 x H 1 975 mm
- Weight: 173 kg
- EAN 3611630101639

Reference : CCRR15N
Price : €9.429,-



Wine cellar 34 bottles

- Built-in
- Static cooling
- Automatic defrosting by compressor cycle
- 35 mm insulation per side
- Integrated charcoal filter
- Digital thermostat
- Open door alarm
- Reversible anti-UV double glazed door
- Blue LED lighting
- 6 wooden sliding shelves
- Adjustable stainless steel feet
- Temperature adjustable from + 5 °C to + 18 °C
- Capacity : 34 bottles
- Net capacity: 93 L
- Commercial capacity: 106 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 85 W / 230 V
- Dimensions: W 380 x D 647 x H 865 mm
- Weight: 35 kg
- EAN 3611630101967

Reference : CCAV34
Price : €1.189,-



Dual-zone wine cellar 31 bottles

- Ventilated cooling
- Automatic defrosting by compressor cycle
- 35 mm insulation per side
- Integrated charcoal filter
- Dual-zone digital thermostat
- Open door alarm
- Reversible anti-UV double glazed door
- Blue LED lighting
- 4 wooden sliding shelves + 1 bottom
- Adjustable stainless steel feet
- Temperature adjustable from +5°C to +10°C/ +10°C to +18°C
- Capacity : 31 bottles
- Net capacity: 114 L
- Commercial capacity: 140 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 85 W / 230 V
- Dimensions: W 380 x D 647 x H 840 mm
- Weight: 41 kg
- EAN 3611630101974

Reference : CCAV31BZ
Price : €1.299,-



Wine cellar 168 bottles

- Ventilated cooling
- Inverter compressor
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Digital thermostat
- Reversible anti-UV double glazed door
- Blue LED lighting
- Door lock with key
- 7 wooden sliding shelves + 1 bottom
- Adjustable stainless steel feet
- Temperature adjustable from + 5 °C to + 20 °C
- Capacity : 168 bottles
- Net capacity: 485 L
- Commercial capacity: 520 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 140 W / 230 V
- Dimensions: W 595 x D 770 x H 1 851 mm
- Weight: 103 kg
- EAN 3611630101981

Reference : CCAV168
Price : €2.569,-



Dual-zone wine cellar 163 bottles

- Ventilated cooling
- Inverter compressor
- Automatic defrosting by compressor cycle
- 40 mm insulation per side
- Dual-zone digital thermostat
- Reversible anti-UV double glazed door
- Blue LED lighting
- Door lock with key
- 7 wooden sliding shelves + 1 lower shelf
- Adjustable stainless steel feet
- Temperature adjustable from +5 °C to +12 °C/+12°C to +20 °C
- Capacity : 163 bottles
- Net capacity: 485 L
- Commercial capacity: 520 L
- Refrigerant: R 600A
- Frequency: 50/60 Hz
- Power: 140 W / 230 V
- Dimensions: W 595 x D 770 x H 1 851 mm
- Weight: 104 kg
- EAN 3611630101998

Reference : CCAV163BZ
Price : €2.689,-



Gastro-Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl
www.gastroeconomy.pl

DRY AGING CABINET



A dry aging cabinet is a device designed to age and preserve foods such as meat, cheese or charcuterie under controlled conditions. These cabinet create an ideal environment by adjusting temperature, humidity and sometimes air circulation, to improve the texture and taste of food over time. They are often used by professional chefs to develop rich, complex flavors in their ingredients.



Whether it's tender meats, mature cheeses or savory charcuterie, the Casselin dry aging cabinet is your ally for a superior taste experience. Adjustable shelves let you customize the space to your specific needs, offering unmatched flexibility for all your culinary projects.

Maximum visibility of maturing culinary products. Integrate it harmoniously into your gastronomic space for an unrivalled visual experience.



Dry aging cabinet 480 L

- Double glazing
- Ventilated cooling
- Interior lighting
- Activated carbon ventilation
- UVC sterilisation system
- Antimicrobial inner tank
- Thermostat adjustable from 0 °C to 25 °C
- Humidity adjustable from 30% to 80%
- External LED display
- Refrigerant : R290
- 3 adjustable shelves
- Shelf dimensions: W 572 x D 450 mm
- Maximum load per shelf: 20 kg
- 2 hooks included
- Capacity: 480 liters
- Climate class: 4
- Frequency: 50 Hz
- Power rating: 220 W / 230 V
- Dimensions: W 700 x D 810 x H 1662 mm
- Weight: 122 kg
- EAN 3611630090834

Reference : CCM480L
Price : €4.799,-



The ally of professionals for enhancing your meats. Thanks to precise control of temperature and humidity, it ensures perfect aging, revealing the full tenderness and flavors of your cuts of meat.

An essential piece of equipment for premium quality and an unparalleled taste.

Outdoor digital thermostat



Indoor digital thermostat



COLD



DISHWASHING EQUIPMENT

- DISHWASHER ACCESSORIES 429
- UTENSIL WASHER 427
- DISHWASHER 420
- HOODED DISHWASHER 425
- GLASSWASHER 414
- WASHING PRODUCTS 431








Glasswasher 350



• Frame and body	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	350 x 350 mm
• Tank and superheater resistance	Incoloy 800
• Power supply	230 V / 50 Hz
• Tank heater	1.3 kW
• Superheater resistance	3 kW
• Rinse aid dispenser	Yes
• Protection against dry running	Yes
• Consumption rinsing water	2.5 liters
• Tank capacity	10.3 liters
• Water connection	G3/4M
• Flow	Ø 28 mm
• Performance	30 baskets per hour
• Cycle time	120 seconds
• Endowment	2 baskets 350 x 350 mm
• Power	3 190 W
• Dimensions	W 420 x D 450 x H 654 mm
• Weight	33 kg





Glasswasher basket 350

Basket for glasswasher 350
• Dimensions: W 350 x D 350 x H 150 mm
• Weight: 0.80 kg
• EAN 3611630001359

Reference : CPLV350
Price : €72,-

Glasswasher 350

• EAN 3611630000840
Reference : CLV35
Price : €1.839,-

Glasswasher 350 with drain pump

• EAN 3611630000857
Reference : CLV35PV
Price : €2.049,-

Glasswasher 350 with water softener

• EAN 3611630000864
Reference : CLV35AD
Price : €2.199,-

Glasswasher 350U

• Frame and wall	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	350 x 350 mm
• Tank and superheater resistance	Incoly 800
• Power supply	230 V / 50 Hz
• Tank heater	2.6 kW
• Superheater resistance	2.5 kW
• Protection against dry running	No
• Water consumption	2 liters
• Tank capacity	13 liters
• Adjustable electric detergent and rinse aid dosing units	Yes
• Water connection	G3/4M
• Outlet	Ø 25 mm
• Output	30 baskets per hour
• Cycle time	20 seconds
• Endowment	2 baskets 350 x 350 mm, small plate holder 12 places, cutlery holder
• Power	2.79 kW / 230 V
• Dimensions	W 420 x D 485 x H 660 mm
• Weight	31 kg





Glasswasher 350U

• EAN 3611630083560
Reference : CLV35U
Price : €1.899,-

Glasswasher 350U with drain pump

• EAN 3611630083577
Reference : CLV35UPV
Price : €2.199,-

Glasswasher 400



• Frame and body	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	400 x 400 mm
• Tank and superheater resistance	Incoloy 800
• Power supply	230 V / 50 Hz
• Tank heater	1.3 kW
• Superheater resistance	3 kW
• Rinse aid dispenser	Yes
• Protection against dry running	Yes
• Consumption rinsing water	3 liters
• Tank capacity	14 liters
• Water connection	G3/4M
• Flow	Ø 28 mm
• Performance	30 baskets per hour
• Cycle time	120 seconds
• Endowment	2 baskets 400 x 400 mm
• Power	3.3 kW
• Dimensions	W 468 x D 510 x H 714 mm
• Weight	40 kg





Glasswasher basket 400

Basket for glasswasher 400
• Dimensions: W 400 x D 400 x H 150 mm
• Weight: 0.95 kg
• EAN 3611630001366

Reference : CPLV400
Price : €72,-

Glasswasher 400

• EAN 3611630000871
Reference : CLV40
Price : €2.099,-

Glasswasher 400 with drain pump

• EAN 3611630000888
Reference : CLV40PV
Price : €2.299,-


Glasswasher 400 with drain pump and water softener

• EAN 3611630000895
Reference : CLV40PVAD
Price : €2.669,-

Glasswasher 400U

• Frame and wall	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	400 x 400 mm
• Tank and superheater resistance	Incoly 800
• Power supply	230 V / 50 Hz
• Tank heater	2.6 kW
• Superheater resistance	2.5 kW
• Protection against dry running	No
• Water consumption	2 liters
• Tank capacity	17 liters
• Adjustable electric detergent and rinse aid dosing units	Yes
• Water connection	G3/4M
• Outlet	Ø 25 mm
• Output	30 baskets per hour
• Cycle time	120 seconds
• Endowment	2 baskets 400 x 400 mm, small plate holder 12 places, cutlery holder
• Power	2.86 kW / 230 V
• Dimensions	W 470 x D 535 x H 710 mm
• Weight	37 kg





Glasswasher 400U

• EAN 3611630083584
Reference : CLV40U
Price : €2.339,-

Glasswasher 400U with drain pump

• EAN 3611630083591
Reference : CLV40UPV
Price : €2.649,-

Glasswasher 400U with drain pump and water softener

• EAN 3611630083669
Reference : CLV40UPVA
Price : €2.889,-

Glasswasher double walled door

• Frame and body	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double-walled door and tank	Yes
• Basket	400 x 400 mm
• Tank and superheater resistance	Incoloy 800
• Power supply	230 V / 50 Hz
• Tank heater	1.3 kW
• Superheater resistance	3 kW
• Rinse aid dispenser	Yes
• Protection against dry running	Yes
• Consumption rinsing water	2.5 liters
• Tank capacity	11 liters
• Water connection	G3/4M
• Flow	Ø 28 mm
• Performance	30 to 60 baskets per hour
• Cycle time	60/120 seconds
• Endowment	2 baskets 400 x 400 mm
• Power	3.3 kW
• Dimensions	W 460 x D 530 x H 700 mm
• Weight	47 kg

Digital control



Glasswasher double walled door

• EAN 3611630000901

Reference : CLVD
Price : €3.449,-





Glasswasher basket PE 400

Basket for glasswasher double wall 400
• Dimensions: W 400 x D 400 x H 130 mm
• Weight: 1.40 kg
• EAN 3611630009041


Reference : CPLV400PE
Price : €105,-



Glasswasher Break Tank 400U

• Frame and wall	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	400 x 400 mm
• Tank and superheater resistance	Incoly 800
• Power supply	230 V / 50 Hz
• Tank heater	2.6 kW
• Superheater resistance	2.6 kW
• Protection against dry running	No
• Water consumption	2 liters
• Tank capacity	17 liters
• Adjustable electric detergent and rinse aid dosing units	Yes
• Water connection	G3/4M
• Outlet	Ø 25 mm
• Output	40 baskets per hour
• Cycle time	120 seconds
• Endowment	2 baskets 400 x 400 mm, small plate holder 12 places, cutlery holder
• Power	2.86 kW / 230 V
• Dimensions	W 470 x D 535 x H 710 mm
• Weight	37 kg





Glasswasher Break Tank 400U

• EAN 3611630083607

Reference : CLV40UBT
Price : €2.899,-

The combination of a BREAK-TANK atmospheric superheater and rinsing pump ensures constant temperature and pressure and low water consumption.




Dishwasher 500

• Frame and body	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	500 x 500 mm
• Tank and superheater resistance	Incoloy 800
• Power supply	230 V / 50 Hz
• Tank heater	3 kW
• Superheater resistance	3 kW
• Rinse aid dispenser	Yes
• Protection against dry running	Yes
• Consumption rinsing water	4.5 liters
• Tank capacity	27 liters
• Water connection	G3/4M
• Flow	Ø 28 mm
• Performance	20 baskets per hour
• Cycle time	180 seconds
• Endowment	2 baskets 500 x 500 mm
• Power	3.6 kW
• Dimensions	W 570 x D 600 x H 834 mm
• Weight	60 kg

Dishwasher 500

• EAN 3611630000918
Reference : CLVA50
Price : €2.799,-






Dishwasher 500 with drain pump

• EAN 3611630000925
Reference : CLVA50PV
Price : €3.099,-

Dishwasher 500 with water softener and drain pump

• EAN 3611630000932
Reference : CLVA50PVAD
Price : €3.349,-





Basket for plates Dishwasher PE 500

Basket for dishwasher 500
• Dimensions: W 500 x D 500 x H 95 mm
• Weight: 1.40 kg
• EAN 3611630001373

Reference : CPALVA500PE
Price : €132,-

Basket for glasses Dishwasher PE 500


Basket for dishwasher 500
• Dimensions: W 500 x D 500 x H 145 mm
• Weight: 2.50 kg
• EAN 3611630009034

Reference : CPVLVA500PE
Price : €142,-

Dishwasher 500U

• Frame and wall	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	500 x 500 mm
• Tank and superheater resistance	Incoly 800
• Power supply	230 V / 50Hz
• Tank heater	2.6 kW
• Superheater resistance	2.5 kW
• Protection against dry running	No
• Water consumption	Yes
• Tank capacity	24 liters
• Adjustable electric detergent and rinse aid dosing units	Yes
• Water connection	G3/4M
• Outlet	Ø 25 mm
• Output	30 baskets per hour
• Cycle time	120 seconds
• Endowment	2 baskets 500 x 500 mm, cutlery holder
• Power	3.12 kW / 230 V
• Dimensions	W 585 x D 600 x H 815 mm
• Weight	56 kg





Dishwasher 500U

• EAN 3611630083614
Reference : CLVA50U
Price : €2.869,-

Dishwasher 500U with drain pump

• EAN 3611630083683
Reference : CLVA50UPV
Price : €3.179,-

Dishwasher 500U with drain pump and water softener

• EAN 3611630083690
Reference : CLVA50UPVA
Price : €3.399,-

DISHWASHER




Dishwasher double walled door

• Frame and body	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	500 x 500 mm
• Tank and superheater resistance	Incoloy 800
• Power supply	400 V / 50 Hz
• Tank heater	2 kW
• Superheater resistance	5.2 kW
• Self-draining tank	Yes
• Rinse aid dispenser	Yes
• Protection against dry running	Yes
• Water consumption	3 liters
• Tank capacity	21 liters
• Water connection	G3/4M
• Flow	Ø 28 mm
• Performance	20 to 30 baskets per hour
• Cycle time	120/180 seconds
• Endowment	2 baskets 500 x 500 mm
• Power	5.7 kW
• Dimensions	W 600 x D 620 x H 828 mm
• Weight	69 kg

Dishwasher double walled door with drain pump and water softener

• EAN 3611630078986

Reference : CLVADPVADB
Price : €4.169,-




Digital control



Basket for plates Dishwasher PE 500

Basket for dishwasher 500
• Dimensions: W 500 x D 500 x H 95 mm
• Weight: 1.40 kg
• EAN 3611630001373

Reference : CPALVA500PE
Price : €132,-



Basket for glasses Dishwasher PE 500

Basket for dishwasher 500
• Dimensions: W 500 x D 500 x H 145 mm
• Weight: 2.50 kg
• EAN 3611630009034


Reference : CPVLVA500PE
Price : €142,-



Dishwasher 500UT with drain pump and water softener

• Frame and wall	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	499 x 500 mm
• Tank and superheater resistance	Incoly 800
• Power supply	399 V 3N + T / 50 Hz
• Tank heater	1.6 kW
• Superheater resistance	4.4 kW
• Protection against dry running	No
• Water consumption	2 liters
• Tank capacity	24 liters
• Adjustable electric detergent and rinse aid dosing units	Yes
• Salt funnel	Yes
• Water connection	G3/4M
• Outlet	Ø 25 mm
• Output	29 baskets per hour
• Cycle time	119 seconds
• Endowment	1 basket 500 x 500 mm, 2 cutlery trays
• Power	4.92 kW / 230 V
• Dimensions	W 585 x D 600 x H 815 mm
• Weight	56 kg







Dishwasher 500UT with drain pump and water softener

• EAN 3611630083706

Reference : CLVA50UPVAT


Price : €3.349,-



Dishwasher 600U with drain pump



• Frame and wall	Stainless steel AISI 18/10
• Washing and rinsing arm	Stainless steel
• Door safety contact	Yes
• Double walled door	Yes
• Basket	500 x 600 mm
• Tank and superheater resistance	Incoly 800
• Power supply	400 V 3N + T / 50 Hz
• Tank heater	2.6 kW
• Superheater resistance	5.4 kW
• Protection against dry running	No
• Water consumption	2 liters
• Tank capacity	30 liters
• Adjustable electric detergent and rinse aid dosing units	Yes
• Salt funnel	Yes
• Water connection	G3/4M
• Outlet	Ø 25 mm
• Output	30 baskets per hour
• Cycle time	120 seconds
• Endowment	3 baskets 500 x 600 mm, 2 cutlery trays
• Power	6,52 kW / 400 V
• Dimensions	W 585 x D 715 x H 865 mm
• Weight	56 kg



3 baskets
500 x 600 mm

Dishwasher 600U with drain pump

• EAN 3611630083713

Reference : CLVA60UPV

Price : €4.099,-



Hooded dishwasher



• Chassis and body	Stainless steel AISI 304
• Washing and rinsing arm	Stainless steel
• Double walled door	Yes
• Basket	500 x 500 mm
• Digital control	Yes
• Wash programs	3
• Tank and superheater resistance	Incoloy 800
• Tank heater	3 kW
• Superheater resistance	6,1 kW
• Boiler holding device	Yes
• Boiler thermal insulation device	Yes
• Self-draining tank	Yes
• Cleaning products batcher	Yes
• Rinsing products batcher	Yes
• Production (basket/hour)	72/30/20
• Cycle time	50/120/180
• Production (plate/hour)	1100/660/440 per hour
• Tank capacity	46 liters
• Consumption rinsing water	3 liters
• Stainless steel surface filters in the tank	Yes
• Endowment	2 baskets 500 x 500 mm
• Power	7,1 kW / 400 V
• Dimensions	W 717 x D 920 x H 1888 mm
• Weight	124 kg


• EAN 3611630078955

Reference : CLVAC
Price : €4.999,-

Hooded dishwasher with drain pump


• EAN 3611630038751


Reference : CLVACPV
Price : €5.399,-



The vats of hooded dishwasher are fully stamped tank.







HOODED DISHWASHER

Hooded dishwasher 500U with drain pump




• Frame and body	Stainless steel AISI 304
• Washing and rinsing arm	Stainless steel
• Double walled door	Yes
• Basket	500 x 500 mm
• Digital control	Yes
• Wash programs	3
• Tank and superheater resistance	Incoly 800
• Tank heater	4.5 kW
• Superheater resistance	5.4 kW
• Boiler holding device	Yes
• Thermal insulation on superheater	Yes
• Deep-drawn tank with automatic emptying	Yes
• Detergent dosing device	Yes
• Output (baskets/hour)	60/40/30
• Tank capacity	37 liters
• Rinse water consumption	2 liters
• Full tank filtration	Yes
• Endowment	2 plate baskets 500 x 500 mm, cutlery basket, glass basket 500 x 500 mm
• Power	6,74 kW / 400 V
• Dimensions	W 620 x D 770 x H 1435 / 1900 mm
• Weight	121 kg

Advice : supply water 50-60 °C

• EAN 3611630083621

Reference : CLVAC50U
Price : €5.499,-



Utensil washer 136U


• Frame and wall	Stainless steel AISI 18/10
• Washing and rinsing arm	Inox
• Door safety contact	Yes
• Double walled door	Yes
• Tank and superheater resistance	Incoly 800
• Stainless steel basket	600 x 670 mm
• Power supply	400 V 3N + T / 50 Hz
• Tank heater	5.4 kW
• Superheater resistance	5.4 kW
• Rinse aid dispenser	Yes
• Protection against dry running	No
• Output (baskets/hour)	30 baskets per hour
• Water consumption	2 to 2.5 liters
• Tank capacity	37 liters
• Water connection	G3/4M
• Outlet	Ø 25 mm
• 2 integral tank filters	Yes
• Endowment	1 stainless steel basket, 8-place cutlery tray, 5-place oven insert
• Power	7,4 kW / 400V
• Dimensions	W 775 x D 810 x H 1360 mm
• Weight	151 kg

Advice : supply water 50-60 °C

• EAN 3611630083638

Reference : CLB136U
Price : €7.799,-

1 stainless steel basket 600 x 670 mm





Utensil washer 190U


• Frame and wall	Stainless steel AISI 18/10
• Washing and rinsing arm	Inox
• Door safety contact	Yes
• Double walled door	Yes
• Tank and superheater resistance	Incoly 800
• Stainless steel basket	600 x 670 mm
• Power supply	400 V 3N + T / 50 Hz
• Tank heater	5.4 kW
• Superheater resistance	5.4 kW
• Rinse aid dispenser	Yes
• Protection against dry running	No
• Output (baskets/hour)	30 baskets per hour
• Water consumption	2 to 2.5 liters
• Tank capacity	37 liters
• Water connection	G3/4M
• Outlet	Ø 25 mm
• 2 integral tank filters	Yes
• Endowment	1 stainless steel basket, 8-place cutlery tray, 5-place oven insert
• Power	7,4 kW / 400 V
• Dimensions	W 775 x D 810 x H 1900 mm
• Weight	189 kg

Advice : supply water 50-60 °C

• EAN 3611630083645

Reference : CLB190U
Price : €10.799,-

1 stainless steel basket 600 x 670 mm





Input or output table for dishwasher 645 mm

- Dimensions: W 645 x D 649 x H 624-884 mm
- Weight: 14.55 kg
- EAN 3611630038799

Reference : CT645
Price : €459,-



Input or output table for dishwasher 1200 mm

- Dimensions: W 1200 x D 649 x H 624-884 mm
- Weight: 30 kg
- EAN 3611630038805

Reference : CT1200
Price : €689,-





Glasswasher basket 350

Basket for glasswasher 350
- Dimensions: W 350 x D 350 x H 150 mm
- Weight: 0.80 kg
- EAN 3611630001359

Reference : CPLV350
Price : €72,-



Glasswasher basket 400

Basket for glasswasher 400
- Dimensions: W 400 x D 400 x H 150 mm
- Weight: 0.95 kg
- EAN 3611630001366

Reference : CPLV400
Price : €72,-



Glasswasher basket PE 400

Basket for glasswasher double wall 400
- Dimensions: W 400 x D 400 x H 130 mm
- Weight: 1.40 kg
- EAN 3611630009041

Reference : CPLV400PE
Price : €105,-



Basket for plates Dishwasher PE 500

Basket for dishwasher 500
- Dimensions: W 500 x D 500 x H 95 mm
- Weight: 1.40 kg
- EAN 3611630001373

Reference : CPALVA500PE
Price : €132,-



Basket for glasses Dishwasher PE 500

Basket for dishwasher 500
- Dimensions: W 500 x D 500 x H 145 mm
- Weight: 2.50 kg
- EAN 3611630009034

Reference : CPVLVA500PE
Price : €142,-

WASHING PRODUCTS

Pack of 6 - Washing liquid for Glasswasher 1 L

• EAN 3611630094887

Reference : CL6LLLV1L
Price : €50,-



x6

Pack of 4 - Washing liquid all water 5 L

• EAN 3611630094894

Reference : CL4LLLVA5L
Price : €86,-



x4

Pack of 4 - Rincing liquid all water 5 L

• EAN 3611630094900

Reference : CL4LRLALV5L
Price : €79,-



x4

Pack of 4 - Detergent for fryer

• EAN 3611630094917

Reference : CL4NF5L
Price : €68,-



x4

Pack of 4 - Washing Rinsing diswasher liquid

• EAN 3611630094924

Reference : CL4LLRLVA5L
Price : €90,-

Innovation !
2 in 1 product !



x4

Pack of 6 - Griddle plate cleaner

• EAN 3611630094931

Reference : CL6NPAS850ML
Price : €65,-



x6

Pack of 12 - Stainless steel cleaner 250 mL

• EAN 3611630094948

Reference : CL12NI250ML
Price : €108,-



x12

Pack of 12 - Liquid descaler 1 L

• EAN 3611630094955

Reference : CL12DL1L
Price : €65,-



x12

DISHWASHING EQUIPMENT

GASTRO ECONOMY



HYGIENE

- STERILIZATION ..... 439 
- GLUE INSECT KILLER ..... 440 
- WASH BASIN ..... 437 
- HAND DRYER ..... 434 

HAND DRYER




Air purifying hand dryer with HEPA filter

- Stainless steel
- Brushless motor
- Infrared sensor on/off
- HEPA filter
- UV lamp
- Automatic shut-off in case of overheating
- Drying time: 60 seconds
- Air speed: 75 m/s
- Air flow: 85 m3/h
- Power: 800 W / 230 V
- Frequency: 50Hz
- Dimensions: W 278 x D 228 x H 154 mm
- Weight: 3.30 kg

> Supplied with mounting kit

- EAN 3611630085311



Reference : CSMPA
Price : €349,-




Hand dryer white

- Anti-vandalism body with 2 mm thickness
- Steel construction painted in epoxy
- On/Off by infrared sensor
- Automatic stop in case of overheating
- Time of drying: 15 seconds
- Debit of air: 270 m3/h
- Frequency: 50/60 Hz
- Power: 2.5 kW / 230 V
- Dimensions: W 270 x D 142 x H 240 mm
- Weight: 5.40 kg

> Delivered with fixing kit

- EAN 3611630000277

Reference : C1BLANC
Price : €209,-






Hand dryer stainless steel

- Anti-vandalism body with 2 mm thickness
- Construction in brushed stainless steel
- On/Off by infrared sensor
- Automatic stop in case of overheating
- Time of drying: 15 seconds
- Debit of air: 270 m3/h
- Frequency: 50/60 Hz
- Power: 2.5 kW / 230 V
- Dimensions: W 270 x D 142 x H 240 mm
- Weight: 5.40 kg

> Delivered with fixing kit

- EAN 3611630000284

Reference : C1INOX
Price : €219,-



The hand dryer is an essential tool for all professionals in the field of catering or others. Casselin has chosen to design and propose quality hand dryers to meet all your expectations. The acquisition of a hand dryer is quickly paid off because you will no longer need to provide hand towels. The Casselin hand dryers have a robust construction and a formidable efficiency.

- Automatic triggering
- Fast drying time (about 15 seconds)
- Automatic stop in case of overvoltage


Hand dryer white with nozzle

- Anti-vandalism body with 2 mm thickness
- Steel construction painted in epoxy
- On/Off by infrared sensor
- Automatic stop in case of overheating
- Air nozzle can be rotated 360°
- Time of drying: 15 seconds
- Debit of air: 270 m3/h
- Frequency: 50/60 Hz
- Power: 2,5 kW / 230 V
- Dimensions: W 270 x D 200 x H 240 mm
- Weight: 6.25 kg

> Delivered with fixing kit

- EAN 3611630000253

Reference : CB2BLANC
Price : €219,-





Hand dryer steel with nozzle

- Anti-vandalism body with 2 mm thickness
- Construction in brushed stainless steel
- On/Off by infrared sensor
- Automatic stop in case of overheating
- Air nozzle can be rotated 360°
- Time of drying: 15 seconds
- Debit of air: 270 m3/h
- Frequency: 50/60 Hz
- Power: 2,5 kW / 230 V
- Dimensions: W 270 x D 200 x H 240 mm
- Weight: 6.25 kg

> Delivered with fixing kit

- EAN 3611630000260

Reference : CB2INOX
Price : €229,-



HAND DRYER

Casselin hand dryers dry your hands in record time, thanks to a powerful, targeted airflow. These hand dryers are designed to withstand intensive daily use while maintaining optimum performance. What's more, their easy maintenance simplifies day-to-day management.



Hand dryer Jedy White

- ABS White
- Brushless motor
- On / Off by infrared sensor
- Automatic stop in case of overheating
- Drying time: 5-10 seconds
- Air speed: 110 m/s
- Air flow: 200 m3/h
- Transparent drip tray
- Frequency: 50 Hz
- Power: 1.4 kW / 230 V
- Dimensions: W 300 x D 250 x H 680 mm
- Weight: 8.6 kg

> Supplied with fixing kit

- EAN 3611630090414

Reference : CSMJB
Price : €599,-



Hand dryer Jedy Inox

- Steel grey ABS
- Brushless motor
- On / Off by infrared sensor
- Automatic stop in case of overheating
- Drying time: 5-10 seconds
- Air speed: 110 m/s
- Air flow: 200 m3/h
- Transparent drip tray
- Frequency: 50 Hz
- Power: 1.4 kW / 230 V
- Dimensions: W 300 x D 250 x H 680 mm
- Weight: 8.6 kg

> Supplied with fixing kit

- EAN 3611630090421

Reference : CSMJ
Price : €659,-

WASH BASIN

Knee operated wash hand basin


- Stainless Steel AISI 304
- Backsplash with deep-drawn tank
- Femoral control
- Adjustable single lever mixers + tap with non-return valve with 7/10 seconds delay
- Soap dispenser 360 mL / 1 mL per pressure
- Siphon and bung diameter Ø 32 mm
- Stainless steel braided flexible
- Assembly kit
- Dimensions: W 400 x D 330 x H 570 mm
- Weight: 7 kg

> Delivred preassembled

- EAN 3611630060714

Reference : CLV1B
Price : €239,-

Monobloc





Free-standing pedal operated wash basin

- AISI 304 stainless steel
- Thickness: 0.8 mm
- Sink diameter: 357 mm
- Sink depth: 210 mm
- Works with a foot operated pump
- 50mL/pressure
- 2 drums of 15 liters clean / dirty water
- 2 wheels
- Dimensions: W 520 x D 459 x H 1230 mm
- Weight: 18.50 kg
- EAN 3611630082600

Reference : CLVAP
Price : €799,-



Soap dispenser 1 liter

- Capacity: 1 L liquid soap
- Level indicator
- Easy cleaning with amovible vat
- Lockable
- Dimensions: W 120 x D 100 x H 223 mm

> Included fixing kit

- EAN 3611630001700

Reference : CDS1
Price : €19,-






GASTRO ECONOMY

The Casselin sterilization cabinets are an essential piece of equipment that allows you to disinfect and sterilise your knives effectively in professional kitchens. A lamp emitting germicidal UV rays destroys bacteria and therefore decontaminates kitchen utensils.

Sterilization cabinet - 10 knives

- Stainless steel
- UV lamp
- Capacity: 10 knives
- Timer up to 120 min
- Smoked transparent plexiglass door
- Magnetic door lock
- Door open cutoff switch
- Frequency: 50/60 Hz
- Power: 11 W / 230 V
- Dimensions: W 342 x D 160 x H 657 mm
- Weight: 7 kg
- EAN 3611630080408

Reference : CAS10C
Price : €379,-



Sterilization cabinet - 20 knives

- Stainless steel
- UV lamp
- Capacity: 20 knives
- Timer up to 120 min
- Smoked transparent plexiglass door
- Magnetic door lock
- Door open cutoff switch
- Frequency: 50/60 Hz
- Power: 15 W / 230 V
- Dimensions: W 565 x D 160 x H 657 mm
- Weight: 11 kg
- EAN 3611630080415

Reference : CAS20C
Price : €479,-



GLUE INSECT KILLER

Glue Insect Killer 20W - Steel



- Stainless steel SUS304
- Actinic UV lamp
- 4 sticky sheets
- IP rating: 20
- Covered area (m²): 50
- Frequency: 50/60 Hz
- Power: 20 W / 230 V
- Dimensions: W 360 x D 167 x H 258 mm
- Weight: 2.60 kg

> Delivered with fixing kit

- EAN 3611630080316

Reference : CDG20A
Price : €129,-

Glue Insect Killer 20W - Black



- Epoxy painted steel
- Actinic UV lamp
- 4 sticky sheets
- IP rating: 20
- Covered area (m²): 50
- Frequency: 50/60 Hz
- Power: 20 W / 230 V
- Dimensions: W 360 x D 167 x H 258 mm
- Weight: 2.60 kg

> Delivered with fixing kit

- EAN 3611630080323

Reference : CDG20N
Price : €129,-

Glue Insect Killer 20W - White



- Epoxy painted steel
- Actinic UV lamp
- 5 sticky sheets
- IP rating: 20
- Covered area (m²): 50
- Frequency: 50/60 Hz
- Power: 20 W / 230 V
- Dimensions: W 360 x D 167 x H 258 mm
- Weight: 2.60 kg

> Delivered with fixing kit

- EAN 3611630080330


Reference : CDG20B
Price : €129,-

Sticky sheet CDG20

- Pack of 10 sticky sheets for CDG20
- Size: 21 x 29.5 cm
- EAN 3611630080736

Reference : CFCDG20
Price : €24,-

Glue Insect Killer 30W - Steel



- Stainless steel SUS304
- Actinic UV lamp
- 4 sticky sheets
- IP rating: 20
- Covered area (m²): 75
- Frequency: 50/60 Hz
- Power: 30 W / 230 V
- Dimensions: W 460 x D 167 x H 316 mm
- Weight: 3.30 kg

> Delivered with fixing kit

- EAN 3611630080347

Reference : CDG30A
Price : €159,-

Glue Insect Killer 30W - Black



- Epoxy painted steel
- Actinic UV lamp
- 4 sticky sheets
- IP rating: 20
- Covered area (m²): 75
- Frequency: 50/60 Hz
- Power: 30 W / 230 V
- Dimensions: W 460 x D 167 x H 316 mm
- Weight: 3.30 kg

> Delivered with fixing kit

- EAN 3611630080392

Reference : CDG30N
Price : €159,-

Glue Insect Killer 30W - White



- Epoxy painted steel
- Actinic UV lamp
- 4 sticky sheets
- IP rating: 20
- Covered area (m²): 75
- Frequency: 50/60 Hz
- Power: 30 W / 230 V
- Dimensions: W 460 x D 167 x H 316 mm
- Weight: 3.30 kg

> Delivered with fixing kit

- EAN 3611630080354

Reference : CDG30B
Price : €159,-

Sticky sheet CDG30

- Pack of 10 sticky sheets for CDG30
- Size: 27 x 41.5 cm
- EAN 3611630080743

Reference : CFCDG30
Price : €38,-

PROCEDURE TO FOLLOW WHEN RECEIVING YOUR GOODS

RECEPTION:

It's essential to check the following items:

- The external packaging of the parcel has to be undamaged.
- The material inside the parcel/pallet must be checked.
- The compliance of the goods.

IF THE DELIVERY IS IN CONFORMITY:

It is necessary to date, sign and stamp the delivery note for acceptance.

IF THE DELIVERY IS NOT IN CONFORMITY:

It is necessary to make reserves on the delivery note in the presence of the carrier, mentioning if there are missing goods and/or damage noted.

Good to know, so that the reserves made are valid:
- Systematically note that the packaging is deteriorated and the precise nature of the damage caused to the goods or missing: twisted feet, bumps, scratches...

Example: Damaged packaging and damaged material: Broken glass.
- Do not note «packaging in good condition» or « received pending inspection".
- Do not note that the damage was noticed after opening the package, «after unpacking».

If, however, you notice defective, torn, wet or other packaging, note it on the delivery note.

Then, you must send a registered letter with acknowledgement of receipt to the carrier within 48 hours mentioning the damage noted. You must also send us a copy of the letter sent to the carrier.

REMINDER:

- You have 15 minutes to open and check the parcel in presence of the driver, it's the law.
- If the driver doesn't want to wait, you must write on the delivery note «the driver did not want to wait» and he must sign up the document.
- No claim will be taken into account without this step.
- No claim can be made without observing these instructions. We will then be unable to exchange or refund materials.



NOTES

NOTES

NOTES

GENERAL SALES CONDITIONS CASSELIN

Order: Sales are deemed to be compliant only after express and written acceptance of order by the supplier. Any service performed by Casselin implies unreserved acceptance by the purchaser of these general conditions of sale. The quotations are given for information only. It is understood that only the materials specified in the quotation or the order form will be delivered. Connection lines such as plumbing and electricity are the responsibility of the purchaser.

Deadlines: The indicated deadlines are given for information purposes only. This period does not constitute a period of rigor and the supplier will not be able to see his responsibility committed towards the buyer in case of delay of delivery The responsability of the supplier can never be involved in case of delay or cancellation of delivery due to the client or in case of absolute necessity.

Price: Our prices are exclusive free of tax, packaging included. As a result, they will be increased by the applicable taxes (VAT, WEEE) and transport charges applicable on the day of the order. Casselin agrees to change its rates and conditions of sale at any time. However, it undertakes to invoice the goods ordered at the prices indicated at the time of registration of the order.

Delivery: Delivery is made at the place indicated by the buyer on the order form. The price of transport may vary depending on the delivery site, weight and volume. The delivery time indicated on the confirmation of order is given only as an indication and is in no way guaranteed. In the event that the delivery address given by the reseller is incorrect, the cost of a new shipment will be charged to him. Furthermore, in the event of cancellation of an order following a return, the customer will be charged 15% of the total amount of the invoice for damage incurred by the supplier for processing, preparing, shipping and re-stocking of the articles concerned. Delivery possible in Metropolitan France and Europe. For all other inquiries, please contact customer service.

Transport: The risk of transport is assumed entirely by the buyer. In case of goods missing or deteriorated during transport, the buyer must formulate all necessary reserves on the delivery note upon receipt of the goods. These reserves must be confirmed within 24 hours of delivery by registered post AR. Unpacking must be done properly and the packaging must be retained to prove fault and damage. In order to register our damage file to our insurers, you must send us : photocopy of the letter of reservation, the postal receipt of the registered letter and the original of the transport bill with the reserves. In case of port area delivery, 21€ will be charged in addition to the shipping costs. For all other inquiries, please contact the customer service.

Terms of Payment: In case of cancellation of the order by the buyer after its acceptance by the supplier, for any reason except the absolute necessity, the deposit paid to the order will be automatically acquired to the supplier and will not be refund. The buyer undertakes not to cease under any circumstances the payments foreseen, even if a dispute arises between the contractors or their beneficiaries. Our invoices are payable to our offices in Corbas. It is expressly stipulated that the creation of drafts or the acceptance of other means of payment do not constitute any novation or derogation from this clause (Article 125 of the Commercial Code). Failing payment at the agreed term, the buyer shall automatically be entitled to an indemnity set as a penalty clause in accordance with article 1226 of the Civil Code at 15% of the amount of unpaid invoices at their due dates. And this without prejudice to the applications that may be made in judicial proceedings under Article 700 of the NCPC. Failure to pay a single item or invoice at maturity immediately and automatically entitles all outstanding invoices, even if not due, without the need for formal notice. The supplier reserves the right, with or without ads, to suspend all deliveries to the buyer until payment of all invoices, or to cancel any outstanding orders.In the case of a payment by draft, the buyer must return the latter accepted within a period of eight days. The non-return of the drafts accepted within this legal period is considered as a default of payment. According to Decree No. 2012-1115 of 2 October 2012, any professional in a situation of delayed payment will be liable to his creditor for an indemnity for recovery costs of 40 euros for each claim lately paid. In case of seizure by third parties on the goods, the buyer is obliged to inform us without delay by registered letter with acknowledgment of receipt. If Rejection Letter of exchange statement, the customer will be charged 15 € excluding VAT.

Warranty: We guarantee one-year from the date of invoice. We reserve the right to repair or replace the device or accessory (the damaged accessories do not involve the replacement of the device) to remedy any defect in material or manufacturing. Any damage resulting from improper use (connection to an incorrect socket, use of an incorrect voltage or current, lack of maintenance ...) is excluded from the guarantee. In all cases, the cost of shipping of the spare parts is paid by the customer. We can not be held responsible for in any way for installation, commissioning, failure to comply with specific instructions, evilness or abusive use. It is expressly stipulated that is the responsibility of our resellers who, as a result of the purchase of the equipment, recognize themselves as competent, authorized to carry out or have carried out the installation and putting into service with the checks and usual precautions. Any return or exchange of parts can not be carried out without our written agreement. The return of the defective parts or appliance is imperative for the implementation of the guarantee, the return of the goods is the responsibility of the customer, the device must be properly packed and protected. In order to benefit from the guarantee, any request must be justified by providing the identification of the machine concerned

(serial number or copy of invoice). The defective part or device must be returned to us within eight days. The warranty does not cover defects resulting from abnormal wear of the goods, transport and storage conditions. Moreover, the guarantee can not be applied if modifications or additions have been made on the goods by the buyer or any client of the buyer without the express agreement of our company. This warranty does not cover indirect damage, whether predictable or not. The replacement of these parts constitutes for the dealer a fixed repair. The following are excluded from the warranty : electrical parts, faulty operation of the appliance due to limescale deposits, improper installation, improper use and repair of the appliance, neglect of maintenance of the appliance.

Reservation of title: We retain full ownership of the goods covered by the contract until full payment of the invoiced price, thus the goods can not be resold without prior agreement. In case of non-compliance by the purchaser of one of the payment deadlines, the goods will remain our property until full payment of the price (Law n ° 80-335 of 12/05/1980).

Repairs: All our shipments of material repaired by us are payable against refund and with postage.

Liability of the final holder: As a producer and marketer of Electrical and Electronic Equipment (EEE) and Furniture Elements (EA), and in accordance with article L541-10-2 of the Environment Code, CASSELIN is subject to Extended Producer Responsibility.
In order to provide and contribute to the management of waste from its activity, CASSELIN has chosen ECOLOGIC and VALDELIA, a State-approved eco-organisation, to carry out all the collection, depollution and recovery operations for WEEE in accordance with the regulatory requirements.
By joining an eco-organisation, CASSELIN participates in the collective effort and statistics for the collection and treatment of waste in France, for which the member state is responsible to the European Union. In addition, CASSELIN collects an eco-contribution from its customers which it pays to its eco-organisation for each of the sectors concerned.

Jurisdiction: Our goods being payable to Corbas (69960), there is expressly assignment of jurisdiction to the Commercial Court of Lyon for all disputes and even in case of incidental request, call of guarantee or of multiple defendants. Any clauses contrary to the present, not accepted in writing, will not be opposable to us. The preceding clauses come into force by the mere fact of the order placed or the receipt of our goods by the buyer.

Modalities: To improve our products, modifications can be made without prior notice.
All our photos are non-contractual. This catalogue was designed using resources from freepik.com, freepng.fr, adobe stock, fotolia.com, pixabay.com, toocook.com and canva.com,

casseLin®

Catering Equipment



GASTRO ECONOMY

Gastro Economy sp. komandytowa
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40, +48 512 564 400
e-mail: biuro@gastroeconomy.pl

www.gastroeconomy.pl