TEFCOLD®

COOL PRODUCTS WORLDWIDE

GASTRO ECONOMY



ICE CREAM

FREEZER

CATALOGUE 2024

SEE MORE ON www.tefcold.com





b-k 01

GASTRO ECONOMY

Gastro Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40
e-mail: biuro@gastroeconomy.pl



PASSION FOR FROZEN DISPLAY

TEFCOLD's passion for Ice Cream displays is a longstanding one. With a track record of well established relationships with key Ice Cream customers throughout the UK and Europe, you can count on our experience to completely understand your requirements.

Working closely with us, you will find that we provide value by listening, understanding your exacting requirements, and then providing advice on the best freezer choices for you, backed by our first-class logistics and after sales service.

With decades of experience in the ice cream freezer market, our highly professional teams located across the UK and Europe are always ready to ensure you are provided with the best solution for your business and your customers.

The TEFCOLD Group is quite simply your guarantee for high quality at an attractive price.

WHY CHOOSE US

- High quality products
- Easy to do business with
- Worldwide suppliers backed by the TEFCOLD Group
- Products checked and assessed in our own dedicated test facility
- Large stockholding in our UK and European warehouses
- Dedicated and fast responding staff
- Refrigeration nerds and industry experts
- In-house printing and branding services
- Customised product solutions
- Eco-friendly refrigerants only
- Global delivery
- Warranty options to suit your requirements
- Simple to use website with full data to help you make the right decision





BRANDING

We are the industry experts when it comes to applying your branding onto your chosen freezers. We complete the whole process in house, from artwork preparation through to high quality printing and application by our skilled team. We can also provide help and advice for customers who have not benefited from branded freezers before, advising the most effective ways to brand a freezer, both in terms of cost, and impact for your customers.



COUNTER TOP SCOOP ICE CREAM DISPLAY

ICE Range

Description

The ICE range is perfect for businesses with limited space, yet aiming to maximize their scooping ice cream sales. The ICE is designed for convenient countertop placement and is available in either a 2 or 3 napoli pan configuration. It can be used both front or back-of-house settings, allowing for speedy and efficient service of popular ice cream flavors.

Product Features

- Countertop model
- Angled display for better presentation
- Suitable for Napoli Pans (not included)
- Ideal for buffets
- Easy access to products
- Flat hinged glass lid
- Static cooling
- Adjustable feet
- Optional popsicle tray

Technical Specifications

Temperature Range (°C)	-22 to -10
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	Stainless Steel



ICE2
Scoop Ice Cream Freezer



ICE3
Scoop Ice Cream Freezer

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
ICE2	490 x 790 x 345	26	1049	90	0,12	2 Napoli Pans (5 L)	No under storage	B
ICE3	654 x 790 x 345	32	1051	90	0,18	3 Napoli Pans (5 L)	No under storage	A



Popsicle tray available upon request



Stand available upon request


TEFCOLD
Scoop

STATIC SCOOP ICE CREAM FREEZERS

IC-SC+SO Range

Description

The IC-SO range of scoop ice cream freezers offers great quality at a competitive prize. The model has flat sliding lids that allow easy access to the ice cream for serving and help insulate the unit when not in use. It has a serve over glass top and is ideal for branding to attract more attention to the unit and its cold content. The freezer is optimized for baskets that can hold 5 l plastic tubs in the top and room for storage underneath.

Product Features

- Sneeze guard in curved glass
- Flat sliding glass lids with lock
- Storage under baskets
- Great branding possibilities
- Digital thermometer
- Castors with brake
- Climate class 5 for high performance in warm surroundings
- Optional - Scooping baskets for plastic tubs

Technical Specifications


Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel



IC401SC+SO
Scoop Ice Cream Freezer



Scooping basket option




Scoop wash option

Lock



IC301SC+SO
Scoop Ice Cream Freezer

NAPOLI PAN & 4L TUBS LAYOUT



	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Serving Capacity	Storage Capacity	Energy Class
IC201SC+SO	720 x 630 x 1250	84	534	98	191 / 165			D
IC301SC+SO	1010 x 630 x 1250	107	648	141	296 / 255			D
IC401SC+SO	1300 x 630 x 1250	120	857	141	401 / 350			D
IC501SC+SO	1550 x 630 x 1250	107	997	191	491 / 430			D


TEFCOLD
Ice Cream
PREMIUM PRODUCT
best choice

STATIC SCOOP ICE CREAM FREEZERS

IC-SCE+SO Range

Description

The IC-SO range of scoop ice cream freezers offers great quality at a competitive prize. The model has sliding lids that allow easy access to the ice cream for serving and help insulate the unit when not in use. It has a serve over glass top and is ideal for branding to attract more attention to the unit and its cold content. The freezer is optimized for baskets that can hold 5 l plastic tubs in the top and room for storage underneath.

Product Features

- Sneeze guard in curved glass
- Angled sliding lids with lock
- Storage under baskets
- Castors with brake
- Climate class 5 for high performance in warm surroundings
- Optional - Scooping baskets for plastic tubs

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel



IC401SCE+SO
Scoop Ice Cream Freezer




IC201SCE+SO
Scoop Ice Cream Freezer

Lock




Scooping basket option



Scoop wash option

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Serving Capacity	Storage Capacity	Energy Class
IC201SCE+SO	720 x 615 x 1295	89	552	98	176 / 157			D
IC301SCE+SO	1010 x 615 x 1295	102	758	141	264 / 230			D
IC401SCE+SO	1300 x 615 x 1295	122	799	141	352 / 325			D
IC501SCE+SO	1550 x 615 x 1295	117	929	191	427 / 398			D

NAPOLI TUB & 4L TUBS LAYOUT



GASTRO ECONOMY
Gastro Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków
tel.: +48 12 260 26 40
e-mail: biuro@gastroeconomy.pl


TEFCOLD
Ice Cream
delicious

STATIC SCOOP ICE CREAM FREEZERS

UDRS10



Suitable for Napoli Pans (accessory)



Easy access storage compartment





UDRS10

Scoop Ice Cream Freezer

Description

The UDRS range of scoop ice cream freezers is a part of TEFCOLDs premium freezer program. It offers high quality and an elegant design with a lower front, which ensures great visibility of the ice cream. The freezer has lift up rear lid, which help insulate and save energy, when you are not serving ice cream over the angled glass guard. It is of course suitable for Napoli pans (not included).

Product Features


- Static cooling
- Sneeze guard in angled glass
- Interior light with switch
- Flat sliding lids
- Castors with brake
- Suitable for Napoli Pans (not included)
- Easy access storage compartment

Technical Specifications

Temperature Range (°C)	-20 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
UDRS10	1341 x 725 x 1235	103	1868	360	0,59	10 Napoli pans (5 L)	12 Napoli pans (5 L)	B

NAPOLI PAN LAYOUT




ICE
Delicious
CREAM
ICE
Delicious
CREAM

STATIC SCOOP ICE CREAM FREEZERS

UDRS7 & UDRS9



Suitable for Napoli Pans (accessory)



Easy access storage compartment



UDRS9
Scoop Ice Cream Freezer



UDRS7
Scoop Ice Cream Freezer

Description

The UDRS range of scoop ice cream freezers is a part of TEFCOLDs premium freezer program. It offers high quality and an elegant design with a lower front, which ensures great visibility of the ice cream. The freezer has lift up rear lid, which help insulate and save energy, when you are not serving ice cream over the angled glass guard. It is of course suitable for Napoli pans (not included).

Product Features


- Sneeze guard in curved glass
- Static cooling
- Lift up rear lid (2 can serve)
- LED interior lights with switch
- Digital controller and temperature display
- Suitable for Napoli Pans (not included)
- Easy access storage compartment
- Automatic defrost
- Optional - Rear shelf with scoop wash

Technical Specifications

Temperature Range (°C)	-20 to -14
Type of Cooling	Static
Type of Defrost	Automatic
Exterior Finish	White
Interior Finish	White painted steel

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
UDRS7	1341 x 723 x 1253	98	3223	500	0,42	7 Napoli Pans (5 L)	12 Napoli pans (5 L)	C
UDRS9	1656 x 723 x 1253	110	4318	540	0,53	9 Napoli pans (5 L)	16 Napoli pans (5 L)	C

NAPOLI PAN LAYOUT




TEFCOLD

STATIC SCOOP ICE CREAM FREEZERS

Top Range



Suitable for Napoli Pans (accessory)



Flat glass top



TOP6E
Scoop Ice Cream Display



TOP7E
Scoop Ice Cream Display

Description

The TOP range of ice cream serve overs has long been a favourite cabinet in the ice cream world. With a 6 or 7 x 5ltr Napoli pan option, a light at the rear of the display helps illuminate the ice cream. The display is accessed from the rear with a flip up lid for hygiene and to help preserve the temperature when not in service. There is also separate refrigerated understorage accessed through a door to the rear of the cabinet. The Top range is supplied on castors.

Product Features


- Fully automatic
- Static cooling
- Castors
- Interior light with switch
- Digital controller and temperature display
- Lift up rear door
- Accepts Napoli pans (not supplied)
- Understorage
- Optional scoop wash

Technical Specifications

Temperature Range (°C)	-20 to -15
Type of Cooling	Static
Type of Defrost	Electric
Exterior Finish	White
Interior Finish	White

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
TOP6E	1200 x 675 x 1175	95	3223	420	0,36	6 Napoli Pans (5 L)	8 Napoli pans (5 L)	C
TOP7E	1350 x 675 x 1175	99	3223	480	0,42	7 Napoli Pans (5 L)	12 Napoli pans (5 L)	C

NAPOLI PAN LAYOUT




BOO
ICE CREAM
BOO
ICE CREAM


STATIC SCOOP ICE CREAM FREEZERS

Isetta Range



Isetta Range
Ice Cream Displays

NAPOLI PAN LAYOUT



Description

ISA have a superb reputation in the ice cream world for making quality ice cream displays. The Isetta ST comes in 3 different sizes to suit most needs holding between 4 and 7 flavours of ice cream. A flat glass canopy and internal light help create an attractive display and make the most of the ice cream you are selling. Refrigerated under storage can easily be accessed through the rear door (except 4ST).

Product Features

- Static cooling
- Flat front glass
- Suitable for Napoli Pans (not included)
- Storage under baskets
- Automatic defrost
- LED interior light with switch
- Digital controller and temperature display
- Castors

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
ISETTA 4LX	824 x 760 x 1176	69	2062	810	0,24	4 Napoli Pans (5 L)	No under storage	B
ISETTA 4ST	824 x 760 x 1176	69	2062	810	0,24	4 Napoli Pans (5 L)	No under storage	B
ISETTA 6LX	1184 x 800 x 1176	97	2475	810	0,36	6 Napoli Pans (5 L)	8 Napoli pans (5 L)	B
ISETTA 6ST	1184 x 800 x 1176	97	2475	810	0,36	6 Napoli Pans (5 L)	8 Napoli pans (5 L)	B
ISETTA 7LX	1354 x 800 x 1176	102	2665	820	0,42	7 Napoli Pans (5 L)	12 Napoli pans (5 L)	B
ISETTA 7ST	1354 x 800 x 1176	102	2665	820	0,42	7 Napoli Pans (5 L)	12 Napoli pans (5 L)	B

Technical Specifications

Temperature Range (°C)	-16 to -14
Type of Cooling	Static
Type of Defrost	Electric
Exterior Finish	White
Interior Finish	White




TEFCOLD
Scoop


STATIC SCOOP ICE CREAM FREEZERS

Mirabella Range



Mirabella Range
Ice Cream Displays

NAPOLI PAN LAYOUT



Description

The Mirabella range of scoop ice cream freezers is a leap forward in design and product presentation. It holds the ice cream up high, so it is easier to see from a distance, helping draw customers in. It is of course suitable for Napoli pans (not included), and below the displayed ice cream, there is a storage compartment for easy refill of the most selling ice cream.

Product Features

- Flat top/glass top
- Suitable for Napoli Pans (not included)
- Storage under baskets
- LED interior light with switch
- Static cooling
- Digital controller and temperature display
- Fully automatic
- Lift up rear lid (2 can serve)
- Castors

Technical Specifications

Temperature Range (°C)	-20 to -5
Type of Cooling	Static
Type of Defrost	Automatic
Exterior Finish	Anthracite RAL 7016
Interior Finish	Grey / Stainless Steel

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
MIRABELLA 6	1187 x 677 x 1190	117	3924	500	0,36	6 Napoli Pans (5 L)	12 Napoli pans (5 L)	C
MIRABELLA 7	1337 x 677 x 1190	124	4212	580	0,42	7 Napoli Pans (5 L)	16 Napoli pans (5 L)	C
MIRABELLA 9	1652 x 677 x 1190	136	5201	700	0,53	9 Napoli pans (5 L)	21 Napoli pans (5 L)	C

GASTRO ECONOMY
Gastro Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków
tel.: +48 12 260 26 40
e-mail: biuro@gastroeconomy.pl


TEFCOLD
ICE CREAM


STATIC SCOOP ICE CREAM FREEZERS

Isabella Range


Special Installation



NAPOLI PAN LAYOUT



Isabella 10



Isabella 13



Suitable for Napoli Pans (accessory)



Curved glass for nice presentation

Description

The Isabella range is spacious ice cream scooping cabinet with 10 or 13 pan options. Its curved glass design make for an eye catching display that is sure to delight you customers and the rear serving shelf help aid with fast service. With built-in refrigerated under storage, you can easily restock the display with fresh ice cream during busy periods without having to leave the cabinet. Additionally, the cabinet comes with castors for easy manoeuvrability and an internal LED light to showcase your ice cream in the best possible light.

Product Features

- Fully automatic
- Sneeze guard in curved glass
- Suitable for Napoli Pans (not included)
- Static cooling
- LED interior light with switch
- Easy access storage compartment
- Digital controller and temperature display
- Rear night curtain to maintain temperature
- Castors

Isabella Range

Ice Cream Displays

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
ISABELLA 10LX	1317 x 906 x 1372	132	3504	550	0,59	10 Napoli pans (5 L)	10 Napoli pans (5 L)	C
ISABELLA 13LX	1647 x 906 x 1372	192	4322	1240	0,77	13 Napoli Pans (5 L)	14 Napoli pans (5 L)	C

Technical Specifications

Temperature Range (°C)	-16 to -14
Type of Cooling	Static
Type of Defrost	Hot Gas
Exterior Finish	Grey
Interior Finish	White

Elegance Range

New Product





ELEGANCE 10 /IRL

Description

Introducing the Elegance, a quality static cooled ice cream scooping display. With its contemporary flat glass design, this stylish cabinet adds a touch of elegance to any ice cream parlor, café, or shop. The unit comes in either 10 or 13 scoop options to showcase a tempting variety of flavors. It has an equivalent number of pans under the main display for tempering, and more in the frozen under storage accessed from the rear door. Ideal for branding.

ELEGANCE 13 /IRL

Product Features

- Fully automatic
- Sneeze guard in curved glass
- Static cooling
- Suitable for Napoli Pans (not included)
- LED interior light with switch
- Easy access storage compartment
- Digital controller and temperature display
- Rear night curtain to maintain temperature
- Castors


Technical Specifications

Temperature Range (°C)	-15 to -12
Type of Cooling	Static
Type of Defrost	Automatic, hot gas
Exterior Finish	White
Interior Finish	Painted Steel

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
ELEGANCE 10 /IRL	1317 x 980 x 1340	155	3106	685	0,59	10 Napoli pans (5 L)	10 Napoli pans (5 L)	B
ELEGANCE 13 /IRL	1647 x 980 x 1340	218	4464	825	0,77	13 Napoli Pans (5 L)	14 Napoli pans (5 L)	C




Suitable for Napoli Pans (accessory)



Frame hinges forward for easy cleaning

VENTILATED SCOOP ICE CREAM FREEZERS

Bermuda Range



Strong castors



Easy access storage compartment



BERMUDA RV10
Scoop Ice Cream Freezer



BERMUDA RV13
Scoop Ice Cream Freezer

Site Survey

Description

The Bermuda range is available in two display sizes, either 10 or 13 pans. The cabinet is equipped with a ventilated cooling system that ensures your ice cream or gelato is kept at the ideal serving temperature. Additionally, the unit features separate refrigerated under storage. The Bermuda's sleek curved glass design is both elegant and practical, featuring a heated surface to prevent condensation.

Product Features


- Perfect temperature distribution
- Heated glass to help prevent condensation
- Suitable for Napoli Pans (not included)
- LED interior light with switch
- Digital controller and temperature display
- Easy access storage compartment
- Rear night curtain to maintain temperature
- Ventilated cooling
- Automatic defrost

Technical Specifications

Temperature Range (°C)	-20 to -14
Type of Cooling	Ventilated
Type of Defrost	Automatic, hot gas
Exterior Finish	Grey
Interior Finish	White painted steel

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
BERMUDA RV10	1340 x 800 x 1343	180	8030	770	0,65	10 Napoli pans (5 L)	10 Napoli pans (5 L)	D
BERMUDA RV13	1670 x 800 x 1343	200	8322	1340	0,84	13 Napoli Pans (5 L)	14 Napoli pans (5 L)	D

NAPOLI PAN LAYOUT




TEFCOLD
PREMIUM QUALITY
ICE CREAM
1976
CREAMERY SHOP

VENTILATED SCOOP ICE CREAM FREEZERS

Bermuda View Range

Special Installation




Bermuda View Range


Ventilated Scoop Ice Cream Displays

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
BERMUDA VIEW RV10	1340 x 814 x 1354	195	8213	1250	0,65	10 Napoli pans (5 L)	10 Napoli pans (5 L)	D
BERMUDA VIEW RV13	1670 x 814 x 1354	235	8322	1600	0,84	13 Napoli Pans (5 L)	14 Napoli pans (5 L)	D

NAPOLI PAN LAYOUT



Bermuda 10



Bermuda 13

Description

The Bermuda View range is all about displaying the ice cream. It therefore has a low front glass for better visibility. The Bermuda range is available in two display sizes, either 10 or 13 pans. The cabinet is equipped with a ventilated cooling system that ensures your ice cream or gelato is kept at the ideal serving temperature. Additionally, the unit features separate refrigerated under storage. The Bermuda's sleek curved glass design is both elegant and practical, featuring a heated surface to prevent condensation.

Product Features

- High vision display (low front glass)
- Perfect temperature distribution
- Heated glass to help prevent condensation
- Suitable for Napoli Pans (not included)
- LED interior light with switch
- Digital controller and temperature display
- Easy access storage compartment
- Rear night curtain to maintain temperature
- Ventilated cooling
- Automatic defrost

Technical Specifications


Temperature Range (°C)	-20 to -14
Type of Cooling	Ventilated
Type of Defrost	Automatic, hot gas
Exterior Finish	White
Interior Finish	White

Fiji Range

Special Installation



NAPOLI PAN LAYOUT





Lift up rear lid (2 can serve)



Digital controller

Description

The Fiji range of ice cream scooping freezers comes in sizes fitting 4, 6 or 7 napoli pans. With a depth of only 630mm, this freezer is compact and ideal for smaller spaces. The ice cream display is equipped with a ventilated cooling system that's perfect for maintaining the quality and consistency of your frozen ice cream or gelato. Additionally, it features castors for easy mobility, internal LED lighting, and a convenient flip-down rear serving door.

Product Features

- Fully automatic
- Ventilated cooling
- Curved top/glass top/front
- LED interior light with switch
- Digital controller and temperature display
- Lift up rear lid (2 can serve)
- Suitable for Napoli Pans (not included)
- Castors

Fiji Range

Ventilated Scoop Ice Cream Displays

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
FIJI 4	824 x 630 x 1247	67	2373	555	0,24	4+4 Napoli Pans (5 L)	No under storage	C
FIJI 6	1214 x 630 x 1247	99	3099	900	0,36	6+6 Napoli Pans (5 L)	No under storage	C
FIJI 7	1354 x 630 x 1247	110	3468	900	0,42	7+7 Napoli Pans (5 L)	No under storage	C

Technical Specifications

Temperature Range (°C)	-18 to -14
Type of Cooling	Ventilated
Type of Defrost	Hot Gas
Exterior Finish	White
Interior Finish	White

VENTILATED SCOOP ICE CREAM FREEZERS

Oneshow Range





Special Installation

ONESHOW FREE LARGE

Ice Cream Display

ONESHOW FREE REGULAR

Ice Cream Display

Description

The OneShow is a premium gelato display range with a modern, eye-catching design. Its clean cut appearance features a mirrored stainless steel interior and crisp white LED strip lights at both the front and back, creating a truly stunning display. The flat glass lid is hydraulic, providing effortless access to the ice cream for easy serving. The low front glass perfectly ideally should be used with clear Napoli pans for the biggest impact.

Product Features

- Fully automatic
- Ventilated (fan assisted) cooling
- Adjustable feet
- LED Interior light with switch (2 LED strips)
- Digital controller and temperature display
- Accepts Napoli pans (ideally should be clear plastic, not supplied)
- Hydraulic lift up flat glass top
- Alternative front panel options – POA

Technical Specifications

Temperature Range (°C)	-16 to -14
Type of Cooling	Ventilated
Type of Defrost	Hot Gas
Exterior Finish	White
Interior Finish	Mirror Stainless Steel

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
ONESHOW FREE LARGE	1705 x 740 x 960	280	8026	3500	0,59	9 Napoli pans (5 L)	No under storage	D
ONESHOW FREE REGULAR	1200 x 740 x 960	210	7118	1700	0,37	6 Napoli Pans (5 L)	No under storage	D



Lift up flap for taking ice



LED light


Ice Cream

VENTILATED SCOOP ICE CREAM FREEZERS


Millennium ST Range

Special Installation



Millennium ST Range
Ventilated Scoop Ice Cream Displays

NAPOLI PAN LAYOUT



Description

The Millennium ST range of scooping cabinets is available in sizes for 12 to 24 napoli pans. This premium cabinet with comtemporary flat glass can therefore showcase a wide variety of delicious flavors. The efficient, ventilated cooling system ensures even cooling of your ice cream or gelato, making sure it is the perfect temperature for easy scooping. The glass is heated to help prevent condensation and there is a pull-down curtain.

Product Features

- Great product visibility
- Flat top/glass top
- Suitable for Napoli Pans (not included)
- LED interior light with switch
- Digital controller and temperature display
- Front glass hinges forward if required
- Double glazed glass on sides
- Heated glass to help prevent condensation

Technical Specifications

Temperature Range (°C)	-20 to -14
Type of Cooling	Ventilated
Type of Defrost	Automatic, hot gas
Exterior Finish	White
Interior Finish	Stainless steel

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
MILLENNIUM ST12	1166 x 1054 x 1356	235	7239	1400	0,71	12 Napoli Pans (5 L)	No under storage	D
MILLENNIUM ST16	1496 x 1054 x 1356	270	11169	2340	0,95	16 Napoli Pans (5 L)	No under storage	E
MILLENNIUM ST18	1661 x 1054 x 1356	270	10342	2450	1,07	18 Napoli Pans (5 L)	No under storage	D
MILLENNIUM ST20	1826 x 1054 x 1356	363	10859	2560	1,19	20 Napoli Pans (5 L)	No under storage	D
MILLENNIUM ST24	2156 x 1054 x 1356	412	12410	2640	1,43	24 Napoli Pans (5 L)	No under storage	D

GASTRO ECONOMY
Gastro Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków
tel.: +48 12 260 26 40
e-mail: biuro@gastroeconomy.pl


PISTACCHIO
CIOCCOLATO
CREMA
VANIGLIA
ZUPPA INGLESE
STRACCIATELLA
NUTELLA
COOKIES
BACIO
MERINGA
FIORDILATTE
NOCCIOLA
AMARENA
FRAGOLA
COCCO
MELONE
LIMONE
MENTA

VENTILATED SCOOP ICE CREAM FREEZERS

Millennium LX Range

Description

The Millennium LX range of scooping cabinets is available in sizes for 12 to 24 napoli pans. This premium cabinet with stylish curved glass can therefore showcase a wide variety of delicious flavors. The efficient, ventilated cooling system ensures even cooling of your ice cream or gelato, making sure it is the perfect temperature for easy scooping. The glass is heated to help prevent condensation and there is a pull-down curtain.

Product Features

- Great product presentation
- Suitable for Napoli Pans (not included)
- Heated glass to help prevent condensation
- Double glazed glass on sides
- LED interior light with switch
- Digital controller and temperature display
- Rear night curtain to maintain temperature

Technical Specifications

Temperature Range (°C)	-20 to -14
Type of Cooling	Ventilated
Type of Defrost	Automatic, hot gas
Exterior Finish	White
Interior Finish	Stainless steel



MILLENNIUM LX24

Ventilated Scoop Ice Cream Display



Suitable for Napoli Pans (accessory)



Heated front glass

Site Survey

Special Installation




MILLENNIUM LX16

Ventilated Scoop Ice Cream Display

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
MILLENNIUM LX12	1166 x 1080 x 1356	250	7456	1400	0,71	12 Napoli Pans (5 L)	No under storage	D
MILLENNIUM LX16	1496 x 1080 x 1356	270	11504	2340	0,95	16 Napoli Pans (5 L)	No under storage	E
MILLENNIUM LX18	1661 x 1080 x 1356	270	10445	2450	1,07	18 Napoli Pans (5 L)	No under storage	D
MILLENNIUM LX20	1826 x 1080 x 1356	363	11076	2560	1,19	20 Napoli Pans (5 L)	No under storage	D
MILLENNIUM LX24	2156 x 1080 x 1356	412	12410	2640	1,43	24 Napoli Pans (5 L)	No under storage	D

NAPOLI PAN LAYOUT




GELATO
CREATIONS

VENTILATED SCOOP ICE CREAM FREEZERS


Delta RV



DELTA RV

Ventilated Scoop Ice Cream Display

Special Installation



Night Cover



Optional finishes

Description

The Delta RV is a high-end gelato display that boasts an ultra-compact design that can accommodate up to 12 Napoli pans while occupying a minimal footprint. It features a dual-zone refrigeration system that allows for two separate temperature zones, enabling you to serve ice cream, gelato, or sorbets at their ideal temperature.

Product Features

- Dual zone temperature control
- Fully automatic, ventilated cooling
- Castors, 2 lockable
- LED interior light with switch
- Dual digital controllers and temperature displays
- Accepts Napoli pans (not supplied)
- Plexiglass rear sliding doors
- Night storage covers (this means ice cream/gelato can stay in the unit overnight, though unit should be emptied, defrosted cleaned once a week or more depending on conditions for correct operation).

Technical Specifications

Temperature Range (°C)	-20 to -10
Type of Cooling	Ventilated
Type of Defrost	Hot Gas
Exterior Finish	White / Black
Interior Finish	Stainless steel

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
DELTA RV	1276 x 819 x 1229	210	5621	1350	0,71	12 Napoli Pans (5 L)	No under storage	C

Super Capri




Site Survey

Special Installation



Glass end walls as standard



Double airflow cooling

Description

The Super Capri is a premium gelato or ice cream display with large glass panels coupled with crisp LED interior lighting and an angled display to present your gelato in the best way possible. The unit has a unique double airflow cooling system that allows separate cool air flow over each row of pans, allowing for more even cooling while reducing temperature differential over the product.

Product Features

- Fully automatic
- LED interior light with switch
- Angled deck (11°) for a better display
- Double air flow to ensure even cooling of 2 rows of pans
- Acrylic rear sliding doors to display area
- Heated glass (front, top, sides) to prevent condensation
- Accepts Napoli pans (not supplied)
- Hinged glass for easy cleaning
- Alternative colour options available (POA)
- Optional scoop wash (needs water & waste connection)

SUPER CAPRI 24

Ice Cream Display

	Ext. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Serving Capacity	Storage Capacity	Energy Class
SUPER CAPRI 12	1187 x 1110 x 1175	240	7976	2300	0,71	12 Napoli Pans (5 L)	No under storage	D
SUPER CAPRI 18	1682 x 1110 x 1175	350	10353		1,07	18 Napoli Pans (5 L)	No under storage	D
SUPER CAPRI 24	2177 x 1110 x 1175	460	12384		1,43	24 Napoli Pans (5 L)	No under storage	D

Technical Specifications

Temperature Range (°C)	-20 to -14
Type of Cooling	Ventilated
Type of Defrost	Hot Gas
Exterior Finish	Grey RAL7022
Interior Finish	Stainless steel

GLASS LID CHEST FREEZERS

TD500



TD500


Two Level Display Freezer



Lock



Baskets



Castors with and without brake

Description

The TD500 is a two level display freezer with room for 5 baskets on each level. It is a great choice for optimizing store space and it provides a nice overview of the products inside. Comes with LED lighting, double low-emissivity glass lids, and strong castors for enhanced mobility. Ideal for branding.


Product Features

- Ideal for optimizing store space
- Great product visibility
- Energy saving double glazed low-E glass lids
- LED interior light with switch
- Great branding possibilities
- Includes baskets
- 4 solid castors, 2 with brakes
- Canopy available upon request

Technical Specifications

Temperature Range (°C)	-21 to -15
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Energy Class
TD500	1210 x 790 x 1213		121	2612	650	450 / 408	F


TEFCOLD
POP
Hansens

GLASS LID CHEST FREEZERS

ST160

Description

The ST range of display chest freezers is ideal for storing and displaying ice cream and frozen goods in smaller stores. It has a double-glazed hinged glass lid with an aluminum frame for easy access and great product visibility. It has a clean design, static cooling, and is mounted on castors for added mobility.

Product Features

- Flat hinged glass lid
- Thermometer
- Powder coated white steel inner liner
- Basket
- Castors with brake

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel



ST160
Ice Cream Freezer



	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	No. of baskets	Max No. of Baskets (pcs)	Energy Class
ST160	550 x 630 x 930	435 x 435 x 755	35	420	80	115 / 105	2	2	D



Strong castors



Illuminated display board as option (accessory)

NIC101 Range



NIC101CP
Ice Cream Freezer



NIC101SCEB
Ice Cream Freezer



Lock

Description

The NIC-SCEB premium range of ice cream freezers has a great design with curved corners, rounded edges, and curved sliding glass lids. It is a very stable and solid build, but at the same time on wheels so that it is easy to change location in the store. The freezer is great for displaying frozen food including ice cream and lollies.

Product Features

- Curved sliding lid with lock
- Great product visibility
- Divider system
- Ideal for branding
- Digital thermometer
- Castors with brake

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel



Divider system



Lock

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	No. of baskets	Max No. of Baskets (pcs)	Energy Class
NIC101CP	665 x 665 x 918	510 x 510 x 571	47	491	105	130 / 115	-	2	D
NIC101SCEB	665 x 665 x 918	510 x 510 x 571	47	473	105	130 / 115	-	2	D

COUNTER TOP DISPLAY FREEZERS

UF50G Black



UF50G Black
Tabletop Freezer

Lock



Lock



Adjustable shelves

Description

The UF-G range of tabletop display freezers comes with a heated self-closing glass door. It is easy to customize to fit your requirements, as it has adjustable shelves and feet. The content is illuminated by LED lighting. Place the freezer on the counter for stimulating impulse sales.

Product Features

- Static cooling
- Lock
- Adjustable shelves
- Adjustable feet
- LED interior light with switch
- Self-closing glass door
- Heated glass to help prevent condensation
- Replaceable door gasket

Technical Specifications

Temperature Range (°C)	-24 to -12
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	Black
Interior Finish	White

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Doors (pcs)	No. of Shelves	Energy Class
UF50G Black	570 x 530 x 520	450 x 420 x 380	34	923	154	0,23	1	2	C

GASTRO ECONOMY

Gastro Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40
e-mail: biuro@gastroeconomy.pl


H&B
Premium Dairy Ice Cream
TEFCOLD

COUNTER TOP DISPLAY FREEZERS

UF-G Range

Description

The UF-G range of tabletop display freezers comes with a heated self-closing glass door. It is easy to customize to fit your requirements, as it has adjustable shelves and feet. The content is illuminated by LED lighting. Place the freezer on the counter for stimulating impulse sales.





Product Features

- Static cooling
- Self-closing glass door
- Adjustable shelves
- Adjustable feet
- LED interior light with switch
- Heated glass to help prevent condensation
- Lock
- Replaceable door gasket



Lock

Technical Specifications

Temperature Range (°C)	-24 to -12
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	Coated aluminium

UF50G

Tabletop Freezer

UF100G

Tabletop Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Doors (pcs)	No. of Shelves	Energy Class
UF100G	610 x 540 x 670	500 x 430 x 540	44	1159	230	0,27	1	3	C
UF50G	570 x 530 x 520	450 x 420 x 380	34	923	154	0,23	1	2	C



Lock



Adjustable shelves


H&B
Premium Dairy Ice Cream
TEFCOLD

COUNTER TOP DISPLAY FREEZERS

UF-GCP Canopy Range

Description

The UF-GCP range of tabletop display freezers comes with a LED illuminated canopy that will help attract the attention of customers. It is easy to customize to fit your requirements, as it has adjustable shelves and feet. Place the freezer on the counter for stimulating impulse sales.





Product Features

- Static cooling
- Self-closing glass door
- Adjustable shelves
- Adjustable feet
- LED interior light with switch
- LED illuminated canopy
- Heated glass to help prevent condensation
- Lock
- Replaceable door gasket

Technical Specifications

Temperature Range (°C)	-24 to -12
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	Coated aluminium

UF50GCP
Tabletop Freezer

UF100GCP
Tabletop Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Doors (pcs)	No. of Shelves	Energy Class
UF100GCP	610 x 555 x 890	500 x 430 x 540	54	1245	230	0,29	1	3	C
UF50GCP	570 x 530 x 657	450 x 420 x 380	42	1031	154	0,23	1	2	C



Lock



Adjustable shelves


MAGNA'S
Premium Ice Cream
MAGNA'S
Premium Ice Cream
TEFCOLD

HOT SPOT FREEZERS

CF78

Description

The CF range of can freezers is perfect for stimulating impulse sales. The can freezer is compact and easy to move around on strong castors. It has static cooling and comes with a divider system for an easy overview of the products inside. Release its full potential by applying branding to attract customers' eyes. Also available in a cooler option.

Product Features

- Impulse freezer
- Fast pull-down of temperature
- Well suited for branding
- Divider system
- Flip-flop lid
- Strong castors

Technical Specifications

Temperature Range (°C)	-22 to -12
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	Powder coated steel



CF78
Can Freezer



	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Energy Class
CF78	567 x 567 x 830	454 x 454 x 440	29	460	124	80 / 72	D


Strong castors


Divider system


UHD201 Black



UHD201 /Black

Black impulse cooler/freezer

Switchable Cooler / Freezer



Sliding glass lids



Adjustable false base

Description

The UHD201 /Black impulse cooler is perfect for stimulating impulse purchases. It has glass on all four sides as well as glass sliding lids for great product visibility. The unit can be switched between cooling and freezing, so you can adapt it to your needs. It offers an impressive amount of storage space compared to its size. Ventilated cooling ensures a uniform temperature throughout the unit.

Product Features

- Freezer / Cooler
- Dual temperature
- Ideal for impulse sales
- Sliding glass lids
- Glass sides for better presentation of products
- Impressive storage space
- Ventilated cooling
- Bumper bars on 4 sides
- Castors with brake

Technical Specifications

Temperature Range (°C)	-2 to 5 / -24 to -18
Type of Cooling	Ventilated
Type of Defrost	Automatic, hot gas
Exterior Finish	Black RAL9005
Interior Finish	Coated steel

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Energy Class
UHD201 /Black	1255 x 1015 x 962	1075 x 705 x 295	132	4032	661	200 / 165	F

SLIDING FLAT GLASS LID FREEZERS

IC-SC Range



IC-SC Range
Ice Cream Freezers



Lock

Description

The IC standard range of ice cream freezers offers a stable and solid-built unit at a competitive price. It is a great option for start-up companies, season sale etc. It comes with flat glass sliding lids for product visibility and a full set of baskets, ready to be filled with delicious ice cream and lollies. Sturdy heavy duty castors are fitted to enable easy movement of the unit.

Product Features

- Includes full set of baskets
- Flat sliding glass lids with lock
- Great branding possibilities
- Digital thermometer
- Powder coated white steel inner liner
- Castors with brake
- Climate class 5 for high performance in warm surroundings

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	No. of baskets	Max No. of Baskets (pcs)	Energy Class
IC101SC	570 x 570 x 897	450 x 450 x 520	42	443	80	108 / 91	2	2	D
IC201SC	720 x 630 x 892	600 x 510 x 655	46	534	98	191 / 165	2	2	D
IC301SC	1010 x 630 x 892	890 x 510 x 655	55	648	141	296 / 255	4	4	D
IC401SC	1300 x 630 x 892	1180 x 510 x 655	64	857	141	401 / 350	5	5	D
IC501SC	1550 x 630 x 892	1430 x 510 x 655	72	997	191	491 / 430	6	6	D
IC551SC	1750 x 630 x 892	1630 x 510 x 655	96	1122	273	555 / 486	7	7	D
IC701SC	2055 x 630 x 892	1930 x 510 x 655	100	1299	292	670 / 620	8	8	D


TEFCOLD
Life is better with
ICE CREAM

SLIDING FLAT GLASS LID FREEZERS

NIC-SC Range



NIC301SC
Ice Cream Freezer



NIC501SC
Ice Cream Freezer

Lock

Description

The NIC-SC premium range of ice cream freezers has a great design with curved corners, rounded edges, and flat sliding glass lids. It is a very stable and solid build, but at the same time on wheels so that it is easy to change location in the store. The freezer is great for displaying frozen food including ice cream and lollies. It comes with a full set of baskets.

Product Features

- Includes full set of baskets
- Flat sliding glass lids with lock
- Great branding possibilities
- Digital thermometer
- Castors with brake
- Climate class 5 for high performance in warm surroundings

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	No. of baskets	Max No. of Baskets (pcs)	Energy Class
NIC201SC	740 x 650 x 885	600 x 510 x 576	52	431	98	186 / 138	2	2	D
NIC301SC	1030 x 650 x 885	890 x 510 x 576	62	555	141	288 / 218	4	4	D
NIC401SC	1320 x 650 x 885	1180 x 510 x 571	72	674	141	390 / 298	5	5	D
NIC501SC	1570 x 650 x 885	1430 x 510 x 576	110	762	191	478 / 367	6	6	D



White coated steel inner liner



Illuminated display board as option (accessory)

GASTRO ECONOMY

Gastro Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40
e-mail: biuro@gastroeconomy.pl

NIC-SCEB Range



NIC-SCEB Range
Ice Cream Freezers

Lock

Description

The NIC-SCEB premium range of ice cream freezers has a great design with curved corners, rounded edges, and curved sliding glass lids. It is a very stable and solid build, but at the same time on wheels so that it is easy to change location in the store. The freezer is great for displaying frozen food including ice cream and lollies. It comes with a full set of baskets.

Product Features

- Angled display for better presentation
- Curved sliding lids with lock
- Includes full set of baskets
- Ideal for branding
- Digital thermometer
- Castors with brake
- Climate class 5 for high performance in warm surroundings

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	No. of baskets	Max No. of Baskets (pcs)	Energy Class
NIC101SCEB	665 x 665 x 918	510 x 510 x 571	47	473	105	130 / 115	-	2	D
NIC201SCEB	740 x 650 x 918	600 x 510 x 571	52	439	98	185 / 138	2	2	D
NIC301SCEB	1030 x 650 x 918	890 x 510 x 571	62	638	141	286 / 218	4	4	D
NIC401SCEB	1320 x 650 x 918	1180 x 510 x 571	72	829	179	388 / 298	5	5	D
NIC501SCEB	1570 x 650 x 918	1430 x 510 x 571	110	929	191	475 / 367	6	6	D

SLIDING CURVED GLASS LID FREEZERS

IC-SCEB Range



IC-SCEB Range
Ice Cream Freezers



Lock

Description

The IC-SCEB standard range of ice cream freezers offers a stable and solid-built unit at a competitive price. It is a great option for start-up companies, season sale etc. It comes with curved glass sliding lids for product visibility and a full set of baskets, ready to be filled with delicious ice cream and lollies. Sturdy heavy duty castors are fitted to enable easy movement of the unit.

Product Features

- Angled display for better presentation
- Curved sliding lids with lock
- Includes full set of baskets
- Ideal for branding
- Digital thermometer
- Castors with brake
- Climate class 5 for high performance in warm surroundings

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	No. of baskets	Max No. of Baskets (pcs)	Energy Class
IC101SCEB	570 x 570 x 885	450 x 450 x 490	37	470	80	100 / 85	1	2	D
IC101SCEB LED	570 x 570 x 885	450 x 450 x 490	37	470	80	100 / 85	1	2	D
IC201SCEB	720 x 615 x 949	600 x 495 x 710	53	552	98	176 / 157	2	2	D
IC301SCEB	1010 x 615 x 949	890 x 495 x 710	57	758	141	264 / 230	4	4	D
IC401SCEB	1300 x 615 x 949	1180 x 495 x 710	66	799	141	352 / 325	5	5	D
IC501SCEB	1550 x 615 x 949	1420 x 495 x 710	72	929	191	427 / 398	6	6	D
IC551SCEB	1750 x 615 x 949	1630 x 495 x 710	96	1039	292	540 / 481	7	7	D


H&B
Premium Dairy Ice Cream
TEFCOLD

GLASS DOOR DISPLAY FREEZERS

UF-G Range

Description

The UF-G range of freezers is the white glass door version of our UF cabinets. These display freezers offers high quality and reliability at a competitive prize. The freezer is available in various sizes. The standard cabinet comes with fixed freezing shelves, which helps ensure an even temperature throughout the cabinet. Set the temperature on the easy-to-use digital thermostat display.

Product Features

- Heated glass door
- Electronic thermostat
- Static cooling
- Lock
- Fixed freezing shelves
- Adjustable feet with rollers to rear
- LED interior light

Technical Specifications

Temperature Range (°C)	-24 to -10
Type of Cooling	Fan assisted (UF400G)
	Static (UF200G
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White ABS



Freezer Option Available

Lock



UF200G
Display Freezer

UF400G
Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
UF200G	600 x 585 x 855	484 x 470 x 620	47	2001	270	200 / 120	1	2	D
UF400G	600 x 585 x 1855	484 x 470 x 1620	80	1930	380	400 / 340	1	7	C



Lock



Strong castors as option

UF-VG Range



UF400VG
Display Freezer



UF200VG
Display Freezer



Lock

Description

The UF-VG range of display freezers is the ventilated version of our white glass door freezers. It comes in a variety of sizes and offers great flexibility with adjustable shelves. The effective ventilated refrigeration system ensures an even temperature throughout the cabinet. The temperature can be set on an easy-to-use digital thermostat display. Defrost happens automatically.

Product Features

- Heated glass door
- Electronic thermostat
- Automatic defrost
- Lock
- Adjustable shelves
- LED interior light
- Ventilated cooling

Technical Specifications

Temperature Range (°C)	-24 to -10
Type of Cooling	Ventilated
Type of Defrost	Automatic
Exterior Finish	White
Interior Finish	White ABS

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
UF200VG	600 x 600 x 850	484 x 470 x 620	47	913	150	200 / 120	1	3	D
UF400VG	600 x 585 x 1855	484 x 470 x 1620	80	2664	300	400 / 340	1	4	C



Ventilated cooling



Lock

GLASS DOOR DISPLAY FREEZERS

UF-SG Stainless Steel Range

Description

The UF-SG range of freezers is the stainless steel glass door version of our UF cabinets. These display freezers offers high quality and reliability at a competitive prize. They are available in various sizes and they all have a clean design in stainless steel. The standard freezer cabinet comes with fixed freezing shelves, which helps ensure an even temperature throughout the cabinet. Set the temperature on the easy-to-use digital thermostat display.

Product Features

- Stainless steel cabinet
- Heated glass door
- Electronic thermostat
- Lock
- Fixed freezing shelves
- LED interior light
- Adjustable feet with rollers to rear

Technical Specifications

Temperature Range (°C)	-24 to -10
Type of Cooling	Static (UF200SG) FAN (UF400SG)
Type of Defrost	Manual
Exterior Finish	SS430
Interior Finish	White ABS



Freezer Option Available

Lock



UF200SG
Display Freezer

UF400SG
Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
UF200SG	600 x 585 x 855	484 x 470 x 620	47	2001	270	200 / 120	1	2	D
UF400SG	600 x 585 x 1855	484 x 470 x 1620	80	1930	380	400 / 340	1	7	C



Lock



Adjustable legs as option

UF-VSG Stainless Steel Range



UF400VSG
Display Freezer



UF200VSG
Display Freezer



Lock

Description

The UF-VSG range of display freezers is the ventilated version of our stainless steel glass door freezers. It comes in a variety of sizes and offers great flexibility with adjustable shelves. The effective ventilated refrigeration system ensures an even temperature throughout the cabinet. The temperature can be set on an easy-to-use digital thermostat display. Defrost happens automatically.

Product Features

- Stainless steel cabinet
- Heated glass door
- Electronic thermostat
- Automatic defrost
- Adjustable shelves
- LED interior light
- Ventilated cooling

Technical Specifications

Temperature Range (°C)	-24 to -10
Type of Cooling	Ventilated
Type of Defrost	Automatic
Exterior Finish	SS430
Interior Finish	White ABS

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
UF200VSG	600 x 600 x 850	484 x 470 x 620	47	2268	150	200 / 120	1	3	D
UF400VSG	600 x 585 x 1855	484 x 470 x 1620	80	2664	300	400 / 340	1	4	C



Ventilated cooling



Lock

GLASS DOOR DISPLAY FREEZERS

UFSC371G Black Range

Description

The UFSC range of display freezers offers great product presentation and a competitive price. It has a heated glass door to prevent condensation and a defrost drain for easy maintenance. It has static cooling and fixed freezer shelves with built-in evaporator coils to ensure an even temperature throughout the cabinet. The display freezer comes in black and white, with or without an illuminated canopy.

Product Features

- Black interior and exterior
- Heated glass to help prevent condensation
- LED interior light with switch
- Digital temperature display
- Fixed freezing shelves
- Lock
- Adjustable feet
- Defrost water drain

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	Black
Interior Finish	Black





New Product

Lock

UFSC371G Black

Black Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
UFSC371G Black	595 x 640 x 1840	470 x 440 x 1545	95	3017	350	300 / 270	1	6	C
UFSC371G Black L/H	595 x 640 x 1840	470 x 440 x 1545	95	3017	350	300 / 270	1	6	C
UFSC371GCP Black	595 x 640 x 1980	470 x 440 x 1545	98	3035	570	300 / 270	1	6	C

UFSC371GCP Black

Black Display Freezer



Strong handle



Lock


ICE CREAM
ICE CREAM

GLASS DOOR DISPLAY FREEZERS

UFSC371G Range

Description

The UFSC range of display freezers offers great product presentation and a competitive price. It has a heated glass door to prevent condensation and a defrost drain for easy maintenance. It has static cooling and fixed freezer shelves with built-in evaporator coils to ensure an even temperature throughout the cabinet. The display freezer comes with or without an illuminated canopy.

Product Features

- Illuminated canopy
- Heated glass to help prevent condensation
- LED interior light with switch
- Fixed freezing shelves
- Defrost water drain
- Digital temperature display
- Adjustable feet
- Lock

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White





New Product

Lock

UFSC371GCP
Display Freezer

UFSC371G
Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
UFSC371G	595 x 640 x 1840	470 x 440 x 1545	95	3017	350	300 / 270	1	6	C
UFSC371GCP	595 x 640 x 1980	470 x 440 x 1545	95	3035	570	300 / 270	1	6	C



Strong handle



Lock

Gastro Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40
e-mail: biuro@gastroeconomy.pl

UFFS371G Alu-Door Range





New Product

Lock

Description

The UFFS range of display freezers offers great product presentation and a competitive price. It has a heated glass door to prevent condensation and a defrost drain for easy maintenance. It has static cooling and fixed freezer shelves with built-in evaporator coils to ensure an even temperature throughout the cabinet. The display freezer comes in white, with or without an illuminated canopy.

Product Features

- Great product presentation
- Illuminated canopy
- Heated glass door
- Fixed freezing shelves
- Internal LED light
- Digital thermometer
- Defrost water drain

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White

UFFS371G
Display Freezer

UFFS371GCP
Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
UFFS371G	595 x 640 x 1840	470 x 440 x 1555	95	3017,46	570	300 / 270	1	6	C
UFFS371G L/H	595 x 640 x 1840	470 x 440 x 1555	95	3017,46	570	300 / 270	1	6	C
UFFS371GCP	595 x 640 x 1980	470 x 440 x 1555	98	3035	570	300 / 270	1	6	C



Strong handle



Lock

GLASS DOOR DISPLAY FREEZERS

UFSC1450 Range

Description

Our UFSC range of display freezers can help you showcase your frozen food items in the best way possible. It is a flexible freezing solution, where you can adjust the height of the shelves according to the content. Easy to clean, restock, and has a very low energy consumption.

Product Features

- Adjustable shelves
- Energy efficient cooling system
- Great product presentation
- Automatic defrost
- Ventilated cooling
- LED illuminated canopy
- Heated self-closing glass door
- LED interior light
- Adjustable feet

Technical Specifications

Temperature Range (°C)	-22 to -12
Type of Cooling	Ventilated
Type of Defrost	Automatic
Exterior Finish	White
Interior Finish	White painted steel







Lock

UFSC1450GCP NF

Display Freezer

UFSC1450GCP NF Silver

Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
UFSC1450GCP NF	680 x 761 x 2149	565 x 568 x 1660	125	3154	700	544 / 440	1	5	C
UFSC1450GCP NF Silver	680 x 761 x 2149	565 x 568 x 1660	125	3154	700	544 / 440	1	5	C



Adjustable shelves



Strong handle

LGF5000 Black



Illuminated canopy



Strong castors

Description

The LGF5000 is available in a sleek black finish, making it an excellent choice for establishments seeking a sophisticated and high-quality aesthetic. Each door boasts two vertical LED light strips for drawing attention to the product on display. Additionally, the carefully engineered refrigeration system is highly energy-efficient, minimising operational costs while keeping your products at their optimal temperature.

Product Features

- Fully automatic, fan assisted cooling
- Adjustable shelves
- Castors with locking feet
- Self closing doors with stay open feature for ease of loading
- LED interior light with switch (2 LED strips per door)
- Digital controller and temperature display
- Light canopy with switch
- Heated glass door to help stop condensation
- Internal stainless steel base

Technical Specifications

Temperature Range (°C)	-25 to -14
Type of Cooling	Ventilated
Type of Defrost	Electric
Exterior Finish	Black
Interior Finish	Black



LGF5000 BLACK

2 Dr Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
LGF5000 BLACK	1382 x 800 x 2055	1262 x 640 x 1520	210	4660	1200	1108 /	2	8	C

GLASS DOOR DISPLAY FREEZERS

LGF Range

Description


The LGF range of glass door freezers in white gives you the option of matching single, double and triple door units. Each door has two vertical LED light strips for excellent internal illumination and a large LED light canopy. The carefully designed refrigeration system is energy efficient to keep running costs down.

Product Features

- Fully automatic, fan assisted cooling
- Adjustable shelves
- Castors with locking feet
- Self closing doors with stay open feature for ease of loading
- LED interior light with switch (2 LED strips per door)
- Digital controller and temperature display
- Light canopy with switch
- Heated glass door to help stop condensation
- Internal stainless steel base

Technical Specifications

Temperature Range (°C)	-25 to -14
Type of Cooling	Ventilated
Type of Defrost	Electric
Exterior Finish	White
Interior Finish	White





Cooler Option Available

LGF2500
1 Dr Display Freezer

LGF5000
2 Dr Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
LGF2500	690 x 800 x 2055	565 x 640 x 1520	120	2842	650	496 /	1	4	C
LGF5000	1382 x 800 x 2055	1262 x 640 x 1520	190	4660	1200	1108 /	2	8	C
LGF7500	2079 x 800 x 2055	1959 x 640 x 1520	240	9335	1200	2050 /	3	12	D



Digital controller



Strong castors


The
ICE CREAM
premium

GLASS DOOR DISPLAY FREEZERS

NF Range

Description

The NF range of display freezers comes with 1, 2 or 3 doors and offers impressive storage space. The illuminated canopy grabs the attention of customers, while the self-closing heated glass doors, adjustable shelves, and internal vertical LED lighting ensure that the content looks its best. The freezer has an efficient ventilated cooling system and automatic defrost. Because of the cooling system, it is possible to adjust the shelves to fit the frozen content you wish to display.

Product Features

- Automatic defrost
- Self-closing heated glass door
- LED illuminated canopy
- LED interior light
- Adjustable shelves
- Adjustable feet
- Ventilated cooling

Technical Specifications

Temperature Range (°C)	-24 to -12
Type of Cooling	Ventilated
Type of Defrost	Automatic
Exterior Finish	White RAL9016
Interior Finish	Coated steel





Cooler Option Available

Lock

NF2500G
Display Freezer

NF5000G
Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
NF2500G	680 x 720 x 2020	560 x 580 x 1270	150	4015	850	515 / 412	1	5	D
NF5000G	1370 x 720 x 2020	1250 x 570 x 1331	258	8586	1100	1149 / 930	2	10	F
NF7500G	2057 x 700 x 2020	1937 x 580 x 1327	315	11164	1350	1784 / 1657	3	15	E



Strong handle



Lock

Atom Maxi Range





Description

The Atom Maxi range of display freezers offers great quality at a competitive price. It comes with or 1, 2 or 3 self-closing glass doors, LED lighting, and adjustable shelves for optimal product presentation. It has an efficient ventilated cooling system, automatic defrost, and an easy-to-use temperature controller. Also available in a cooler version.

Product Features

- Perfect display for frozen foods
- Low energy consumption
- Self-closing heated glass door
- Triple glazed insulated glass
- Adjustable shelves
- Ventilated cooling
- Internal vertical LED light

Technical Specifications

Temperature Range (°C)	-18 to -22
Type of Cooling	Ventilated
Type of Defrost	Automatic
Exterior Finish	Black RAL9005
Interior Finish	White

Atom Maxi F2DB
Display Freezer

Atom Maxi F1DB
Display Freezer

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Display Area (m²)	Doors (pcs)	No. of Shelves	Energy Class
Atom Maxi F1DB	750 x 760 x 2003	630 x 580 x 1538	150	3311	600	0,84	1	5	C
Atom Maxi F2DB	1253 x 760 x 2003	1133 x 580 x 1538	240	6377	1205	1,39	2	10	D
Atom Maxi F3DB	1880 x 760 x 2003	1760 x 580 x 1538	305	8702	1280	2,09	3	15	D



Adjustable shelves



Digital controller

MOBILE 12V FREEZERS

Mobilux Range





MOBILUX 11 COMBI

Mobile



MOBILUX 21 COMBI

Mobile

Description

Sometimes you have to go out and find customers to sell to. The Mobilux battery powered mobile combi freezer/chiller allows you to do this, you can take it wherever you want (within reason). Charge the battery up overnight and you can venture out selling ice cream with a charge lasting for between 8 and 13 hours depending on conditions. The unit can be mounted on a trolley or suitable tricycle. The Mobilux 11 Combi can hold 2 baskets (4 tubs) and the Mobilux 21 can hold 3 baskets (6 tubs).

Product Features

- Suitable for mounting on trolley, cart or trike
- 12v Battery powered chiller/freezer
- Battery life of 8-13 hours
- Rechargeable battery and charger
- Static cooling
- Ice cream trike or trolley available (to order)
- Baskets for 4 litre tubs or Napoli tubs avaliable
- Flat sliding lids
- Switchable between freezer or chiller

Technical Specifications

Temperature Range (°C)	-15 to -22 / +4 to +12
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	Hammered Aluminium

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	No. of baskets	Max No. of Baskets (pcs)	Energy Class
MOBILUX 11 COMBI	720 x 650 x 860	520 x 450 x 650	57	329	52	136 /	1	2	
MOBILUX 21 COMBI.	1055 x 650 x 860	850 x 450 x 650	65	0		226 /	2	4	



Charger



4 litre tub basket option

GASTRO ECONOMY

Gastro Economy Sp. k.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40
e-mail: biuro@gastroeconomy.pl


TRADITIONAL
ICE CREAM

UPRIGHT STORAGE FREEZERS STAINLESS STEEL

UF400VS

Description

The UF-VS range of freezers is the ventilated version of our stainless steel storage freezers. It comes in various sizes. The freezer has an effective ventilated refrigeration system, which ensures an even temperature throughout the cabinet. Set the temperature on the easy-to-use digital thermostat display. You can customize the freezer to fit your needs with adjustable shelves. Defrost happens automatically.

Product Features

- Stainless steel cabinet
- Integrated handle
- Reversible solid door
- Electronic thermostat
- Automatic defrost
- Adjustable shelves
- Ventilated cooling
- Lock
- Adjustable feet with rollers to rear



Ventilated cooling



Lock

Cooler Option Available

Lock

Technical Specifications

Temperature Range (°C)	-24 to -10
Type of Cooling	Ventilated
Type of Defrost	Automatic
Exterior Finish	SS430
Interior Finish	White ABS

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
UF400VS	600 x 585 x 1855	484 x 470 x 1620	80	2000	300	400 / 340	1	4	D



UF400VS
Storage Freezer

Labor 70 RS/RV





Lock



Extra shelving available



Digital controller

Description

The Labor static cooled freezer is ideal for storage and tempering of ice cream and gelato. The unit allows storage of up to 66x 5 litre Napoli pans. It can also be used to store ice cream at ready to serve temperature, ready to go straight into the ice cream display. Ideal for the busy ice cream or gelato parlor

Product Features

- For storage and tempering of ice cream and gelato
- Accepts 65 x 5ltr Napoli pans (pans not supplied)
- Adjustable shelves
- Self-closing door
- Digital controller and temperature display
- Adjustable feet
- Lock

Technical Specifications

Temperature Range (°C)	-18 to -14
Type of Cooling	Fan assisted
Type of Defrost	Manual
Exterior Finish	SS304
Interior Finish	SS304

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Doors (pcs)	Shelves (pcs)	Energy Class
LABOR 70 RS/RV	710 x 951 x 2092	535 x 795 x 1467	148	2241	450	641 / 522	1	5	D

LABOR 70 RS/RV
1-Dr Freezer S/Steel

CHEST STORAGE FREEZERS SOLID LID

FR Range



FR505 SL
Ice Cream Freezer, Solid Lids



FR305 SL
Ice Cream Freezer, Solid Lids

Lock

Description

The FR-SL range of horizontal freezers offers a reliable product at a competitive price. It comes in various sizes in white with a solid lid in white or stainless steel. It has a powder coated white steel inner liner and a defrost water drain for easy maintenance. It has strong castors for better mobility.

Product Features

- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Baskets
- Strong castors

Technical Specifications

Temperature Range (°C)	-24 to -14
Type of Cooling	Static
Type of Defrost	Manual
Exterior Finish	White
Interior Finish	White painted steel

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Energy Class
FR205 SL	734 x 700 x 945	610 x 480 x 725	43	470,85	150	189 / 185	C
FR305 SL	984 x 700 x 945	860 x 480 x 725	50	577,43	185	278 / 273	C
FR405 SL	1284 x 700 x 945	1160 x 480 x 725	62	703,72	230	385 / 377	C
FR505 SL	1504 x 700 x 945	1380 x 480 x 725	73	1142,45	230	463 / 454	D
FR605 SL	1804 x 700 x 945	1680 x 480 x 725	114	1317,6	250	567 / 557	D



Baskets



Thermometer

BLC Range



BLC10
Blast Chiller/Freezer GN1/1



BLC5
Blast Chiller/Freezer GN1/1

Description

The BLC range of blast chillers are widely used in professional kitchens when food needs to be cooled rapidly and hygienically. Using blast chillers for chilling or freezing retains the colour, texture and taste of the food. Core temperature sensors included. Five different chill settings are pre-programmed into the programmable thermostats. Available in different sizes, all made in high quality SS304 stainless steel and dimensioned for GN and Euronorm sizes.


Product Features

- Stainless steel
- Core sensor included
- Programmable thermostat
- 4 pre-set programs
- Guides for GN1/1 and Euronorm pans
- Reversible self-closing door
- Adjustable legs

Technical Specifications

Temperature Range (°C)	-18 to +70 / +3 to +70
Type of Cooling	Blast
Type of Defrost	Automatic, hot gas
Exterior Finish	SS304
Interior Finish	SS304

	Ext. Dimension (WxDxH) (mm)	Int. Dimension (WxDxH) (mm)	Net Weight (kg)	Energy Cons. (kWh/year)	Input Power (W)	Gross/Net Vol. (l)	Energy Class
BLC10	800 x 815 x 1635	660 x 420 x 870	170		1298	235 / 218	
BLC3	800 x 815 x 935	660 x 420 x 330	117		700	92 / 82	
BLC5	800 x 815 x 1005	660 x 420 x 400	120		800	111 / 100	



Core sensor included



Pre-programmed thermostat

CONTACT +45 8660 1933 sales@tefcold.com






GASTRO ECONOMY

Gastro Economy Sp. komandytowa.
ul. Zakopiańska 163a
30-435 Kraków

tel.: +48 12 260 26 40
e-mail: biuro@gastroeconomy.pl



TEFCOLD®
COOL PRODUCTS WORLDWIDE